

Material Safety Data Sheet



PRODUCT NAME: ChemAg Diuron 900 WG Herbicide
APVMA Product Code: 53812

1 - IDENTIFICATION OF CHEMICAL PRODUCT AND COMPANY

Supplier Name IMTRADE AUSTRALIA PTY LTD
Address 17 Ocean Street, Kwinana, Western Australia, AUSTRALIA, 6167
Telephone (08) 9419 0333
Fax (08) 9419 7516
Emergency In a Transport Emergency Dial 000 – Police or Fire Brigade
Email sales@imtrade.com.au
Web site <http://www.imtrade.com.au>
Product Use: Agricultural herbicide for use as described on the product label.
Creation Date: August, 2008
This version issued: First issue: August, 2008
Product Type: Diuron is a urea derivative.

SECTION 2 - HAZARDS IDENTIFICATION

Statement of Hazardous Nature

This product is classified as: Hazardous according to the criteria of NOHSC Australia.

Not a Dangerous Good according to the Australian Dangerous Goods (ADG) Code.

Risk Phrases: R48/22. Danger of serious damage to health by prolonged exposure if swallowed.

Safety Phrases: S2, S13, S22, S37, S46, S60, S61. Keep out of reach of children. Keep away from food, drink and animal feeding stuffs. Do not breathe dust. Wear suitable gloves. If swallowed, contact a doctor or Poisons Information Centre immediately and show this container or label. This material and its container must be disposed of as hazardous waste. Avoid release to the environment. Refer to special instructions/Safety Data Sheets.

SUSDP Classification: None allocated.

ADG Classification: None allocated. Not a Dangerous Good under the ADG Code.

UN Number: None allocated

Emergency Overview

Physical Description & Colour: Pale brown-beige coloured granulated solid.

Odour: Characteristic sweetish odour.

Major Health Hazards: No major health hazards are associated with Diuron exposure. May cause serious damage to health by prolonged exposure, may cause irreversible effects, harmful if swallowed.

Potential Health Effects

See section 11 for Chronic exposure studies.

Inhalation

Short Term Exposure: Long term inhalation of high amounts of any nuisance dust may overload lung clearance mechanism. Available data indicates that this product is not harmful. However product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort.

Skin Contact:

Short Term Exposure: Available data indicates that this product is not harmful. It should present no hazards in normal use. However product may be mildly irritating, but is unlikely to cause anything more than mild discomfort which should disappear once contact ceases.

Eye Contact:

Short Term Exposure: This product may be mildly irritating to eyes, but is unlikely to cause anything more than mild discomfort which should disappear once product is removed.

Ingestion:

Short Term Exposure: Significant oral exposure is considered to be unlikely. However, this product may be irritating to mucous membranes but is unlikely to cause anything more than transient discomfort.

MATERIAL SAFETY DATA SHEET

Issued by: Imtrade Australia Pty Ltd

Phone: (08) 9419 0333

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)

Carcinogen Status:

NOHSC: Diuron is classified by NOHSC as a Class 3 Carcinogen, possibly carcinogenic to humans.

See the NOHSC website for further details. A web address has not been provided as addresses frequently change.

NTP: No significant ingredient is classified as carcinogenic by NTP.

IARC: No significant ingredient is classified as carcinogenic by IARC.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	CAS No	Conc, %	TWA (mg/m ³)	STEL (mg/m ³)
Diuron	330-54-1	90	10	not set
Other non hazardous ingredients	secret	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

SECTION 4 - FIRST AID MEASURES**General Information:**

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this MSDS with you when you call.

Inhalation: First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Skin Contact: Gently brush away excess solids. Irritation is unlikely. However, if irritation does occur, flush with lukewarm, gently flowing water for 5 minutes or until chemical is removed.

Eye Contact: Quickly and gently brush particles from eyes. No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses.

Ingestion: If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

SECTION 5 - FIRE FIGHTING MEASURES

Fire and Explosion Hazards: There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

Extinguishing Media: Preferred extinguishing media are carbon dioxide, dry chemical, foam, water fog.

Fire Fighting: If a significant quantity of this product is involved in a fire, call the fire brigade.

Flash point: Not flammable.

Upper Flammability Limit: No data.

Lower Flammability Limit: No data.

Autoignition temperature: No data.

Flammability Class: No data.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Accidental release: In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls, goggles and gloves. Suitable materials for protective clothing include rubber, PVC. Eye/face protective equipment should comprise as a minimum, protective glasses and, preferably, goggles. If there is a significant chance that dusts are likely to build up in cleanup area, we recommend that you use a suitable Dust Mask. Use a P1 mask, designed for use against mechanically generated particles eg silica & asbestos.

Stop leak if safe to do so, and contain spill. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Consider vacuuming if appropriate. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this MSDS and the label, instructions on the label prevail. Ensure legality of disposal by

MATERIAL SAFETY DATA SHEET

consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

SECTION 7 - HANDLING AND STORAGE

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this MSDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: Protect this product from light. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Check packaging - there may be further storage instructions on the label.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Industrial Clothing: **AS2919**, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

Exposure Limits	TWA (mg/m ³)	STEL (mg/m ³)
Diuron	10	not set

The ADI for Diuron is set at 0.007mg/kg/day. The corresponding NOEL is set at 0.7mg/kg/day. ADI means Acceptable Daily Intake and NOEL means No-observable-effect-level. Values taken from Australian ADI List, April 2008.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Ventilation: This product should only be used where there is ventilation that is adequate to keep exposure below the TWA levels. If necessary, use a fan.

Eye Protection: Eye protection is not normally necessary when this product is being used. However, if in doubt, wear suitable protective glasses or goggles.

Skin Protection: The information at hand indicates that this product is not harmful and that normally no special skin protection is necessary. However, we suggest that you routinely avoid contact with all chemical products and that you wear suitable gloves (preferably elbow-length) when skin contact is likely.

Protective Material Types: We suggest that protective clothing be made from the following materials: rubber, PVC.

Respirator: If there is a significant chance that dusts are likely to build up in the area where this product is being used, we recommend that you use a suitable Dust Mask. Use a P1 mask, designed for use against mechanically generated particles eg silica & asbestos.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES:

Physical Description & colour:	Pale brown-beige coloured granulated solid.
Odour:	Characteristic sweetish odour.
Boiling Point:	Not available.
Freezing/Melting Point:	No specific data. Solid at normal temperatures. Diuron melts about 160°C
Volatiles:	No specific data. Expected to be low at 100°C.
Vapour Pressure:	No data. Diuron 1.1×10^{-3} mPa at 25°C
Vapour Density:	No data.
Specific Gravity:	No data. Diuron about 1.48
Water Solubility:	Wettable; Diuron 36.4mg/L at 25°C
pH:	No data.
Volatility:	No data.
Odour Threshold:	No data.
Evaporation Rate:	No data.
Coeff Oil/water Distribution:	No data.
Autoignition temp:	No data.

SECTION 10 - STABILITY AND REACTIVITY

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: Protect this product from light. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight.

Incompatibilities: strong acids, strong bases, strong oxidising agents.

MATERIAL SAFETY DATA SHEET

Fire Decomposition: Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas. Hydrogen chloride gas, other compounds of chlorine. Water. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death. Hydrogen cyanide poisoning signs and symptoms are weakness, dizziness, headache, nausea, vomiting, coma, convulsions, and death. Death results from respiratory arrest. Hydrogen cyanide gas acts very rapidly; symptoms and death can both occur quickly.

Polymerisation: This product will not undergo polymerisation reactions.

SECTION 11 - TOXICOLOGICAL INFORMATION

Toxicity: An information profile for Diuron is available at <http://extoxnet.orst.edu/pips/ghindex.html>

Acute toxicity: Diuron is classified as not harmful to mammals. The oral LD₅₀ in rats is 3400 mg/kg. The dermal LD₅₀ is greater than 2000 mg/kg. Some signs of central nervous system depression have been noted at high levels of Diuron exposure. For humans, the only reported case of acute, oral exposure to the herbicide produced no significant symptoms or toxicity.

Chronic toxicity: Male rats given extremely high doses of Diuron over a 2-week period showed changes in their spleen and bone marrow. Other chronic effects attributed to moderate to high doses of the pesticide over time included changes in blood chemistry, increased mortality, growth retardation, abnormal blood pigment, and anaemia. When fed small amounts of Diuron in food for 2 years, animal species showed no adverse effects.

Reproductive effects: Daily low doses of Diuron fed to female rats through three successive generations caused significantly decreased body weight of offspring in the second and third litters. The fertility rate remained unaffected. It is unlikely that Diuron will cause reproductive effects in humans at expected levels of exposure.

Teratogenic effects: Diuron is teratogenic at high doses. Administered to pregnant rats on days 6 through 15 of gestation, it produced no birth defects in the offspring at doses of up to 125 mg/kg/day. However, doses of 250 mg/kg/day caused wavy ribs, extra ribs, and delayed bone formation. There were also weight decreases in offspring at 500 mg/kg/day. There was no increase in the severity of the rib deformation at this higher dose. Pregnant mice given very high doses of Diuron (nearly 2000 mg/kg/day) exhibited reproductive and embryotoxic effects. Developmental effects were found in their offspring.

Mutagenic effects: Diuron does not appear to be mutagenic. The majority of tests have shown that Diuron does not produce mutations in animal cells or in bacterial cells.

Carcinogenic effects: Limited evidence indicates that low level exposures to Diuron does not cause cancer.

Organ toxicity: Low doses of Diuron over extended periods of time can cause enlargement to the liver and the spleen.

Fate in humans and animals: Diuron is excreted in the faeces and urine of test animals. Breakdown of the compound is similar in animals, plants, and soil. Cows fed very low doses of Diuron in their diets had small amounts of residues in whole milk. Cattle fed small amounts accumulated low levels of Diuron in fat and muscle, liver, and kidney.

SECTION 12 - ECOLOGICAL INFORMATION

Effects on birds: Diuron is slightly toxic to birds. In bobwhite quail, the dietary LC₅₀ is 1730 ppm. In Japanese quail and ring-necked pheasant, it is greater than 5000 ppm. The LC₅₀ is approximately 5000 ppm in mallard ducks.

Effects on aquatic organisms: The LC₅₀ (48 hour) values for Diuron range from 4.3 mg/L to 42 mg/L in fish, and range from 1 mg/L to 2.5 mg/L for aquatic invertebrates. The LC₅₀ (96-hour) is 3.5 mg/L for rainbow trout. Thus, Diuron is moderately toxic to fish and highly toxic to aquatic invertebrates.

Effects on other organisms: Diuron is non-toxic to bees.

Environmental Fate:

Breakdown in soil and groundwater: Diuron is moderately to highly persistent in soils. Residue half-lives are from 1 month to 1 year. Some pineapple fields contained residues 3 years after the last application. Mobility in the soil is related to organic matter and to the type of the residue. The metabolites are less mobile than the parent compound. In California, Diuron has been found in groundwater in the 2 to 3 ppb range. It has also been found in Ontario groundwater where it has been linked with land applications.

Breakdown in water: Diuron is relatively stable in neutral water. Microbes are the primary agents in the degradation of Diuron in aquatic environments.

Breakdown in vegetation: Diuron is readily absorbed through the root system of plants and less readily through the leaves and stems.

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal: Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 <http://www.chemclear.com.au/> and for help with the disposal of empty drums, contact DrumMuster <http://www.drummuster.com.au/> where you will find contact details for your area.

MATERIAL SAFETY DATA SHEET

SECTION 14 - TRANSPORT INFORMATION

ADG Code: This product is not classified as a Dangerous Good. No special transport conditions are necessary unless required by other regulations.

SECTION 15 - REGULATORY INFORMATION

AICS: All of the significant ingredients in this formulation are compliant with NICNAS regulations.

SECTION 16 - OTHER INFORMATION

This MSDS contains only safety-related information. For other data see product literature.

Acronyms:

ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail (7 th edition)
AICS	Australian Inventory of Chemical Substances
ASCC	Office of the Australian Safety and Compensation Council
CAS number	Chemical Abstracts Service Registry Number
Hazchem Code	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
IARC	International Agency for Research on Cancer
NOS	Not otherwise specified
NTP	National Toxicology Program (USA)
R-Phrase	Risk Phrase
SUSDP	Standard for the Uniform Scheduling of Drugs & Poisons
UN Number	United Nations Number

This MSDS summarises our best knowledge of the health and safety hazard information on the product, and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace, including in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made the user should contact Imtrade Australia Pty Ltd, or in the event of an emergency, 000. Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

Please read all labels carefully before using product.

This MSDS is prepared in accord with the ASCC document "National Code of Practice for the Preparation of Material Safety Data Sheets" 2nd Edition [NOHSC:2011(2003)]

Copyright © Kilford & Kilford Pty Ltd, August, 2008.

<http://www.kilford.com.au/> Phone (02) 9251 4532

End of Report

MATERIAL SAFETY DATA SHEET