

# Material Safety Data Sheet



PRODUCT NAME           **ChemAg Metsulfuron 600 WG Herbicide**  
APVMA Product Code:   54206

---

## 1 - IDENTIFICATION OF CHEMICAL PRODUCT AND COMPANY

---

**Supplier Name**           **IMTRADE AUSTRALIA PTY LTD**  
**Address**                 17 Ocean Street, Kwinana, Western Australia, AUSTRALIA, 6167  
**Telephone**             (08) 9419 0333  
**Fax**                      (08) 9419 7516  
**Emergency**            In a Transport Emergency Dial 000 – Police or Fire Brigade  
**Email**                    sales@imtrade.com.au  
**Web site**                http://www.imtrade.com.au  
**Product Use:**           Agricultural herbicide for use as described on the product label.  
**Creation Date:**        **April, 2008**  
**This version issued:**   **First issue: April, 2008**  
**Product type:**         Metsulfuron methyl is a sulfonylurea derivative.

---

## SECTION 2 - HAZARDS IDENTIFICATION

---

### Statement of Hazardous Nature

This product is classified as: Not classified as hazardous according to the criteria of ASCC.

Not a Dangerous Good according to the Australian Dangerous Goods (ADG) Code.

**Risk Phrases:** Not Hazardous - No criteria found.

**Safety Phrases:** S22, S36, S24/25. Do not breathe dust. Wear suitable protective clothing. Avoid contact with skin and eyes.

**SUSDP Classification:** None allocated.

**ADG Classification:** None allocated. Not a Dangerous Good under the ADG Code.

**UN Number:** None allocated

---

### Emergency Overview

---

**Physical Description & Colour:** White, solid, dry flowable granule.

**Odour:** No odour.

**Major Health Hazards:** Systemic poisoning by sulfonylurea based compounds is unlikely, unless large quantities have been ingested. No accounts of poisoning by Metsulfuron-methyl are currently available. No significant risk factors have been found for this product.

---

### Potential Health Effects

---

#### Inhalation:

**Short Term Exposure:** Long term inhalation of high amounts of any nuisance dust may overload lung clearance mechanism. Available data indicates that this product is not harmful. However product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort.

**Long Term Exposure:** No data for health effects associated with long term inhalation.

#### Skin Contact:

**Short Term Exposure:** Available data indicates that this product is not harmful. It should present no hazards in normal use. In addition product is unlikely to cause any discomfort in normal use.

**Long Term Exposure:** No data for health effects associated with long term skin exposure.

#### Eye Contact:

**Short Term Exposure:** This product may be mildly irritating to eyes, but is unlikely to cause anything more than mild discomfort which should disappear once product is removed.

**Long Term Exposure:** No data for health effects associated with long term eye exposure.

#### Ingestion:

**Short Term Exposure:** Significant oral exposure is considered to be unlikely. However, this product may be irritating to mucous membranes but is unlikely to cause anything more than transient discomfort.

---

## MATERIAL SAFETY DATA SHEET

Issued by: Imtrade Australia Pty Ltd

Phone: (08) 9419 0333

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)

**Long Term Exposure:** No data for health effects associated with long term ingestion.

**Carcinogen Status:**

**ASCC:** No significant ingredient is classified as carcinogenic by ASCC.

**NTP:** No significant ingredient is classified as carcinogenic by NTP.

**IARC:** No significant ingredient is classified as carcinogenic by IARC.

---

**SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS**

---

Ingredients	CAS No	Conc, %	TWA (mg/m <sup>3</sup> )	STEL (mg/m <sup>3</sup> )
Metsulfuron methyl	74223-64-6	600g/kg	not set	not set
Other non hazardous ingredients	secret	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The ASCC TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

---

**SECTION 4 - FIRST AID MEASURES**

---

**General Information:**

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this MSDS with you when you call.

**Inhalation:** First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

**Skin Contact:** Gently brush away excess solids. Irritation is unlikely. However, if irritation does occur, flush with lukewarm, gently flowing water for 5 minutes or until chemical is removed.

**Eye Contact:** Quickly and gently brush particles from eyes. No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses.

**Ingestion:** If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

---

**SECTION 5 - FIRE FIGHTING MEASURES**

---

**Fire and Explosion Hazards:** There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids. This product, if scattered, may form flammable or explosive dust clouds in air.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

**Extinguishing Media:** Suitable extinguishing media are carbon dioxide, dry chemical, foam, water fog.

**Fire Fighting:** If a significant quantity of this product is involved in a fire, call the fire brigade. Do not scatter spilled material with high pressure water jets.

**Flash point:** Combustible solid.

**Upper Flammability Limit:** No data.

**Lower Flammability Limit:** No data.

**Autoignition temperature:** No data.

**Flammability Class:** Combustible solid.

---

**SECTION 6 - ACCIDENTAL RELEASE MEASURES**

---

**Accidental release:** Minor spills do not normally need any special cleanup measures. In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls, goggles and gloves. Suitable materials for protective clothing include rubber, PVC. Eye/face protective equipment should comprise as a minimum, protective glasses and, preferably, goggles. If there is a significant chance that dusts are likely to build up in cleanup area, we recommend that you use a suitable Dust Mask.

Stop leak if safe to do so, and contain spill. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Consider vacuuming if appropriate. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this MSDS and the label, instructions on the label prevail. Ensure legality of disposal by

**MATERIAL SAFETY DATA SHEET**

consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

## SECTION 7 - HANDLING AND STORAGE

**Handling:** Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this MSDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

**Storage:** Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Check packaging - there may be further storage instructions on the label.

## SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Industrial Clothing: **AS2919**, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

**ASCC Exposure Limits**                      **TWA (mg/m<sup>3</sup>)**                                      **STEL (mg/m<sup>3</sup>)**

Exposure limits have not been established by ASCC for any of the significant ingredients in this product.

The ADI for Metsulfuron methyl is set at 0.01mg/kg/day. The corresponding NOEL is set at 1mg/kg/day. ADI means Acceptable Daily Intake and NOEL means No-observable-effect-level. Values taken from Australian ADI List, Dec 2006.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

**Ventilation:** No special ventilation requirements are normally necessary for this product. However make sure that the work environment remains clean and that dusts are minimised.

**Eye Protection:** Eye protection is not normally necessary when this product is being used. However, if in doubt, wear suitable protective glasses or goggles.

**Skin Protection:** The information at hand indicates that this product is not harmful and that normally no special skin protection is necessary. However, we suggest that you routinely avoid contact with all chemical products and that you wear suitable gloves (preferably elbow-length) when skin contact is likely.

**Protective Material Types:** We suggest that protective clothing be made from the following materials: rubber, PVC.

**Respirator:** If there is a significant chance that dusts are likely to build up in the area where this product is being used, we recommend that you use a suitable Dust Mask.

Safety deluge showers should, if practical, be provided near to where this product is being used.

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES:

<b>Physical Description &amp; colour:</b>	White, solid, dry flowable granule.
<b>Odour:</b>	No odour.
<b>Boiling Point:</b>	Not available.
<b>Freezing/Melting Point:</b>	No specific data. Solid at normal temperatures. Metsulfuron methyl melts at 158°C
<b>Volatiles:</b>	No specific data. Expected to be low at 100°C.
<b>Vapour Pressure:</b>	Negligible at normal ambient temperatures.
<b>Vapour Density:</b>	No data.
<b>Specific Gravity:</b>	Bulk density 0.68. Metsulfuron methyl density is 1.47
<b>Water Solubility:</b>	Wettable granules.
<b>pH:</b>	No data.
<b>Volatility:</b>	Negligible at normal ambient temperatures.
<b>Odour Threshold:</b>	No data.
<b>Evaporation Rate:</b>	No data.
<b>Coeff Oil/water Distribution:</b>	-1.74 at pH 7 (log P octanol/water)
<b>Autoignition temp:</b>	No data.

## SECTION 10 - STABILITY AND REACTIVITY

**Reactivity:** This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

**Conditions to Avoid:** Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight.

## MATERIAL SAFETY DATA SHEET

**Incompatibilities:** strong acids, strong bases, strong oxidising agents.

**Fire Decomposition:** Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas in reducing atmospheres. Oxides of sulfur (sulfur dioxide is a respiratory hazard) and other sulfur compounds. Most will have a foul odour. Water. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

**Polymerisation:** This product will not undergo polymerisation reactions.

---

## SECTION 11 - TOXICOLOGICAL INFORMATION

---

**Toxicity: Acute Toxicity:** Metsulfuron methyl has very low toxicity in mammals. LD<sub>50</sub> is > 5,000 mg/kg in rats. It has low dermal toxicity in tests with rabbits, with an LD<sub>50</sub> > 2,000 mg/kg, and low inhalation toxicity in rats, with a median lethal concentration in air of greater than 5 mg/litre air. Moderate but reversible eye irritation has been seen in rabbits, and mild skin irritation has been observed in guinea pigs. No skin sensitization has been observed in guinea pigs.

**Chronic Toxicity:** A 2-year feeding study in rats resulted in a No Observable Effects Level (NOEL) of 25.0 mg/kg/day (or 500 ppm in feed), based on decreased body weights seen at 250 mg/kg/day (5,000 ppm) which was the highest dose tested. EPA has based its reference dose (0.25 mg/kg/day) on this study.

**Reproductive Effects:** Multigeneration studies in rats did not result in any reproductive effects at the highest doses tested of 250 mg/kg/day.

**Teratogenic Effects:** Metsulfuron-methyl did not cause developmental abnormalities to offspring of rats and rabbits fed 1000 mg/kg/day and 700 mg/kg/day respectively during gestation. These doses represent the highest dose tested for each experiment.

**Mutagenic Effects:** The weight of evidence presented by a battery of tests to measure mutagenicity and other adverse effects on DNA indicates that Metsulfuron-methyl is neither mutagenic nor genotoxic.

**Carcinogenic Effects:** Negative for rats and mice in laboratory tests, but studies may not have been at maximum tolerated dose.

**Organ Toxicity:** Metsulfuron-methyl is a moderate eye irritant.

**Fate in Humans and Other Animals:** The chemical is broken down quickly and eliminated from the body. In tests with radio labelled Metsulfuron-methyl in rats, the excretion half-lives ranged from 9 to 16 hours and 23 to 29 hours for rats administered low and high doses, respectively. It did not bioaccumulate in fish.

---

## Classification of Hazardous Ingredients

---

### Ingredient

### Risk Phrases

No ingredient mentioned in the HSIS Database is present in this product at hazardous concentrations.

---

## Section 12 - Ecological Information

---

**Breakdown of Chemical in Soil and Groundwater:** The breakdown of Metsulfuron-methyl in soils is largely dependant on soil temperature, moisture content, and pH. The chemical will degrade faster under acidic conditions, and in soils with higher moisture content and higher temperature. The chemical has a higher mobility potential in alkaline soils than in acidic soils, as it is more soluble under alkaline conditions. Metsulfuron-methyl is stable to photolysis, but will break down in ultraviolet light. Half-life estimates for Metsulfuron-methyl in soil are wide ranging from 14 - 180 days, with an overall average of reported values of 30 days. Reported half-life values (in days) for soil include: clay - 178 ; sandy loam - 102 ; clay loam - 70 , 14-28 , 14-105 ; silty loam - 120-180.

**Breakdown of Chemical in Surface Water:** The dissipation time for Metsulfuron-methyl was investigated in a mixed wood/boreal forest lake. The DT<sub>50</sub> or length of time required for half of the material to dissipate in water was >84 days when high concentrations of Metsulfuron-methyl were applied, and 29.1 days at concentrations that might be expected if the chemical is applied for forestry uses. It is stable to hydrolysis at neutral and alkaline pHs, and has a half-life of 3 weeks at pH 5.0, 25°C and >30 days at 15°C.

**Breakdown of Chemical in Vegetation:** Metsulfuron-methyl is rapidly taken up by plants at the roots and on foliage. The chemical is translocated throughout the plant, but is not persistent. It is broken down to non-herbicidal products in tolerant plants.

---

## SECTION 13 - DISPOSAL CONSIDERATIONS

---

**Disposal:** Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 <http://www.chemclear.com.au/> and for help with the disposal of empty drums, contact DrumMuster <http://www.drummuster.com.au/> where you will find contact details for your area.

---

## SECTION 14 - TRANSPORT INFORMATION

---

**ADG Code:** This product is not classified as a Dangerous Good. No special transport conditions are necessary unless required by other regulations.

## MATERIAL SAFETY DATA SHEET

---

**SECTION 15 - REGULATORY INFORMATION**

---

**AICS:** All of the significant ingredients in this formulation are compliant with NICNAS regulations.

---

**SECTION 16 - OTHER INFORMATION**

---

**This MSDS contains only safety-related information. For other data see product literature.**

**Acronyms:**

<b>ADG Code</b>	Australian Code for the Transport of Dangerous Goods by Road and Rail (7 <sup>th</sup> edition)
<b>AICS</b>	Australian Inventory of Chemical Substances
<b>ASCC</b>	Office of the Australian Safety and Compensation Council
<b>CAS number</b>	Chemical Abstracts Service Registry Number
<b>Hazchem Code</b>	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
<b>IARC</b>	International Agency for Research on Cancer
<b>NOS</b>	Not otherwise specified
<b>NTP</b>	National Toxicology Program (USA)
<b>R-Phrase</b>	Risk Phrase
<b>SUSDP</b>	Standard for the Uniform Scheduling of Drugs & Poisons
<b>UN Number</b>	United Nations Number

This MSDS summarises our best knowledge of the health and safety hazard information on the product, and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace, including in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made the user should contact Imtrade Australia Pty Ltd, or in the event of an emergency, 000. Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

Please read all labels carefully before using product.

This MSDS is prepared in accord with the ASCC document "National Code of Practice for the Preparation of Material Safety Data Sheets" 2nd Edition [NOHSC:2011(2003)]

Copyright © Kilford & Kilford Pty Ltd, April, 2008.

<http://www.kilford.com.au/> Phone (02)9251 4532

End of Report

**MATERIAL SAFETY DATA SHEET**