

Material Safety Data Sheet



PRODUCT NAME Stakeout Emulsifiable Concentrate Insecticide
APVMA Product Code: 51546

1 - IDENTIFICATION OF CHEMICAL PRODUCT AND COMPANY

Supplier Name IMTRADE AUSTRALIA PTY LTD
Address 17 Ocean Street, Kwinana, Western Australia, AUSTRALIA, 6167
Telephone (08) 9419 0333
Fax (08) 9419 7516
Emergency In a Transport Emergency Dial 000 – Police or Fire Brigade
Email sales@imtrade.com.au
Web site <http://www.imtrade.com.au>
Product Use: Agricultural insecticide for use as described on the product label.
Creation Date: August, 2008
This version issued: First issue: August, 2008
Product type: Permethrin is a pyrethroid derived insecticide.

SECTION 2 - HAZARDS IDENTIFICATION

Statement of Hazardous Nature

This product is classified as: Xn, Harmful. Xi, Irritating. N, Dangerous to the environment. F, Flammable. Hazardous according to the criteria of ASCC.

Dangerous according to the Australian Dangerous Goods (ADG) Code.

Risk Phrases: R22, R43, R52, R65. Harmful if swallowed. May cause sensitisation by skin contact. Harmful to aquatic organisms. Harmful: May cause lung damage if swallowed.

Safety Phrases: S20, S23, S28, S36, S46, S24/25. When using, do not eat or drink. Do not breathe spray mists. After contact with skin, wash immediately with plenty of soap and water. Wear suitable protective clothing. If swallowed, contact a doctor or Poisons Information Centre immediately and show this MSDS or label. Avoid contact with skin and eyes.

SUSDP Classification: S6

ADG Classification: Class 3: Flammable liquids.

UN Number: 1993, FLAMMABLE LIQUID, N.O.S.

Emergency Overview

Physical Description & Colour: Pale brown liquid.

Odour: Mild aromatic odour.

Major Health Hazards: Permethrin is harmful to non-harmful via the oral route, with a reported LD₅₀ for technical Permethrin in rats of 430 to 4000 mg/kg. Via the dermal route, it is not harmful, with a reported dermal LD₅₀ in rats of over 4000 mg/kg, and in rabbits of greater 2000 mg/kg. Product is harmful if swallowed, possible skin sensitiser, and if aspirated, may cause lung damage.

Potential Health Effects

Inhalation:

Short Term Exposure: Available data indicates that this product is not harmful. However product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort.

Long Term Exposure: No data for health effects associated with long term inhalation.

Skin Contact:

Short Term Exposure: Classified as a potential sensitiser by skin contact. Exposure to a skin sensitiser, once sensitisation has occurred, may manifest itself as skin rash or inflammation, and in some individuals this reaction can be severe. In addition product may be irritating, but is unlikely to cause anything more than mild transient discomfort.

Long Term Exposure: No data for health effects associated with long term skin exposure.

MATERIAL SAFETY DATA SHEET

Eye Contact:

Short Term Exposure: This product may be irritating to eyes, but is unlikely to cause anything more than mild transient discomfort.

Long Term Exposure: No data for health effects associated with long term eye exposure.

Ingestion:

Short Term Exposure: Significant oral exposure is considered to be unlikely. Because of the low viscosity of this product, it may directly enter the lungs if swallowed, or if subsequently vomited. Once in the lungs, it is very difficult to remove and can cause severe injury or death. However, this product is an oral irritant. Symptoms may include burning sensation and reddening of skin in mouth and throat. Other symptoms may also become evident, but all should disappear once exposure has ceased.

Long Term Exposure: No data for health effects associated with long term ingestion.

Carcinogen Status:

ASCC: No significant ingredient is classified as carcinogenic by ASCC.

NTP: No significant ingredient is classified as carcinogenic by NTP.

IARC: Permethrin is Class 3 - unclassifiable as to carcinogenicity to humans.

See the IARC website for further details. A web address has not been provided as addresses frequently change.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	CAS No	Conc,%	TWA (mg/m ³)	STEL (mg/m ³)
permethrin	52645-53-1	500g/L	not set	not set
Aromatic hydrocarbons	64742-95-6	443g/L	not set	not set
Other non hazardous ingredients	secret	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The ASCC TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

SECTION 4 - FIRST AID MEASURES**General Information:**

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this MSDS with you when you call.

Inhalation: No first aid measures normally required. However, if inhalation has occurred, and irritation has developed, remove to fresh air and observe until recovered. If irritation becomes painful or persists more than about 30 minutes, seek medical advice.

Skin Contact: Wash gently and thoroughly with water (use non-abrasive soap if necessary) for 5 minutes or until chemical is removed.

Eye Contact: No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses.

Ingestion: If swallowed, do NOT induce vomiting. Wash mouth with water and contact a Poisons Information Centre, or call a doctor.

SECTION 5 - FIRE FIGHTING MEASURES

Fire and Explosion Hazards: This product is classified as a flammable liquid. There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids. Vapours from this product are heavier than air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures. They may also flash back considerable distances.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

Extinguishing Media: Not Combustible. Use extinguishing media suited to burning materials. Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal foam can be used. Try to contain spills, minimise spillage entering drains or water courses.

Fire Fighting: If a significant quantity of this product is involved in a fire, call the fire brigade. There is a danger of a violent reaction or explosion if significant quantities of this product are involved in a fire. Recommended personal protective equipment is full fire kit and breathing apparatus.

Flash point: 44°C

MATERIAL SAFETY DATA SHEET

Upper Flammability Limit: No data.
Lower Flammability Limit: No data.
Autoignition temperature: No data.
Flammability Class: Flammable liquid.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Accidental release: In the event of a major spill, prevent spillage from entering drains or water courses. Wear full protective clothing including eye/face protection. All skin areas should be covered. See below under Personal Protection regarding Australian Standards relating to personal protective equipment. Suitable materials for protective clothing include rubber, PVC. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend that you use a respirator. It should be fitted with a type G cartridge, suitable for agricultural chemicals. Otherwise, not normally necessary.

Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Avoid using sawdust or other combustible material. Any electrical equipment should be non-sparking. Any equipment capable of building an electrostatic charge should be electrically grounded. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. This material may be suitable for approved landfill. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

SECTION 7 - HANDLING AND STORAGE

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this MSDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: Store in a cool, well ventilated area, and make sure that surrounding electrical devices and switches are suitable. Check containers periodically for leaks. Containers should be kept closed in order to minimise contamination and possible evaporation. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. If you keep more than 10000kg or L of Dangerous Goods of Packaging Group III, you may be required to license the premises or notify your Dangerous Goods authority. If you have any doubts, we suggest you contact your Dangerous Goods authority in order to clarify your obligations. Check packaging - there may be further storage instructions on the label.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Industrial Clothing: **AS2919**, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

ASCC Exposure Limits **TWA (mg/m³)** **STEL (mg/m³)**

Exposure limits have not been established by ASCC for any of the significant ingredients in this product.

The ADI for permethrin is set at 0.05mg/kg/day. The corresponding NOEL is set at 5mg/kg/day. ADI means Acceptable Daily Intake and NOEL means No-observable-effect-level. Values taken from Australian ADI List, April 2008.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Ventilation: This product should only be used where there is ventilation that is adequate to keep exposure below the TWA levels. If necessary, use a fan.

Eye Protection: Eye protection such as protective glasses or goggles is recommended when this product is being used.

Skin Protection: If you believe you may have a sensitisation to this product or any of its declared ingredients, you should prevent skin contact by wearing impervious gloves, clothes and, preferably, apron. Make sure that all skin areas are covered. See below for suitable material types.

Protective Material Types: We suggest that protective clothing be made from the following materials: rubber, PVC.

Respirator: Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above. Otherwise, not normally necessary.

Safety deluge showers should, if practical, be provided near to where this product is being used.

MATERIAL SAFETY DATA SHEET

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES:

Physical Description & colour:	Pale brown liquid.
Odour:	Mild aromatic odour.
Boiling Point:	156-175°C.
Freezing/Melting Point:	No specific data. Liquid at normal temperatures.
Volatiles:	No data.
Vapour Pressure:	No data.
Vapour Density:	No data.
Specific Gravity:	0.87
Water Solubility:	Emulsifiable.
pH:	No data.
Volatility:	No data.
Odour Threshold:	No data.
Evaporation Rate:	No data.
Coeff Oil/water Distribution:	No data
Autoignition temp:	No data.

SECTION 10 - STABILITY AND REACTIVITY

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight.

Incompatibilities: strong acids, strong bases, strong oxidising agents.

Fire Decomposition: Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

Polymerisation: This product will not undergo polymerisation reactions.

SECTION 11 - TOXICOLOGICAL INFORMATION

Toxicity: Acute toxicity: Permethrin is harmful to non-harmful via the oral route, with a reported LD₅₀ for technical Permethrin in rats of 430 to 4000 mg/kg. Via the dermal route, it is not harmful, with a reported dermal LD₅₀ in rats of over 4000 mg/kg, and in rabbits of greater 2000 mg/kg. Permethrin caused mild irritation of both the intact and abraded skin of rabbits. It also caused conjunctivitis when it was applied to the eyes. The 4-hour inhalation LC₅₀ for rats was greater than 23.5 mg/L, indicating practically no inhalation toxicity. The toxicity of Permethrin is dependent on the ratio of the isomers present; the cis-isomer being more toxic.

Chronic toxicity: No adverse effects were observed in dogs fed Permethrin at doses of 5 mg/kg/day for 90 days. Rats fed 150 mg/kg/day for 6 months showed a slight increase in liver weights. Very low levels of Permethrin in the diet of chickens (0.1 ppm for 3 to 6 weeks after hatching) have been reported to suppress immune system activity.

Reproductive effects: The fertility of female rats was affected when they received very high oral doses of 250 mg/kg/day of Permethrin during the 6th to 15th day of pregnancy. It is not likely that reproductive effects will be seen in humans under normal circumstances.

Teratogenic effects: Permethrin is reported to show no teratogenic activity.

Mutagenic effects: Permethrin is reported to show no mutagenic activity.

Carcinogenic effects: The evidence regarding the carcinogenicity of Permethrin is inconclusive.

Organ toxicity: Permethrin is suspected of causing liver enlargement of the liver and nerve damage. Effects on the immune system have been noted in animal studies.

Fate in humans and animals: Permethrin is efficiently metabolized by mammalian livers. Breakdown products, or "metabolites," of Permethrin are quickly excreted and do not persist significantly in body tissues. When Permethrin is administered orally to rats, it is rapidly metabolized and almost completely eliminated from the body in a few days. Only 3 to 6% of the original dose was excreted unchanged in the faeces of experimental animals. Permethrin may persist in fatty tissues, with half-lives of 4 to 5 days in brain and body fat. Permethrin does not block, or inhibit, cholinesterase enzymes.

There is no data to hand indicating any particular target organs.

Permethrin is Classed by ASCC as a potential sensitiser by skin contact.

Classification of Hazardous Ingredients

Ingredient	Risk Phrases
Permethrin	Conc>=25%: Xn; R22; R43
Aromatic Hydrocarbons	Conc>=10%: Xn; R65

MATERIAL SAFETY DATA SHEET

SECTION 12 - ECOLOGICAL INFORMATION

This product is harmful to aquatic organisms. This product is biodegradable. It will not accumulate in the soil or water or cause long term problems.

Effects on birds: Permethrin is practically non-toxic to birds. The oral LD₅₀ for a Permethrin formulation is greater than 9900 mg/kg in mallard ducks, greater than 13,500 mg/kg in pheasants, and greater than 15,500 mg/kg in Japanese quail.

Effects on aquatic organisms: Aquatic ecosystems are particularly vulnerable to the impact of Permethrin. A fragile balance exists between the quality and quantity of insects and other invertebrates that serve as fish food. The 48-hour LC₅₀ for rainbow trout is 0.0125 mg/L for 24 hours, and 0.0054 mg/L for 48 hours. The 48-hour LC₅₀ in bluegill sunfish and salmon is 0.0018 mg/L. As a group, synthetic pyrethroids were toxic to all estuarine species tested. They had a 96-hour LC₅₀ of less than or equal to 0.0078 mg/L for these species. The bioconcentration factor for Permethrin in bluefish is 715 times the concentrations in water and is 703 in catfish. This indicates that the compound has a low to moderate potential to accumulate in these organisms.

Effects on other organisms: Permethrin is extremely toxic to bees. Severe losses may be expected if bees are present at treatment time, or within a day thereafter. Permethrin is also toxic to wildlife. It should not be applied, or allowed to drift, to crops or weeds in which active foraging takes place.

Environmental Fate:

Breakdown in soil and groundwater: Permethrin is of low to moderate persistence in the soil environment, with reported half-lives of 30 to 38 days. Permethrin is readily broken down, or degraded, in most soils except organic types. Soil microorganisms play a large role in the degradation of Permethrin in the soil. The addition of nutrients to soil may increase the degradation of Permethrin. It has been observed that the availability of sodium and phosphorous decreases when Permethrin is added to the soil. Permethrin is tightly bound by soils, especially by organic matter. Very little leaching of Permethrin has been reported. It is not very mobile in a wide range of soil types. Because Permethrin binds very strongly to soil particles and is nearly insoluble in water, it is not expected to leach or to contaminate groundwater.

Breakdown in water: The results of one study near estuarine areas showed that Permethrin had a half-life of less than 2.5 days. When exposed to sunlight, the half-life was 4.6 days. Permethrin degrades rapidly in water, although it can persist in sediments. There was a gradual loss of toxicity after Permethrin aged for 48 hours in sunlight at 0.05 mg/L in water.

Breakdown in vegetation: Permethrin is not phytotoxic, or poisonous, to most plants when it is used as directed. Some injury has occurred on certain ornamental plants. No incompatibility has been observed with Permethrin on cultivated plants. Treated apples, grapes, and cereal grains contain less than one mg/kg of Permethrin at harvest time.

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal: Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 <http://www.chemclear.com.au/> and for help with the disposal of empty drums, contact DrumMuster <http://www.drummuster.com.au/> where you will find contact details for your area.

SECTION 14 - TRANSPORT INFORMATION

ADG Code: 1993, FLAMMABLE LIQUID, N.O.S.

Hazchem Code: 3Y

Special Provisions: 223, 274

Limited quantities: ADG 7 specifies a Limited Quantity value of 5 L for this class of product.

Dangerous Goods Class: Class 3: Flammable liquids.

Packaging Group: III

Packaging Method: P001, IBC03, LP01

Class 3 Flammable Liquids shall not be loaded in the same vehicle or packed in the same freight container with Classes 1 (Explosives), 2.1 (Flammable Gases where flammable liquids and flammable gases are both in bulk), 2.3 (Toxic Gases), 4.2 (Spontaneously Combustible Substances), 5.1 (Oxidising Agents), 5.2 (Organic Peroxides), 6 (Toxic Substances, except Flammable Liquid is nitromethane), and 7 (Radioactive Substances). They may however be loaded in the same vehicle or packed in the same freight container with Classes 2.1 (Flammable Gases except where the Flammable Liquids and Flammable Gases are in bulk), 2.2 (Non-Flammable Non-Toxic Gases), 4.1 (Flammable Solids), 4.3 (Dangerous When Wet Substances), 6 (Toxic Substances, except where Flammable Liquid is nitromethane), 8 (Corrosive Substances), 9 (Miscellaneous Dangerous Goods), Foodstuffs or foodstuff empties.

SECTION 15 - REGULATORY INFORMATION

AICS: All of the significant ingredients in this formulation are compliant with NICNAS regulations. The following ingredients: permethrin, Aromatic hydrocarbons, are mentioned in the SUSDP.

MATERIAL SAFETY DATA SHEET

SECTION 16 - OTHER INFORMATION

This MSDS contains only safety-related information. For other data see product literature.

Acronyms:

ADG Code Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition)

AICS Australian Inventory of Chemical Substances

ASCC Office of the Australian Safety and Compensation Council

CAS number Chemical Abstracts Service Registry Number

Hazchem Code Emergency action code of numbers and letters that provide information to emergency services especially firefighters

IARC International Agency for Research on Cancer

NOS Not otherwise specified

NTP National Toxicology Program (USA)

R-Phrase Risk Phrase

SUSDP Standard for the Uniform Scheduling of Drugs & Poisons

UN Number United Nations Number

This MSDS summarises our best knowledge of the health and safety hazard information on the product, and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace, including in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made the user should contact Imtrade Australia Pty Ltd, or in the event of an emergency, 000. Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

Please read all labels carefully before using product.

This MSDS is prepared in accord with the ASCC document "National Code of Practice for the Preparation of Material Safety Data Sheets" 2nd Edition [NOHSC:2011(2003)]

Copyright © Kilford & Kilford Pty Ltd, August, 2008.

<http://www.kilford.com.au/> Phone (02) 9251 4532

End of Report

MATERIAL SAFETY DATA SHEET