

**KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

**CHEMAG WETTER 1000**

**Active Constituent: 1000g/L ALCOHOL ALKOXYLATE**

**A wetting and spreading adjuvant for use with agricultural herbicides.**

**20L**

CHEMAG PTY LTD  
Suite 12, 11 Preston Street  
COMO WA 6152  
Phone (08) 9367 1799.

## **GENERAL INSTRUCTIONS**

This product is a spray additive for use with most herbicides as recommended on individual product labels. It increases herbicide activity by providing better wetting, absorption and spray coverage.

For foliar active herbicides the product should be applied to the point where leaves and stems are wet. Avoid causing excessive run-off. When treating hairy or waxy leafed plants, the addition of ChemAg Wetter 1000 at higher rates will increase herbicide activity.

### **Mixing Instructions**

Half fill the spray tank with water. With the agitation system engaged, add the required amount of the herbicide, followed by the required amount of ChemAg Wetter 1000 and finally top up with the remainder of the water.

## **PROTECTION OF LIVESTOCK, FISH CRUSTACEA AND ENVIRONMENT**

Toxic to fish.

Do not contaminate streams, rivers or waterways with the chemical or used container.

## **STORAGE AND DISPOSAL**

Store in the closed, original container in a cool, well ventilated area. Do not store for prolonged periods in direct sunlight.

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean container to recycler or designated collection point.

If not recycling break, crush or puncture, and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

## **SAFETY DIRECTIONS**

Avoid all skin and eye contact. Wear rubber/PVC gloves, goggles and overalls.

## **FIRST AID**

If poisoning occurs contact a doctor or Poisons Information Centre (Phone 131126).

If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If in eyes, open and flood with water for at least 15 minutes and see a doctor.

Additional information is listed in the **Material Safety Data Sheet (MSDS)**.

**CONDITIONS OF SALE**

ChemAg Wetter 1000 is supplied as a high grade material and is suitable for the purpose for which it is expressly intended and must be used in strict accordance with the directions for use. As climatic, geographical or biological variables and/or developed resistance may effect the results obtained. The use and results is therefore beyond the control of the manufacturer therefore no warranty, expressed or implied is given by ChemAg Pty. Ltd. regarding its suitability or efficacy for any purpose nor can ChemAg Pty. Ltd. accept any responsibility for any consequence whatsoever resulting from the use of this product, save for those non-excludable conditions implied by the Trade Practices Act or any State Legislation.

NRA Approval Number: 51565

Batch No:

Date of Manufacture:

**DIRECTIONS FOR USE:**

<b>SITUATION</b>	<b>STATE</b>	<b>APPLICATION RATE</b>	<b>CRITICAL COMMENTS</b>
<u>General Herbicide Sprays</u> High Volume Power Sprays Low Volume Boom Spray Misting Machines Knapsack	All States	10mL/100L 40mL/100L 5mL/5L 2mL/15L	Only apply when a surfactant/wetting agent is recommended by the manufacturer on the herbicide label.
<u>Contact Herbicides</u> High Volume Power Sprays Low Volume Boom Spray		120mL/100L 120mL/100L	Contact herbicides (eg. Paraquat formulations) require high rates of ChemAg Wetter 1000 to ensure thorough coverage of weeds to be sprayed. This is particularly important for treating grasses and tall dense vegetation.
Soil Residual Herbicides		100 to 400mL/100L	When applied with soil residual herbicides to standing weeds, add ChemAg Wetter 1000 to

		thoroughly wet foliage. Consult individual product label recommendations.
Fire Fighting Water Tanker Knapsak	5mL/100L 1mL/15L	For use in fire fighting situations to increase wetting power of water.

**NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**