

## DIRECTIONS FOR USE IN ALL STATES

Crop	Weed Controlled	Rate L/Ha	Critical Comments
Barley, Triticale, Wheat	Wild Oats	1.6L	Apply immediately prior to or up to 3 weeks before sowing to a friable seedbed under conditions which will allow for the incorporation of the product to a depth of 2 to 4 cm with either a single or double pass of suitable incorporation equipment (see incorporation). A delay of 1 week between application and planting is recommended for Linseed. COMPLETE AND UNIFORM INCORPORATION OF CHEMAG TRI-ALLATE IS ESSENTIAL FOR WEED CONTROL. See GENERAL INSTRUCTION for details at incorporation. CHEMAG TRI-ALLATE may be used in crops under sown with legumes. For shallow-sown legumes and soil seed crops, complete incorporation by cultivation to a depth of 5cm must be undertaken before planting: CHEMAG TRI-ALLATE may be tank mixed with Chemag Chlorsulfuron 750 or Chemag Mandate for control of annual ryegrass, paradoxa grass and certain broadleaf weeds prior to planting of wheat only. CHEMAG TRI-ALLATE may be tank mixed with Chemag Trifluralin 480 for control of annual ryegrass, annual phalaris, paradoxa grass, enhanced control of wild oats (emerging from top 1cm of seedbed) and wireweed. Do not apply less than 1 week prior to planting of wheat, barley, triticale and linseed (do not use the tank mix in Qld). Incorporation of this tank mix should be within 4-5 hours of application. Refer to the Chemag Trifluralin 480 label incorporation details. Read and follow label instructions, restraints, plant-back periods and safety directions for tank mix products.
Chickpeas, Faba Beans, Lupins, Peas			
Linseed, Canola, Safflower			

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**  
**WITHHOLDING PERIOD NOT REQUIRED WHEN USED AS DIRECTED.**

### GENERAL INSTRUCTIONS WEED CONTROL

Chemag Tri-allate normally provides 6 to 8 weeks control of wild oats when the seedbed is moist during the emergence of wild oats. Under very dry soil surface (top 2cm) conditions, wild oats may not be controlled. Wild oats may emerge between application and complete incorporation by sowing particularly if initial incorporation is provided by harrows. Chemag Tri-allate may not control wild oats which have germinated at the time of application and incorporation if the top 2cm of soil is dry. Chemag Tri-allate will not control emerged wild oats.

### CROP SAFETY

Reduced emergence of cereals and linseed may occur if seed is placed in treated soil layer. Do not plant cereal crops at greater than 5 to 7cm. Overspraying of headlands or corners may result in crop damage. On heavy clay soils, crop thinning may occur in wheel tracks. Environmental conditions which adversely affect emergence or early crop growth, may predispose crops to injury, particularly where tank mixes with other pre-emergence herbicides are used. Read and follow label directions, restraints, plant-back periods and safety directions for tank mix products.

### SOIL PERSISTENCE AND FOLLOWING CROPS

Under prolonged and extremely dry conditions Chemag Tri-allate may persist for several months. Damage to field oats and sorghum may occur.

### MIXING

Chemag Tri-allate herbicide is an oily concentrate that mixes readily with water. Add the required amount of Chemag Tri-allate to half the required amount of water in the spray tank. Mix thoroughly and add the remaining water.

### APPLICATION

Apply to soil in friable condition so that uniform incorporation of the product can be achieved to a depth of 2 to 4 cm. The soil should be free of large clods (>75mm) and should not have crop or weed residue at a level which will interfere with the free flow of soil through planting equipment providing full soil disturbance. Emerged wild oats should be controlled either by prior cultivation/application of a knockdown herbicide or by the tank mixing of a knockdown herbicide with Chemag Tri-allate.

Apply Chemag Tri-allate by ground sprayer in 30 to 100 litres of water per hectare using a boomspray fitted with flat fan nozzles. Use spraying pressure of approximately 200- 240kPa. Avoid application under strong and/or gusty wind conditions.

DO NOT apply by aircraft.

**CAUTION**  
**KEEP OUT OF REACH OF CHILDREN**  
**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**



**CONTENTS 20L**



ChemAg

## TRI-ALLATE 500

### Selective Herbicide

#### ACTIVE CONSTITUENT:

**500g/L TRIALLATE**

#### SOLVENT:

**471g/L LIQUID HYDROCARBON**

**GROUP E HERBICIDE**

**For the control of Wild oats in Wheat, Triticale, Chickpeas, Barley, Peas, Linseed, Lupins, Canola (Rapeseed), Faba beans and Safflower as per directions for use.**

**IMPORTANT: READ THE LABEL THOROUGHLY BEFORE OPENING OR USING.**

**APVMA Approval No: 61001/20/1106**

#### Batch No:

#### Date of Manufacture:

Imtrade Australia Pty Ltd  
ABN: 27 009 234 691 ACN 009 234 691  
Suite 22, 11 Preston Street Como Western Australia 6152  
Tel: (08) 9368 7474; Fax: (08) 9368 7475



#### INCORPORATION

Two pass incorporation provides superior weed control to single pass incorporation on heavier textured soils.  
i) Chemag Tri-allate may be incorporated initially in a suitable cultivated seedbed with either heavy 5 row harrows e.g Phoenix harrow, or tined cultivator. Final incorporation with a combine or airseed/cultivator is essential to provide for maximum weed control. Heavy tined harrows or a rotary harrow should trail the planter or follow as a separate operation at an angle to the planter to complete incorporation. Ensure that the soil surface is left free of pronounced ridging.

ii) On soils in friable condition, Chemag Tri-allate may be incorporated with the planting operation only up to 24 hours following application onto a dry soil surface or up to 6 hours on moist surface soil. If Chemag Tri-allate has been sprayed on dry soil, and it rains before incorporation is planned, the product must be incorporated within 6 hours to retain its herbicide effectiveness. Planting should be carried out with a combine or airseeder/cultivator which provides full soil disturbance. Heavy tined harrows or a rotary harrow should trail the planter or follow as a separate operation to complete incorporation. Ensure that the soil surface is free of pronounced ridging.

Do not operate incorporation equipment at greater than 5 to 7cm depth.

Where soil is wet at planting, poor incorporation may result. For shallow-sown legume and oil-seed crops complete incorporation by cultivation to a depth of 5cm must be undertaken before planting.

Note that point size should be matched to tyne spacing to avoid uneven incorporation. For example a wideline seeder with 15cm tyne spacing should be fitted with unworn 15cm points. A combine with 9cm spacing should be fitted with an evenly worn set of 10cm points. Sweeps or other low profile points may not provide satisfactory incorporation.

#### COMPATIBILITY

Chemag Tri-allate is compatible with Chemag Chlorsulfuron 750, Chemag Mandate 750, Chemag Trifluralin 480, Roundup CT, Roundup Dry, Yield, MONZA, RoundupMax, Glyphosate CT, Credit and Bonus, Weedmaster+ Duo.

#### RESISTANT WEEDS WARNING **GROUP E HERBICIDE**

Chemag Tri-allate herbicide is a member of the thiocarbamate group of herbicides. Chemag Tri-allate has the inhibition of mitosis mode of action. For weed resistance management Chemag Tri-allate is a Group E herbicide. Some naturally occurring weed biotypes resistant to Chemag Tri-allate and other Group E herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These weeds will not be controlled by Chemag Tri-allate or other Group E herbicides.

Since the occurrence of resistant weeds is difficult to detect prior to use, Imtrade Australia Pty Ltd accepts no liability for any losses that may result from the failure of Chemag Tri-allate to control resistant weeds.

#### PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS

DO NOT apply under weather conditions, or from spraying equipment that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures.

#### PROTECTION OF LIVESTOCK, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish. Do not contaminate dams, rivers or streams with Chemag Tri-allate or used containers.

#### STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on-site. If recycling replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

#### SAFETY DIRECTIONS

May irritate the eyes and skin. Avoid contact with eyes, skin and clothing. Do not inhale spray mist. When preparing spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves and face shield or goggles. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

#### FIRST AID

If poisoning occurs, contact a Doctor or Poisons Information Centre (Phone Australia 13 11 26) If swallowed, DO NOT induce vomiting. Give a glass of water. Avoid giving alcohol.

#### MATERIAL SAFETY DATA SHEET

For further information refer to the Material Safety Data Sheet (MSDS).

#### CONDITIONS OF SALE

Imtrade Australia Pty Ltd shall not be liable for any loss injury damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with. The sale supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgement in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade has any authority to add or alter these conditions.