

PUPPET

Insecticide Synergist

Active Constituent: 800g/L PIPERONYL BUTOXIDE

For use as a synergist when applying synthetic pyrethroid insecticides in cotton as per directions of use table.

Contents: 20, 110 & 200 Litres

ChemAg Pty Ltd
Suite 12, 11 Preston Street, Como, WA 6152
Phone: (08) 9367 1799 Fax (08) 9368 6144

DIRECTIONS FOR USE (New South Wales, Queensland and Western Australia only):

Crop	Pest	Application Rate per ha	Critical Comments
Cotton	Cotton bollworm (<i>Helicoverpa armigera</i>)	300-400mL	To be used in accordance with the Insecticide Resistance Management Strategy for heliothis. To be used once only on each cotton crop with registered rates of synthetic pyrethroid insecticides. The preferred time of use is during late stage II of the summer insecticide strategy. Use the higher rate when residual activity is required.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD: OBSERVE THE WITHHOLDING PERIOD AND ALL PRECAUTIONS SHOWN ON THE LABEL OF THE PESTICIDE WITH WHICH YOU ARE MIXING THIS PRODUCT.

GENERAL INSTRUCTIONS:

This product is intended solely for use as a synergist. When applying ultra low volume or emulsifiable concentrate formulations of synthetic pyrethroid insecticides in cotton.

MIXING INSTRUCTION:

Add the required quantity of Puppet Insecticide Synergist and the insecticide into a suitable container and mix thoroughly. Add the blended pesticide/synergist to the diluent in the spray tank mixing thoroughly. Maintain agitation during mixing and application.

PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT:

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

KEEP OUT OF REACH OF CHILDREN.

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury the containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways,

desirable vegetation and tree roots. Empty containers and product should not be burnt.

Conditions of Sale

The use of Puppet Insecticide Synergist being beyond the control of the manufacturer, no warranty expressed or implied is given by ChemAg Pty Ltd, regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and ChemAg Pty Ltd accepts no responsibility for any consequence whatsoever from the use of this product.

For further information refer to Material Safety Data Sheet (MSDS) available from the manufacturer. Phone 1800 171799

IN A TRANSPORT EMERGENCY DIAL 000 POLICE OR FIRE BRIGADE

NRA Approval Number:

Batch Number:

Date of Manufacture: