

SAFETY DATA SHEET

PRODUCT NAME Imtrade Dictate Duo 100 Insecticide
APVMA Product Code: 54407

1 - IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier Name **IMTRADE AUSTRALIA PTY LTD**
Address 17 Ocean Street, Kwinana, Western Australia, AUSTRALIA, 6167
Telephone 1800 171 799
Fax 1800 171 788
Emergency In a Transport Emergency Dial 000 – Police or Fire Brigade
Web site <http://www.imtrade.com.au>
Product Use: Agricultural insecticide for use as described on the product label.
Creation Date: **March, 2008**
This version issued: **June, 2022** and is valid for 5 years from this date.
Poisons Information Centre: Phone 13 1126 from anywhere in Australia
Product type: Alpha-Cypermethrin is a pyrethroid insecticide.

SECTION 2 - HAZARDS IDENTIFICATION

Statement of Hazardous Nature

SUSMP Classification: S6

ADG Classification: Class 9: Miscellaneous dangerous goods.

UN Number: 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains ALPHA-CYPERMETHRIN)



GHS Signal word: DANGER.

Flammable Liquids - Category 4
Acute Toxicity Oral - Category 4
Skin Corrosion /Irritation - Category 2
Serious Eye Damage/Eye Irritation - Category 2B
Specific Target Organ Toxicity - Repeated Exposure - Category 2
Hazardous to Aquatic Environment Short Term/Acute - Category 1

HAZARD STATEMENTS:

H227: Combustible liquid.
H302: Harmful if swallowed.
H315: Causes skin irritation.
H320: Causes eye irritation.
H373: May cause damage to organs through prolonged or repeated exposure.
H400: Very toxic to aquatic life.

PRECAUTIONARY STATEMENTS:

PREVENTION

P102: Keep out of reach of children.
P210: Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P260: Do not breathe fumes, mists, vapours or spray.
P262: Do not get in eyes, on skin, or on clothing.
P264: Wash contacted areas thoroughly after handling.
P270: Do not eat, drink or smoke when using this product.
P273: Avoid release to the environment.
P280: Wear protective gloves, protective clothing and eye or face protection.

SAFETY DATA SHEET

RESPONSE

P362: Take off contaminated clothing and wash before reuse.

P301+P312: IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical advice.

P337+P313: If eye irritation persists: Get medical advice.

P370+P378: In case of fire, use carbon dioxide, dry chemical, foam, water fog.

STORAGE

P410: Protect from sunlight.

P402+P404: Store in a dry place. Store in a closed container.

P403+P235: Store in a well-ventilated place. Keep cool.

DISPOSAL

P501: Dispose of contents and containers as specified on the registered label.

Emergency Overview

Physical Description & Colour: Clear, bright pale straw coloured liquid.

Odour: Hydrocarbon solvent odour.

Major Health Hazards: The onset of symptoms varies depending upon such factors as the route of absorption and quantity involved. In patients with occupational poisoning, skin symptoms usually develop within 4-6 hours after exposure, with systemic symptoms occurring as late as 48 hours after exposure. Paraesthesia of the facial skin can develop approximately 30 minutes after exposure and does not usually last beyond 24 hours when exposure is terminated. Following ingestion, the initial symptoms involve the gastrointestinal tract, developing 10-60 minutes after exposure. Patients suffering from acute oral poisoning usually develop prominent digestive symptoms such as epigastric pain, nausea and vomiting. Severely poisoned patients may have frequent convulsive attacks, coma, or pulmonary oedema. The prognosis is good if treated, with usually full recovery even in severely poisoned patients. (The hospitalisation period is usually longer than 4 weeks). Death may occur from respiratory paralysis. Irritating to eyes and skin, harmful if swallowed. Harmful: danger of serious damage to health by prolonged exposure if swallowed.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	CAS No	Conc, %	TWA (mg/m ³)	STEL (mg/m ³)
Alpha-cypermethrin	67375-30-8	100g/L	not set	not set
Aromatic hydrocarbons	64742-94-5	735g/L	not set	not set
Other non hazardous ingredients	secret	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

SECTION 4 - FIRST AID MEASURES**General Information:**

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

Inhalation: No first aid measures normally required. However, if inhalation has occurred, and irritation has developed, remove to fresh air and observe until recovered. If irritation becomes painful or persists more than about 30 minutes, seek medical advice.

Skin Contact: Wash gently and thoroughly with warm water (use non-abrasive soap if necessary) for 10-20 minutes or until product is removed. Under running water, remove contaminated clothing, shoes and leather goods (e.g. watchbands and belts) and completely decontaminate them before reuse or discard. If irritation persists, repeat flushing and seek medical attention.

Eye Contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 minutes or until the product is removed, while holding the eyelid(s) open. Take care not to rinse contaminated water into the unaffected eye or onto the face. Obtain medical attention immediately. Take special care if exposed person is wearing contact lenses.

SAFETY DATA SHEET

Ingestion: If swallowed, do NOT induce vomiting. Give a glass of water. Wash mouth with water and contact a Poisons Information Centre, or call a doctor.

SECTION 5 - FIRE FIGHTING MEASURES

Fire and Explosion Hazards: This product is classified as a C1 combustible product. There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids. Vapours from this product are heavier than air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures. They may also flash back considerable distances.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

Extinguishing Media: Try to contain spills, minimise spillage entering drains or water courses.

Fire Fighting: If a significant quantity of this product is involved in a fire, call the fire brigade. There is little danger of a violent reaction or explosion if significant quantities of this product are involved in a fire. Recommended personal protective equipment is full fire kit and breathing apparatus.

Flammability Class: Flammable Category 4 (GHS), C1 combustible (AS 1940)

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Accidental release: In the event of a major spill, prevent spillage from entering drains or water courses. Wear full protective clothing including eye/face protection. All skin areas should be covered. See below under Personal Protection regarding Australian Standards relating to personal protective equipment. Suitable materials for protective clothing include rubber, PVC. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend that you use a respirator. Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned below (section 8). Otherwise, not normally necessary.

Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

SECTION 7 - HANDLING AND STORAGE

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: Note that this product is combustible and therefore, for Storage, meets the definition of Dangerous Goods in some states. If you store large quantities (tonnes) of such products, we suggest that you consult your state's Dangerous Goods authority in order to clarify your obligations regarding their storage.

Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Some liquid preparations settle or separate on standing and may require stirring before use. Check packaging - there may be further storage instructions on the label.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

SWA Exposure Limits

TWA (mg/m³)

STEL (mg/m³)

Exposure limits have not been established by SWA for any of the significant ingredients in this product.

The ADI for Alpha-cypermethrin is set at 0.05mg/kg/day. The corresponding NOEL is set at 4.7mg/kg/day. ADI means Acceptable Daily Intake and NOEL means No-observable-effect-level. Values taken from Australian ADI List, March 2016.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Ventilation: No special ventilation requirements are normally necessary for this product. However make sure that the work environment remains clean and that vapours and mists are minimised.

SAFETY DATA SHEET

Eye Protection: Protective glasses or goggles should be worn when this product is being used. Failure to protect your eyes may cause them harm. Emergency eye wash facilities are also recommended in an area close to where this product is being used.

Skin Protection: Prevent skin contact by wearing impervious gloves, clothes and, preferably, apron. Make sure that all skin areas are covered. See below for suitable material types.

Protective Material Types: We suggest that protective clothing be made from the following materials: rubber, PVC.

Respirator: Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above. Otherwise, not normally necessary.

Eyebaths or eyewash stations and safety deluge showers should be provided near to where this product is being used.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES:

Physical Description & colour:	Clear, bright pale straw coloured liquid.
Odour:	Hydrocarbon solvent odour.
Boiling Point:	137-143°C at 100kPa
Flash point:	>63°C
Upper Flammability Limit:	No data.
Lower Flammability Limit:	No data.
Autoignition temperature:	No data.
Freezing/Melting Point:	No specific data. Liquid at normal temperatures.
Volatiles:	No specific data. Expected to be low at 100°C.
Vapour Pressure:	No data.
Vapour Density:	No data.
Specific Gravity:	0.907
Water Solubility:	Emulsifiable.
pH:	No data.
Volatility:	No data.
Odour Threshold:	No data.
Evaporation Rate:	No data.
Coeff Oil/water Distribution:	No data
Particle Characteristics:	Not applicable to liquids.

SECTION 10 – STABILITY AND REACTIVITY

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight.

Incompatibilities: strong acids, strong bases, strong oxidising agents.

Fire Decomposition: Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

Polymerisation: This product will not undergo polymerisation reactions.

SECTION 11 - TOXICOLOGICAL INFORMATION

Toxicity: Chronic Toxicity: Absorption of pyrethrum through the stomach and intestines and through the skin is slow. However, humans can absorb pyrethrum more quickly through the lungs during respiration. Response appears to depend on the pyrethrum compound used. Overall, pyrethrins and Pyrethroids are of low chronic toxicity to humans and the most common problems in humans have resulted from the allergenic properties of pyrethrum. Patch tests for allergic reaction are an important tool in determining an individuals sensitivity to these compounds. Many of the natural and synthetic compounds can produce skin irritation, itching, pricking sensations and local burning sensations. These symptoms may last for about two days.

Reproductive Effects: Rabbits that received pyrethrins orally at high doses during the sensitive period of pregnancy had normal litters. A group of rats fed very high levels of pyrethrins daily for three weeks before first mating had litters with weanling weights much lower than normal. Overall, pyrethrins appear to have low reproductive toxicity.

Teratogenic Effects: The one rabbit reproduction study performed showed no effect of pyrethrins on development of the offspring. More information is needed.

Mutagenic Effects: No information was found.

Carcinogenic Effects: No carcinogenic status has been established for pyrethrins or Pyrethroids.

Organ Toxicity: In mammals, tissue storage has not been recorded. At high doses, pyrethrum can be damaging to the central nervous system and the immune system. When the immune system is attacked by pyrethrum, allergies

SAFETY DATA SHEET

can be worsened. Animals fed large doses of pyrethrins may experience liver damage. Rats fed pyrethrin at high levels for two years showed no significant effect on survival, but slight, definite damage to the livers was observed. Inhalation of high doses of pyrethrum for 30 minutes each day for 31 days caused slight lung irritation in rats and dogs.

Fate in Humans and Animals: Pyrethrins, Pyrethroids, and their metabolites are not known to be stored in the body nor excreted in the milk. The urine and faeces of people given oral doses of pyrethrum contain chrysanthemumic acid and other metabolites. These metabolites are less toxic to mammals than are the parent compounds. Pyrethrins I and II are excreted unchanged in the faeces. Other pyrethrum components undergo rapid destruction and detoxification in the liver and gastrointestinal tract.

Classification of Hazardous Ingredients

Ingredient	Health Hazard Statement Codes
------------	-------------------------------

<u>Alpha-cypermethrin</u>	H301, H373, H335, H410
----------------------------------	------------------------

- Acute Toxicity - Category 3
- Specific Target Organ Toxicity (Repeated Exposure) - Category 2
- Specific Target Organ Toxicity (Single Exposure) - Category 3
- Hazardous to the Aquatic Environment (Acute) - Category 1
- Hazardous to the aquatic environment (chronic) - category 1

<u>Aromatic hydrocarbons</u>	H304, AUH066
-------------------------------------	--------------

- Aspiration hazard – category 1

Potential Health Effects

See above for Chronic exposure studies.

Inhalation:

Short Term Exposure: Available data indicates that this product is not harmful. However product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort.

Skin Contact:

Short Term Exposure: This product causes skin numbness but further symptoms are not available. In addition product is a skin irritant. Symptoms may include itchiness and reddening of contacted skin. Other symptoms may also become evident, but all should disappear once exposure has ceased.

Eye Contact:

Short Term Exposure: This product is an eye irritant. Symptoms may include stinging and reddening of eyes and watering which may become copious. Other symptoms may also become evident. If exposure is brief, symptoms should disappear once exposure has ceased. However, lengthy exposure or delayed treatment may cause permanent damage.

Ingestion:

Short Term Exposure: Significant oral exposure is considered to be unlikely. Available data shows that this product is harmful, see symptoms above. This product is an oral irritant. Symptoms may include burning sensation and reddening of skin in mouth and throat. Other symptoms may also become evident, but all should disappear once exposure has ceased.

Harmful: danger of serious damage to health by prolonged exposure if swallowed.

Carcinogen Status:

SWA: No significant ingredient is classified as carcinogenic by SWA.

NTP: No significant ingredient is classified as carcinogenic by NTP.

IARC: No significant ingredient is classified as carcinogenic by IARC.

SECTION 12 - ECOLOGICAL INFORMATION

This product is biodegradable. Very toxic to aquatic organisms.

Pyrethrin is extremely toxic to aquatic life, such as bluegill and lake trout while it is slightly toxic to bird species, such as mallards. Toxicity increases with higher water temperatures and acidity. Natural pyrethrins are highly fat soluble, but are easily degraded and thus do not accumulate in the body. These compounds are toxic to bees also. Because pyrethrin-I, pyrethrin-II, and allethrin have multiple sites in their structures that can be readily attacked in biological systems, it is unlikely that they will concentrate in the food chain.

ENVIRONMENTAL FATE

SAFETY DATA SHEET

Two pyrethroid synthetic insecticides, permethrin and cypermethrin, break down in plants to produce a variety of products. Pyrethrins have little residual effect. In stored grain, 50% or more of the applied pyrethrins disappear during the first three or four months of storage. At least 80% of what remains is removed by handling, processing, and cooking. Pyrethrins alone provide limited crop protection because they are not stable. As a result, they are often combined with small amounts of antioxidants to prolong their effectiveness. Pyrethrum compounds are broken down in water to nontoxic products. Pyrethrins are inactivated and decomposed by exposure to light and air. Pyrethrins are also rapidly decomposed by mild acids and alkalis. Stored pyrethrin powders lose about 20% of their potency in one year. As the pyrethrins are purified, their stability decreases; thus, pure pyrethrin-I and pyrethrin-II are the least stable of the pyrethrins. Purified pyrethrins are very expensive and are only available for laboratory uses.

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal: Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 <http://www.chemclear.com.au/> and for help with the disposal of empty drums, contact DrumMuster <http://www.drummuster.com.au/> where you will find contact details for your area.

SECTION 14 - TRANSPORT INFORMATION

Not subject to the ADG Code when transported by Road or Rail in Australia, in packages 500kg(L) or less; or IBCs, but classed as Dangerous by IATA and IMDG/IMSBC when carried by Air or Sea transport (see details below).

UN Number: 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains ALPHA-CYPERMETHRIN)

Hazchem Code: •3Z

Special Provisions: 179, 274, 331, 335, AU01

Limited quantities: ADG 7 specifies a Limited Quantity value of 5 L for this class of product.

Dangerous Goods Class: Class 9: Miscellaneous Dangerous Goods.

Packing Group: III

Packing Instruction: P001, IBC03, LP01

Class 9 Miscellaneous Dangerous Goods shall not be loaded in the same vehicle or packed in the same freight container with Dangerous Goods of Class 1 (Explosives).

SECTION 15 - REGULATORY INFORMATION

AIIC: All of the significant ingredients in this formulation are compliant with AICIS regulations.

The following ingredients: Alpha-cypermethrin, liquid hydrocarbons, are mentioned in the SUSMP.

SECTION 16 - OTHER INFORMATION

Acronyms:

ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail (7 th edition)
AICS/AIIC	Australian Inventory of Industrial Chemicals
SWA	Safe Work Australia, formerly ASCC and NOHSC
CAS number	Chemical Abstracts Service Registry Number
Hazchem Code	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
IARC	International Agency for Research on Cancer
NOS	Not otherwise specified
NTP	National Toxicology Program (USA)
SUSMP	Standard for the Uniform Scheduling of Medicines & Poisons
UN Number	United Nations Number

This SDS contains only safety-related information. For other data see product literature.

This SDS summarises our best knowledge of the health and safety hazard information on the product, and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace, including in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made the user should contact Imtrade Australia Pty Ltd, or in the event of an emergency, 000. Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

Please read all labels carefully before using product.

SAFETY DATA SHEET

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (July 2020) and GHS Revision 7
Copyright © Kilford & Kilford Pty Ltd, June, 2022.

<http://www.kilford.com.au/> Phone (02)8321 8866

End of Report

SAFETY DATA SHEET