

# **SAFETY DATA SHEET**

PRODUCT NAME Imtrade Mandate 750 WG Selective Herbicide

**APVMA Product Code:** 57054

# 1 - IDENTIFICATION OF THE MATERIAL AND SUPPLIER

IMTRADE AUSTRALIA PTY LTD **Supplier Name** 

**Address** 17 Ocean Street, Kwinana, Western Australia, AUSTRALIA, 6167

1800 171 799 **Telephone** 1800 171 788 Fax

In a Transport Emergency Dial 000 – Police or Fire Brigade Emergency

Web site http://www.imtrade.com.au

Agricultural herbicide for use as described on the product label. **Product Use:** 

**Creation Date:** June. 2008

This version issued: April, 2022 and is valid for 5 years from this date.

Poisons Information Centre: Phone 13 1126 from anywhere in Australia

Triasulfuron is a sulfonylurea derivative. Product type:

#### **SECTION 2 - HAZARDS IDENTIFICATION**

# **Statement of Hazardous Nature** SUSMP Classification: None allocated.

ADG Classification: Class 9: Miscellaneous Dangerous Goods.

UN Number: 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains TRIASULFURON)



# GHS Signal word: WARNING.

Hazardous to Aquatic Environment Short Term/Chronic Category 1

### **HAZARD STATEMENTS:**

H410: Very toxic to aquatic life with long lasting effects.

## **PRECAUTIONARY STATEMENTS:**

# **PREVENTION**

P102: Keep out of reach of children.

P262: Do not get in eyes, on skin, or on clothing.

P273: Avoid release to the environment.

#### **RESPONSE**

P337: If eye irritation persists: seek medical attention.

P353: Rinse skin or shower with water.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P332+P313: If skin irritation occurs: Get medical advice.

P370+P378: In case of fire, use carbon dioxide, dry chemical, foam, water fog.

P402+P404: Store in a dry place. Store in a closed container.

P403+P235: Store in a well-ventilated place. Keep cool. **DISPOSAL** 

P501: Dispose of contents and containers as specified on the registered label.

# **Emergency Overview**

Physical Description & Colour: Beige coloured granulated solid.

Odour: Mild, characteristic odour.

Major Health Hazards: No major health hazards are known. No significant risk factors have been found for this product.

#### SAFETY DATA SHEET

Issued by: Imtrade Australia Pty Ltd Phone: 1800 171 799

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)

Page: 2 of 5

SDS Date: April, 2022

#### **SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredients	CAS No	Conc,%	TWA (mg/m³)	STEL (mg/m³)
Triasulfuron	82097-50-5	750g/kg	not set	not set
Other non hazardous ingredients	various	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

#### **SECTION 4 - FIRST AID MEASURES**

# **General Information:**

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

**Inhalation:** First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Skin Contact: Gently brush away excess solids. Irritation is unlikely. However, if irritation does occur, flush with lukewarm, gently flowing water for 5 minutes or until chemical is removed.

Eye Contact: Quickly and gently brush particles from eyes. No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses.

Ingestion: If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

# **SECTION 5 - FIRE FIGHTING MEASURES**

Fire and Explosion Hazards: There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids. This product, if scattered, may form flammable or explosive dust clouds in air.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

Extinguishing Media: Suitable extinguishing media are carbon dioxide, dry chemical, foam, water fog.

Fire Fighting: If a significant quantity of this product is involved in a fire, call the fire brigade. Do not scatter spilled material with high pressure water jets.

Flammability Class: No data.

# **SECTION 6 - ACCIDENTAL RELEASE MEASURES**

Accidental release: Minor spills do not normally need any special cleanup measures. In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls, goggles and gloves. Suitable materials for protective clothing include rubber, PVC. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that dusts are likely to build up in cleanup area, we recommend that you use a suitable Dust Mask. Use a P1 mask, designed for use against mechanically generated particles eg silica & asbestos.

Stop leak if safe to do so, and contain spill. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Consider vacuuming if appropriate. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

#### **SECTION 7 - HANDLING AND STORAGE**

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

#### SAFETY DATA SHEET

Issued by: Imtrade Australia Pty Ltd

Phone: 1800 171 799

Page: 3 of 5

SDS Date: April, 2022

**Storage:** Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Check packaging - there may be further storage instructions on the label.

#### **SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION**

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

SWA Exposure Limits TWA (mg/m³) STEL (mg/m³)

Exposure limits have not been established by SWA for any of the significant ingredients in this product.

The ADI for Triasulfuron is set at 0.005mg/kg/day. The corresponding NOEL is set at 0.5mg/kg/day. ADI means Acceptable Daily Intake and NOEL means No-observable-effect-level. Values taken from Australian ADI List, March 2016.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

**Ventilation:** This product should only be used where there is ventilation that is adequate to keep exposure below the TWA levels. If necessary, use a fan.

**Eye Protection:** Eye protection is not normally necessary when this product is being used. However, if in doubt, wear suitable protective glasses or goggles.

**Skin Protection:** The information at hand indicates that this product is not harmful and that normally no special skin protection is necessary. However, we suggest that you routinely avoid contact with all chemical products and that you wear suitable gloves (preferably elbow-length) when skin contact is likely.

**Protective Material Types:** We suggest that protective clothing be made from the following materials: rubber, PVC. **Respirator:** If there is a significant chance that dusts are likely to build up in the area where this product is being used, we recommend that you use a suitable Dust Mask.

Safety deluge showers should, if practical, be provided near to where this product is being used.

# **SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES:**

**Physical Description & colour**: Beige coloured granulated solid. **Odour:** Mild, characteristic odour.

**Boiling Point:** No specific data. Expected to decompose before boiling.

Flash point:

Upper Flammability Limit:

Lower Flammability Limit:

Autoignition temperature:

No data

No data.

No data.

Freezing/Melting Point: Triasulfuron melts 178°C

Volatiles:

No specific data. Expected to be low at 100°C.

Vapour Pressure:

Negligible at normal ambient temperatures.

Vapour Density:

Specific Gravity:

Water Solubility:

pH:

No data.

No data.

Dispersible.

No data.

**Volatility:** Negligible at normal ambient temperatures.

Odour Threshold: No data.

Evaporation Rate: No data.

Coeff Oil/water Distribution: No data

Particle Characteristics: Granules.

#### **SECTION 10 – STABILITY AND REACTIVITY**

**Reactivity:** This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

**Conditions to Avoid:** Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. **Incompatibilities:** strong acids, strong bases, strong oxidising agents.

**Fire Decomposition:** Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas in reducing atmospheres. Oxides of sulfur (sulfur dioxide is a respiratory hazard) and other sulfur compounds. Most will have a foul odour. Water. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

#### SAFETY DATA SHEET

Issued by: Imtrade Australia Pty Ltd Phone: 1800 171 799

Page: 4 of 5 SDS Date: April, 2022

Phone: 1800 171 799

**Polymerisation:** This product will not undergo polymerisation reactions.

# **SECTION 11 - TOXICOLOGICAL INFORMATION**

Toxicity, Triasulfuron:

 $LD_{50}$  Oral, Rat >5000mg/kg  $LD_{50}$  Oral, Mouse = >5000mg/kg  $LD_{50}$  Dermal, Rat = >2000mg/kg  $LC_{50}$  Inhalation, Rat = >5.18mg/L/4hr

# **Classification of Hazardous Ingredients**

Ingredient Health Hazard Statement Codes

Triasulfuron H410

- Hazardous to the Aquatic Environment (Acute) Category 1
- Hazardous to the Aquatic Environment (Chronic) Category 1

#### **Potential Health Effects**

# Inhalation:

**Short Term Exposure:** Available data indicates that this product is not harmful. However product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort.

Long Term Exposure: No data for health effects associated with long term inhalation.

#### **Skin Contact:**

**Short Term Exposure:** Available data indicates that this product is not harmful. It should present no hazards in normal use. However product may be mildly irritating, but is unlikely to cause anything more than mild discomfort which should disappear once contact ceases.

Long Term Exposure: No data for health effects associated with long term skin exposure.

# **Eye Contact:**

**Short Term Exposure:** This product may be mildly irritating to eyes, but is unlikely to cause anything more than mild discomfort which should disappear once product is removed.

Long Term Exposure: No data for health effects associated with long term eye exposure.

# Ingestion:

**Short Term Exposure:** Significant oral exposure is considered to be unlikely. However, this product may be irritating to mucous membranes but is unlikely to cause anything more than transient discomfort.

**Long Term Exposure:** No data for health effects associated with long term ingestion.

#### Carcinogen Status:

**SWA:** No significant ingredient is classified as carcinogenic by SWA. **NTP:** No significant ingredient is classified as carcinogenic by NTP. **IARC:** No significant ingredient is classified as carcinogenic by IARC.

# **SECTION 12 - ECOLOGICAL INFORMATION**

Very toxic to aquatic life with long lasting effects.

**Effects on Birds:** Triasulfuron has very low avian toxicity. The oral LD<sub>50</sub> value for quail and ducks is greater than 2150 mg/kg

**Effects on Aquatic Organisms:** The chemical has very low toxicity to aquatic organisms. 96-hour  $LC_{50}$  values are greater than 100 mg/l in rainbow trout, carp, catfish, sheepshead minnow and bluegill sunfish. 96 hour toxicity tests with the freshwater invertebrate *Daphnia magna* resulted in a  $LC_{50}$  of greater than 100 mg/l.

**Effects on Other Animals:** Triasulfuron has very low acute toxicity to honey bees with a topical LD<sub>50</sub> of greater than 100  $\mu$ g/bee. The LC<sub>50</sub> for earthworms is greater than 1,000 mg/kg soil (14 day).

The EC<sub>50</sub> (5-14day) for Algae are as follows: for *Selenastrum* 0.035, for *Scenedesmus* 0.77, for *Anabaena* 1.7 and for *Navicula* >100mg/L

# **Environmental fate:**

**Animals:** In animals, mainly excreted in the urine in unchanged form.

DT<sub>50</sub> in forage is about 3 days. In straw and grain, no residues were detectable at harvest time.

**Soil/environment:** The degradation behaviour in soil is determined by the soil type, pH and especially temperature and moisture content. Field studies with silty loam, clay loam and sandy loam showed a median DT<sub>50</sub> of 19 days, varying with soil type.

# **SECTION 13 - DISPOSAL CONSIDERATIONS**

**Disposal:** Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 http://www.chemclear.com.au/ and for help with the

#### **SAFETY DATA SHEET**

Issued by: Imtrade Australia Pty Ltd

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)

Page: 5 of 5

SDS Date: April, 2022

disposal of empty drums, contact DrumMuster http://www.drummuster.com.au/ where you will find contact details for vour area.

# **SECTION 14 - TRANSPORT INFORMATION**

Not subject to the ADG Code when transported by Road or Rail in Australia, in packages 500kg(L) or less; or IBCs, but classed as Dangerous by IATA and IMDG/IMSBC when carried by Air or Sea transport (see details below).

UN Number: 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains TRIASULFURON).

Hazchem Code: 2Z

**Special Provisions:** 274, 331, 335, 375, AU01

Limited quantities: ADG 7 specifies a Limited Quantity value of 5 kg for this class of product.

Dangerous Goods Class: Class 9: Miscellaneous Dangerous Goods.

Packing Group: III

Packing Instruction: P002, IBC08, LP02

Class 9 Miscellaneous Dangerous Goods shall not be loaded in the same vehicle or packed in the same freight

container with Dangerous Goods of Class 1 (Explosives).

#### **SECTION 15 - REGULATORY INFORMATION**

**AllC:** All of the significant ingredients in this formulation are compliant with AlCIS regulations.

#### **SECTION 16 - OTHER INFORMATION**

#### Acronyms:

**ADG Code** Australian Code for the Transport of Dangerous Goods by Road and Rail (7<sup>th</sup> edition)

AICS/AIIC Australian Inventory of Industrial Chemicals **SWA** Safe Work Australia, formerly ASCC and NOHSC Chemical Abstracts Service Registry Number **CAS** number

Emergency action code of numbers and letters that provide information to emergency **Hazchem Code** 

services especially firefighters

International Agency for Research on Cancer IARC

NOS Not otherwise specified

**NTP** National Toxicology Program (USA)

**SUSMP** Standard for the Uniform Scheduling of Medicines & Poisons

**UN Number United Nations Number** 

# This SDS contains only safety-related information. For other data see product literature.

This SDS summarises our best knowledge of the health and safety hazard information on the product, and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace, including in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made the user should contact Imtrade Australia Pty Ltd, or in the event of an emergency, 000. Our responsibility for products sold is subject to out standard terms and conditions, a copy of which is sent to our customers and is also available on request.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (July 2020) and GHS Revision 7

Copyright © Kilford & Kilford Pty Ltd, April, 2022.

http://www.kilford.com.au/ Phone (02)8321 8866

**End of Report**