

# SAFETY DATA SHEET

PRODUCT NAME **Imtrade Metribuzin 750 WG Herbicide**  
APVMA Product Code: 63658

## 1 - IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier Name **IMTRADE AUSTRALIA PTY LTD**  
Address 17 Ocean Street, Kwinana, Western Australia, AUSTRALIA, 6167  
Telephone 1800 171 799  
Fax 1800 171 788  
Emergency In a Transport Emergency Dial 000 – Police or Fire Brigade  
Web site <http://www.imtrade.com.au>  
Product Use: Agricultural herbicide for use as described on the product label.  
Creation Date: **June, 2008**  
This version issued: **April, 2022** and is valid for 5 years from this date.  
**Poisons Information Centre: Phone 13 1126 from anywhere in Australia**  
Product type: Metribuzin is a 1,2,4-triazinone derivative.

## SECTION 2 - HAZARDS IDENTIFICATION

### Statement of Hazardous Nature

**SUSMP Classification:** S6

**ADG Classification:** Class 9: Miscellaneous Dangerous Goods.

**UN Number:** 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains METRIBUZIN)



### GHS Signal word: **WARNING.**

Acute Toxicity Oral - Category 4

Hazardous to Aquatic Environment Short Term/Chronic - Category 1

### HAZARD STATEMENTS:

H302: Harmful if swallowed.

H410: Very toxic to aquatic life with long lasting effects.

### PRECAUTIONARY STATEMENTS:

#### PREVENTION

P102: Keep out of reach of children.

P262: Do not get in eyes, on skin, or on clothing.

P264: Wash contacted areas thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P273: Avoid release to the environment.

#### RESPONSE

P337: If eye irritation persists: seek medical attention.

P353: Rinse skin or shower with water.

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P370+P378: Suitable extinguishing media are carbon dioxide, dry chemical, foam, water fog.

#### STORAGE

P402+P404: Store in a dry place. Store in a closed container.

P403+P235: Store in a well-ventilated place. Keep cool.

#### DISPOSAL

P501: Dispose of contents and containers as specified on the registered label.

## Emergency Overview

**Physical Description & Colour:** Brown granules.

## SAFETY DATA SHEET

Issued by: Imtrade Australia Pty Ltd

Phone: 1800 171 799

**Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)**

**Odour:** Sulfurous odour.

**Major Health Hazards:** Metribuzin is harmful orally, with reported oral LD<sub>50</sub> values of 1090 to 2300 mg/kg in rats, 700 mg/kg in mice and 245 to 274 mg/kg in guinea pigs. It is practically nontoxic dermally, with a dermal LD<sub>50</sub> of 20,000 mg/kg in rabbits. The 4-hour inhalation LC<sub>50</sub> for Metribuzin in rats is greater than 0.65 mg/L, indicating moderate toxicity via the inhalation route. Metribuzin has been shown not to irritate the skin or eyes of rats, rabbits, guinea pigs, or human volunteers. Effects of high acute exposure in Metribuzin poisoned rats included narcosis (stupor) and laboured breathing. Deaths occurred within 24 hours, and survivors recovered slowly without permanent effects. Product is harmful if swallowed.

### SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

| Ingredients                     | CAS No     | Conc, % | TWA (mg/m <sup>3</sup> ) | STEL (mg/m <sup>3</sup> ) |
|---------------------------------|------------|---------|--------------------------|---------------------------|
| Metribuzin                      | 21087-64-9 | 750g/kg | 5                        | not set                   |
| Other non hazardous ingredients | secret     | to 100  | not set                  | not set                   |

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

### SECTION 4 - FIRST AID MEASURES

#### General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

**Inhalation:** First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

**Skin Contact:** Gently brush away excess solids. Irritation is unlikely. However, if irritation does occur, flush with lukewarm, gently flowing water for 5 minutes or until chemical is removed.

**Eye Contact:** Quickly and gently brush particles from eyes. No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses.

**Ingestion:** If swallowed, do NOT induce vomiting. Wash mouth with water and contact a Poisons Information Centre, or call a doctor.

### SECTION 5 - FIRE FIGHTING MEASURES

**Fire and Explosion Hazards:** There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

**Extinguishing Media:** Suitable extinguishing media are carbon dioxide, dry chemical, foam, water fog.

**Fire Fighting:** If a significant quantity of this product is involved in a fire, call the fire brigade.

**Flammability Class:** Combustible solid.

### SECTION 6 - ACCIDENTAL RELEASE MEASURES

**Accidental release:** In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls, goggles and gloves. Suitable materials for protective clothing include rubber, PVC. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that dusts are likely to build up in cleanup area, we recommend that you use a suitable Dust Mask. Use a P1 mask, designed for use against mechanically generated particles eg silica & asbestos.

Stop leak if safe to do so, and contain spill. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Consider vacuuming if appropriate. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

## SAFETY DATA SHEET

---

**SECTION 7 - HANDLING AND STORAGE**

---

**Handling:** Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

**Storage:** This product is a Scheduled Poison. Observe all relevant regulations regarding sale, transport and storage of this schedule of poison. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Check packaging - there may be further storage instructions on the label.

---

**SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION**

---

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

| <b>SWA Exposure Limits</b> | <b>TWA (mg/m<sup>3</sup>)</b> | <b>STEL (mg/m<sup>3</sup>)</b> |
|----------------------------|-------------------------------|--------------------------------|
| Metribuzin                 | 5                             | not set                        |

The ADI for Metribuzin is set at 0.02mg/kg/day. The corresponding NOEL is set at 2mg/kg/day. ADI means Acceptable Daily Intake and NOEL means No-observable-effect-level. Values taken from Australian ADI List, March 2016.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

**Ventilation:** This product should only be used where there is ventilation that is adequate to keep exposure below the TWA levels. If necessary, use a fan.

**Eye Protection:** Eye protection such as protective glasses or goggles is recommended when this product is being used.

**Skin Protection:** The information at hand indicates that this product is not harmful and that normally no special skin protection is necessary. However, we suggest that you routinely avoid contact with all chemical products and that you wear suitable gloves (preferably elbow-length) when skin contact is likely.

**Protective Material Types:** We suggest that protective clothing be made from the following materials: rubber, PVC.

**Respirator:** If there is a significant chance that dusts are likely to build up in the area where this product is being used, we recommend that you use a suitable Dust Mask.

---

**SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES:**

---

|   |   |
|---|---|
| <b>Physical Description &amp; colour:</b> | Brown granules.   |
| <b>Odour:</b>                             | Sulfurous odour.  |
| <b>Boiling Point:</b>                     | No specific data. Expected to decompose before boiling.                   |
| <b>Flash point:</b>                       | Combustible solid.  |
| <b>Upper Flammability Limit:</b>          | No data.  |
| <b>Lower Flammability Limit:</b>          | No data.  |
| <b>Autoignition temperature:</b>          | No data.  |
| <b>Freezing/Melting Point:</b>            | No specific data. Solid at normal temperatures. Metribuzin melts at 126°C |
| <b>Volatiles:</b>                         | No specific data. Expected to be low at 100°C.                            |
| <b>Vapour Pressure:</b>                   | Negligible at normal ambient temperatures.                                |
| <b>Vapour Density:</b>                    | No data.  |
| <b>Specific Gravity:</b>                  | No data. Bulk density about 0.5-1.0                                       |
| <b>Water Solubility:</b>                  | Dispersible.  |
| <b>pH:</b>                                | No data.  |
| <b>Volatility:</b>                        | Negligible at normal ambient temperatures.                                |
| <b>Odour Threshold:</b>                   | No data.  |
| <b>Evaporation Rate:</b>                  | No data.  |
| <b>Coeff Oil/water Distribution:</b>      | No data   |
| <b>Particle Characteristics:</b>          | Granules.   |

---

**SECTION 10 – STABILITY AND REACTIVITY**

---

**Reactivity:** This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

**SAFETY DATA SHEET**

**Conditions to Avoid:** Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight.

**Incompatibilities:** strong acids, strong bases, strong oxidising agents.

**Fire Decomposition:** Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas in reducing atmospheres. Oxides of sulfur (sulfur dioxide is a respiratory hazard) and other sulfur compounds. Most will have a foul odour. Water. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

**Polymerisation:** This product will not undergo polymerisation reactions.

## SECTION 11 - TOXICOLOGICAL INFORMATION

**Toxicity: Acute toxicity:** Metribuzin is harmful orally, with reported oral LD<sub>50</sub> values of 1090 to 2300 mg/kg in rats, 700 mg/kg in mice and 245 to 274 mg/kg in guinea pigs. It is practically nontoxic dermally, with a dermal LD<sub>50</sub> of 20,000 mg/kg in rabbits. The 4-hour inhalation LC<sub>50</sub> for Metribuzin in rats is greater than 0.65 mg/L, indicating moderate toxicity via the inhalation route. Metribuzin has been shown not to irritate the skin or eyes of rats, rabbits, guinea pigs, or human volunteers. Effects of high acute exposure in Metribuzin poisoned rats included narcosis (stupor) and laboured breathing. Deaths occurred within 24 hours, and survivors recovered slowly without permanent effects.

**Chronic toxicity:** No ill effects were observed in dogs fed dietary doses of 12.5 mg/kg/day for 3 months. No effects were apparent in rats receiving 2.5 mg/kg/day over 3 months, but doses of 25 and 75 mg/kg/day caused enlarged livers and thyroid glands. In 2-year feeding studies with rats and dogs, results showed no observable effects at doses of 5 mg/kg/day in rats and 2.5 mg/kg/day in dogs. Reduced weight gain, an increase in the number of deaths, blood chemistry changes, and liver and kidney damage were observed in a 2-year study in which dogs were given 1500 ppm or 37.5 mg/kg/day of Metribuzin.

**Reproductive effects:** Doses of 15, 45, or 135 mg/kg/day of technical Metribuzin were administered by gavage to rabbits on days 6 through 18 of pregnancy. No effects on the mothers were observed at a dose of 45 mg/kg, but 135 mg/kg lowered maternal weight gain. No effects on the foetuses were observed at any of the doses tested. A three-generation study in rats at doses of up to 15 mg/kg/day (the highest dose tested), showed no influence on reproduction. Metribuzin does not cause reproductive effects.

**Teratogenic effects:** In rats, reduced foetal body weights were seen at doses of 70 mg/kg/day, and developmental delays were observed at doses of 200 mg/kg/day. Metribuzin did not show teratogenic activity in rabbits at doses of up to 85 mg/kg/day, but did decrease weight gain in offspring. These data suggest that Metribuzin is unlikely to cause teratogenic effects in humans under normal circumstances.

**Mutagenic effects:** Tests on live animals and on tissue cultures have shown that Metribuzin has no mutagenic activity.

**Carcinogenic effects:** There were no indications of carcinogenic effects in rats receiving dietary doses of up to 15 mg/kg/day for 2 years, nor in mice fed up to about 380 mg/kg/day for 2 years. These data suggest that Metribuzin is not carcinogenic.

**Organ toxicity:** In single high dose studies, Metribuzin appears to depress the central nervous system. Other studies indicate that the target organs of Metribuzin are the thyroid gland and the liver.

**Fate in humans and animals:** After Metribuzin is absorbed, it is rapidly distributed in the body and excreted unchanged in the urine. In mammals, 90% elimination occurs within 96 hours, about equally distributed between the urine and faeces.

There is no data to hand indicating any particular target organs.

## Classification of Hazardous Ingredients

| Ingredient  | Health Hazard Statement Codes |
|---|-------------------------------|
| <b>Metribuzin</b>   | H302, H410                    |
| <ul style="list-style-type: none"><li>• Acute Toxicity - Category 4</li><li>• Hazardous to the Aquatic Environment (Acute) - Category 1</li><li>• Hazardous to the Aquatic Environment (Chronic) - Category 1</li></ul> |                               |

## Potential Health Effects

See section 11 for Chronic exposure studies.

### Inhalation:

**Short Term Exposure:** Long term inhalation of high amounts of any nuisance dust may overload lung clearance mechanism. Available data indicates that this product is not harmful. However product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort.

### Skin Contact:

**Short Term Exposure:** Available data indicates that this product is not harmful. It should present no hazards in normal use. In addition product is unlikely to cause any discomfort in normal use.

## SAFETY DATA SHEET

**Eye Contact:**

**Short Term Exposure:** This product may be irritating to eyes, but is unlikely to cause anything more than mild transient discomfort.

**Ingestion:**

**Short Term Exposure:** Significant oral exposure is considered to be unlikely. Available data shows that this product is harmful, but symptoms are not available. However, this product may be irritating to mucous membranes but is unlikely to cause anything more than transient discomfort.

**Carcinogen Status:**

**SWA:** No significant ingredient is classified as carcinogenic by SWA.

**NTP:** No significant ingredient is classified as carcinogenic by NTP.

**IARC:** No significant ingredient is classified as carcinogenic by IARC.

---

**SECTION 12 - ECOLOGICAL INFORMATION**

---

Very toxic to aquatic life with long lasting effects.

**Breakdown in soil and groundwater:** Metribuzin is of moderate persistence in the soil environment. The half-life of Metribuzin varies according to soil type and climatic conditions. Soil half-lives of 30 to 120 days have been reported; a representative value may be approximately 60 days. Metribuzin is poorly bound to most soils and soluble in water, giving it a potential for leaching in many soil types. Soil mobility is affected by many site-specific variables, including the amount of soil organic matter, particle size distribution, porosity, rainfall, and application rates. The major mechanism by which Metribuzin is lost from soil is microbial degradation. Losses due to volatilization or photodegradation are not significant under field conditions.

**Breakdown in water:** The half-life of Metribuzin in pond water is approximately 7 days. If present, Metribuzin would most likely be found in the water column rather than the sediment, due to its low binding affinity and high water solubility.

**Breakdown in vegetation:** Metribuzin is absorbed through the leaves when plants are given surface treatment, but the primary route for uptake is through the root system. From the roots, it is translocated upward, becoming concentrated in the roots, stems, and leaves of treated plants. In non-susceptible plants it is deaminized to more water-soluble conjugates; in susceptible plants it is not metabolized and disrupts photosynthesis in the chloroplast.

**Birds:** LD<sub>50</sub> bobwhite quail: 168mg/kg LD<sub>50</sub> mallard: 460-680mg/kg

**Fish:** LC<sub>50</sub> rainbow trout: 76mg/L

LC<sub>50</sub> bluegill sunfish: 80mg/L

LC<sub>50</sub> goldfish: >10mg/L

LC<sub>50</sub> catfish: >10mg/L

**Algae:** EC<sub>50</sub> 0.021mg/L

**Bees:** LD<sub>50</sub> 35µg/bee

**Daphnia:** EC<sub>50</sub> 4.5-35mg/L

---

**SECTION 13 - DISPOSAL CONSIDERATIONS**

---

**Disposal:** Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 <http://www.chemclear.com.au/> and for help with the disposal of empty drums, contact DrumMuster <http://www.drummuster.com.au/> where you will find contact details for your area.

---

**SECTION 14 - TRANSPORT INFORMATION**

---

**Not subject to the ADG Code when transported by Road or Rail in Australia, in packages 500kg(L) or less; or IBCs, but classed as Dangerous by IATA and IMDG/IMSBC when carried by Air or Sea transport (see details below).**

**UN Number:** 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains METRIBUZIN).

**Hazchem Code:** 2Z

**Special Provisions:** 274, 331, 335, 375, AU01

**Limited quantities:** ADG 7 specifies a Limited Quantity value of 5 kg for this class of product.

**Dangerous Goods Class:** Class 9: Miscellaneous Dangerous Goods.

**Packing Group:** III

**Packing Instruction:** P002, IBC08, LP02

Class 9 Miscellaneous Dangerous Goods shall not be loaded in the same vehicle or packed in the same freight container with Dangerous Goods of Class 1 (Explosives).

---

**SECTION 15 - REGULATORY INFORMATION**

---

**AIC:** All of the significant ingredients in this formulation are compliant with AICIS regulations.

The following ingredient: Metribuzin, is mentioned in the SUSMP.

**SAFETY DATA SHEET**

---

**SECTION 16 - OTHER INFORMATION**

---

**Acronyms:**

|                     |   |
|---------------------|---|
| <b>ADG Code</b>     | Australian Code for the Transport of Dangerous Goods by Road and Rail (7 <sup>th</sup> edition)                     |
| <b>AICS/AIIC</b>    | Australian Inventory of Industrial Chemicals  |
| <b>SWA</b>          | Safe Work Australia, formerly ASCC and NOHSC  |
| <b>CAS number</b>   | Chemical Abstracts Service Registry Number  |
| <b>Hazchem Code</b> | Emergency action code of numbers and letters that provide information to emergency services especially firefighters |
| <b>IARC</b>         | International Agency for Research on Cancer   |
| <b>NOS</b>          | Not otherwise specified   |
| <b>NTP</b>          | National Toxicology Program (USA)   |
| <b>SUSMP</b>        | Standard for the Uniform Scheduling of Medicines & Poisons  |
| <b>UN Number</b>    | United Nations Number   |

**This SDS contains only safety-related information. For other data see product literature.**

This SDS summarises our best knowledge of the health and safety hazard information on the product, and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace, including in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made the user should contact Imtrade Australia Pty Ltd, or in the event of an emergency, 000. Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (July 2020) and GHS Revision 7

Copyright © Kilford & Kilford Pty Ltd, April, 2022.

<http://www.kilford.com.au/> Phone (02)8321 8866

End of Report

**SAFETY DATA SHEET**