STORAGE AND DISPOSAL
Store in the closed, original container in a dry, cool, well-ventilated area. **DO NOT** store for long periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsing to spray tank. **DO NOT** dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. **DO NOT** burn empty containers or product.

SAFETY DIRECTIONS
Poisonous if absorbed by skin contact, inhaled or swallowed. May irritate eyes and skin. Avoid contact with eyes and skin. **DO NOT** inhale dust or spray mist. When opening the container, preparing the spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves, face shield, impervious footwear and half facepiece respirator with combined dust and gas cartridge. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shields respirator and contaminated clothing. Wash rubber respirator with detergent and warm water.

FIRST AID
If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre *(Phone Australia 13 11 26 New Zealand 0800 764 766)* or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.

Refer to attached Leaflet for additional GHS Hazard & Precautionary Statements

SAFETY DATA SHEET
Additional information is listed in the Safety Data Sheet which can be obtained from your supplier or Imtrade Australia Pty Ltd website at www.imtrade.com.au

CONDITIONS OF SALE
Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

IMTRADE

CONFRONT 800 WG

INSECTICIDE

ACTIVE CONSTITUENT: 800 g/kg THIODICARB
(an anti-cholinesterase compound)

GROUP 1A INSECTICIDE

For the control of Caterpillar pests in Brassicas, Cotton, Maize, Sweetcorn, Pulses, Tomatoes and Tobacco as specified in the Directions for Use table.

Important: Read the attached Leaflet before use.

UN 2757	CARBAMATE PESTICIDE, SOLID, TOXIC (contains THIODICARB
In a Transport Emergency Dial 000 Police or Fire Brigade	
PG II	HAZCHEM 2X

APVMA Approval No: 59763/104353

FORM **WG**

CONTENTS **2.5kg-20kg**

drumMUSTER eligible container

Batch No.
DOM:

IMTRADE CropScience
17 Ocean St, Kwinana Beach WA 6167
08 9419 0333 | www.imtrade.com.au

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

IMTRADE CONFRONT 800 WG INSECTICIDE

ACTIVE CONSTITUENT: 800 g/kg THIODICARB
(an anti-cholinesterase compound)

GROUP 1A INSECTICIDE

For the control of Caterpillar pests in Brassicas, Cotton, Maize, Sweetcorn, Pulses, Tomatoes and Tobacco as specified in the Directions for Use table

IMPORTANT: READ THIS LEAFLET THOROUGHLY BEFORE OPENING OR USING THIS PRODUCT

APVMA Approval No: 59763/104353

Imtrade Australia Pty Ltd
ABN 13 090 151 134
17 Ocean Street, Kwinana WA 6157
Tel: 1800 171 799 Fax: 1800 171 788
Web: www.imtrade.com.au

DIRECTIONS FOR USE
RESTRAINTS:
DO NOT add Imtrade Confront 800 WG Insecticide to water with a pH below 3.0 or above 8.5.
DO NOT store prepared spray mixture for longer than 6 hours.

CROP	PEST	STATE	RATE	WHP	CRITICAL COMMENTS
Brassica Crops	Cabbage Cluster Caterpillar (*Crocidolomia pavonana*), Cabbage White Butterfly (*Pieris rapae*)	All States	470 to 940g/ha	7 (H) 21(G)	Spray as required depending upon pest pressure. Closely monitor pest populations. Use the lower rate for small caterpillars and the higher rate for advanced caterpillars. Add a non-ionic wetting agent at the recommended rates.
Cotton	Heliothis (Budworms) (*Helicoverpa* spp.)	Qld, NSW, WA, NT only	940g or 1.2kg/ha	21 (H & G)	Imtrade Confront 800 WG Insecticide has ovicidal and larvicidal activity. **Ovicidal and Larvicidal Rate:** Application should be made on eggs, very small or small larvae only. The most effective timing is on egg hatch. Use the lower rate on light to moderate infestations, and the higher rate on heavier infestations. Closely monitor pest populations after application. Repeat application as needed to maintain control. Ensure thorough coverage of target areas. Larvae must feed on treated area in order to achieve effective control. Larger larvae and larvae feeding within bolls and squares may not be controlled.
			235g to 470g/ha **PLUS** the registered rate of a compatible larvicide		**Ovicidal Rate: Ovicidal rates of Imtrade Confront 800 WG Insecticide should only be used in a tank mix with the registered rate of a compatible larvicide.** Time application on egg threshold levels prior to hatching and closely monitor the population. Use the lower rate of Imtrade Confront 800 WG Insecticide where egg pressure is less than 3 eggs per terminal. Use the higher rate of Imtrade Confront 800 WG Insecticide for larger larvae up to 8 mm and under higher egg pressure. Repeat application to maintain control. Ensure thorough coverage of target areas.

CROP	PEST	STATE	RATE	WHP	CRITICAL COMMENTS
Maize, Sweetcorn	Heliothis (*Helicoverpa armigera*)	Qld, NSW, Vic, Tas, WA only	700 to 940g/ha	**Maize** 7 (H & G) **Sweetcorn** 7 (H) 21 (G)	Closely monitor pest populations during tasselling-silking. If high numbers or medium to large caterpillars are in the tassels, spray at tassel emergence. Egg laying is heaviest during green silk formation. Time applications to coincide with egg hatching. Ensure thorough coverage of target areas.
Pulses e.g. Navy Beans, Soybeans, Mung Beans, Pigeon Peas, Chickpeas	Heliothis (Budworms) (*Helicoverpa* spp.)	All States	235 or 350g/ha	21 (H &G)	Time application to coincide with egg hatching and closely monitor pest populations. Use the lower dose rate on eggs and very small larvae (up to 3 mm) and light to moderate infestations; and the higher rate on small larvae (up to 7 mm) and heavier infestations. Repeat application as needed to maintain control. Ensure thorough coverage of target areas.

CROP	PEST	STATE	RATE	WHP	CRITICAL COMMENTS
Tomatoes	Heliothis (Budworms) (*Helicoverpa* spp.)	All states	**Low Volume:** 655g/ha **High Volume:** 33g/100L water	1 (H) 21(G)	Time application to coincide with egg hatching and closely monitor pest populations. Repeat applications as needed to maintain control. Ensure thorough coverage of target areas by increasing water volume with plant growth stage. **NOTE:** Low volume is defined as 400L or less total spray volume per hectare. High volume is defined as 1000L or more total spray volume per hectare.
	Heliothis (Budworms) (*Heliocoverpa* spp.) Potato moth (*Phthorimaea operculella*)		**Low Volume:** 233g to 655g/ha Imtrade Confront 800 WG Insecticide **PLUS** 500g to 1.0kg Delfin* WG (or other compatible registered Bt product) per ha **High Volume:** 23g to 46g Imtrade Confront 800 WG Insecticide **PLUS** 50 to 100g Delfin* WG (or other compatible registered Bt product) per 100L water		Time application to coincide with egg hatching and closely monitor pest populations. Repeat application as needed to maintain control. Ensure thorough coverage of target areas by increasing water volume with plant growth stage. **NOTE:** Low volume is defined as 400L or less total spray volume per hectare. High volume is defined as 1000L or more total spray volume per hectare. The lower rates of Imtrade Confront 800 WG Insecticide in mixtures with Bt provide ovicidal control only. Use higher rates of Imtrade Confront 800 WG Insecticide when larval control is required. Use the higher rate of Delfin* WG when Potato Moth is present.

CROP	PEST	STATE	RATE	WHP	CRITICAL COMMENTS
Tobacco	Heliothis (Budworms) (*Helicoverpa* spp.) Tobacco Loopers (*Chrysodeixis* spp.)	Qld, NSW, Vic, WA only	33g/100L water	Nil (H) 21 (G)	Time applications to coincide with egg hatching and closely monitor pest populations. Repeat applications as needed to maintain control. Ensure thorough coverage of target areas by increasing water volume with plant growth stage.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

DO NOT USE IMTRADE CONFRONT 800 WG INSECTICIDE IN THE HOME GARDEN.

WITHHOLDING PERIODS
(H) = Harvest
BRASSICA, MAIZE, SWEETCORN: DO NOT HARVEST FOR 7 DAYS AFTER APPLICATION.
COTTON and DRIED PULSES: DO NOT HARVEST FOR 21 DAYS AFTER APPLICATION.
TOMATOES: DO NOT HARVEST FOR 1 DAY AFTER APPLICATION
TOBACCO: NOT REQUIRED WHEN USED AS DIRECTED.

(G) = Grazing
ALL CROPS EXCEPT MAIZE: DO NOT GRAZE OR CUT FOR STOCK FEED FOR 21 DAYS AFTER APPLICATION.
MAIZE: DO NOT GRAZE OR CUT FOR STOCK FEED FOR 7 DAYS AFTER APPLICATION.

GENERAL INSTRUCTIONS

Imtrade Confront 800 WG Insecticide is a water dispersible granule formulation that readily disperses in water for spraying by ground or air equipment. It is unstable under highly acidic or highly alkaline conditions, being hydrolytically sensitive to degradation of the active constituent by strong acids, strong bases and certain heavy metals and salts.

To improve rainfastness, add a commercially available 'sticker' to the spray-tank, at the recommended rate, before applying this product.

INSECTICIDE RESISTANCE WARNING

GROUP 1A INSECTICIDE

For insecticide resistance management, Imtrade Confront 800 WG Insecticide is a Group **1A** Insecticide. Some naturally occurring insect biotypes resistant to Imtrade Confront 800 WG and other Group **1A** Insecticide may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Imtrade Confront 800 WG or other Group **1A** Insecticides are used repeatedly. The effectiveness of Imtrade Confront 800 WG on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Imtrade Australia Pty Ltd accepts no liability for any losses that may result from the failure of Imtrade Confront 800 WG to control resistant insects. Imtrade Confront 800 WG may be subject to specific resistance management strategies. For further information contact your local supplier, Imtrade Australia representative or local agricultural department agronomist.

Export of Treated Produce

Growers should note that suitable MRLs or import tolerances may not be established in all markets for produce treated with Imtrade Confront 800 WG Insecticide. If you are growing produce for export, please check with Imtrade Australia Pty Ltd for the latest information on MRLs and import tolerances BEFORE using Imtrade Confront 800 WG Insecticide.

Mixing

Remove oil, rust, scale, pesticide residues and other foreign matter from sprayer and strainer. Flush with clean water. Use 50 mesh or slotted strainer in spray system. Fill tank approximately half full of water, add this product and mix thoroughly by mechanical or hydraulic action. Add water to desired volume ad thoroughly mix again.

APPLICATION

This product may be applied by air or ground equipment. Use a minimum prepared spray volume of 20L/ha by air (30L/ha for cotton, 50L/ha for Maize or Sweetcorn) and 50L/ha by ground. A droplet density of minimum 60 droplets per cm2 must be attained. There needs to be some air movement, which preferably should be blowing across the flight path. After use, drain and flush sprayer with water.

COMPATIBILITY

Imtrade Confront 800 WG may be mixed with Dipel* ES, Delfin* WG, most foliar Bt formulations, Thiodan* EC, Imtrade Methomyl 225 Insecticide, ChemAg Sentinel 800 Insecticide Spray and most EC formulations of Profenofos, Chlorothalonil and Dimethoate. Imtrade Confront 800 WG Insecticide is physically compatible with Chemquat Plant Growth Regulator. However, before preparing tank mix combinations, it is advisable to mix a small amount of Imtrade Confront 800 WG Insecticide with an equal volume of water in a small container and add the other pesticide. Any mixture, which curdles, precipitates or greases should not be used. Imtrade Confront 800 WG Insecticide is **NOT** compatible with manganese, zinc or copper based products, with Deltamethrin, with LV, ULV or other oil-based formulations, or with vegetable oil dilutant. As the formulations of other manufacturers' products are beyond the control of Imtrade Australia Pty Ltd, all mixtures should be tested prior to mixing commercial quantities.

PRECAUTIONS

DO NOT allow children access to treated areas. When the product is being applied, human flaggers/markers must be protected by engineering controls such as vehicles with cabs.

RE-ENTRY PERIOD

DO NOT allow entry into treated areas for 1 day after treatment. When prior entry is necessary, wear cotton overalls buttoned to the neck and wrist and a washable hat, chemical resistant gloves and impervious footwear. Clothing must be laundered after each day's use.

DRIFT WARNING

DO NOT apply under weather conditions or from spraying equipment, which could be expected to cause spray to drift onto adjacent crops, crop lands pastures or livestock.

PROTECTION OF LIVESTOCK

Dangerous to bees. DO NOT spray any plants in flower while bees are foraging.

PROTECTION OF WILDLIFE, FISH CRUSTACEANS AND ENVIRONMENT AND OTHERS

Dangerous to fish and aquatic organisms. DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area. **DO NOT** store for long periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsing to spray tank. **DO NOT** dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. **DO NOT** burn empty containers or product.

SAFETY DIRECTIONS

Poisonous if absorbed by skin contact, inhaled or swallowed. May irritate eyes and skin. Avoid contact using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves, face shield, impervious footwear and half facepiece respirator with combined dust and gas cartridge. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shields respirator and contaminated clothing. Wash rubber respirator with detergent and warm water.

FIRST AID

If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre (Phone Australia 13 11 26 New Zealand 0800 764 766) or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.

Additional GHS Hazard & Precautionary Statements

●Very toxic to aquatic life; ●**DO NOT** get on clothing; ●**DO NOT** eat, drink or smoke when using this product; ●Use only outdoors or in a well-ventilated area; ●**IF SWALLOWED:** Rinse mouth. **DO NOT** induce vomiting; ●**IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing; ●**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing; ●If skin irritation occurs: Get medical advice; ●If eye irritation persists: Get medical advice; ●Collect spillage; ●In case of fire, use carbon dioxide, dry chemical, foam, water fog; Store locked up; ●Store in a dry place.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet which can be obtained from your supplier or Imtrade Australia Pty Ltd website at www.imtrade.com.au

CONDITIONS OF SALE

Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

*Other Registered Trademarks

UN 2757	**CARBAMATE PESTICIDE, SOLID, TOXIC (contains THIODICARB)**
IN A TRANSPORT EMERGENCY DIAL 000 POLICE OR FIRE BRIGADE	
PG II	**HAZCHEM 2X**

APVMA Approval No. 59763/104353