# DANGEROUS POISON

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

#### STORAGE AND DISPOSAL

The contents of each container should be used within 3 months of opening. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Store in a locked room away from children, animals, food, feedstuffs, seed and fertilisers. Store away from acids, water and any sources of heat or ignition. Dispose of used containers by crushing and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging one meter below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, State or Territory government regulations. Excess or unused baits must be buried below one metre. Empty containers and product must not be burnt.

#### SAFETY DIRECTIONS

Poisonous if swallowed. Releases dangerous phosphine gas slowly in moist air and immediately if wet. **DO NOT** inhale vapour. Avoid contact with eyes and skin. Keep away from water and liquids. Keep away from naked flames – forms toxic gas. When opening the container and using baits, wear elbow-length PVC gloves and a full face respirator with combined dust and gas cartridge or supplied air respirator. Wash hands after use. After each days use wash gloves and respirator and if rubber wash with detergent and warm water.

#### FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (*Phone Australia* 13 11 26). **DO NOT** give direct mouth-to-mouth resuscitation if swallowed. To protect rescuer, use air-viva, oxy-viva or one-way mask. Resuscitate in a well-ventilated area.


Refer to attached Leaflet for additional GHS Hazard & Precautionary Statements

#### SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which can be obtained from your supplier or Imtrade Australia Pty Ltd website www.imtrade.com.au

#### CONDITIONS OF SALE


Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or after these conditions.



For the control of heavy infestations of mice in agricultural situations.

THIS PRODUCT IS NOT TO BE AVAILABLE EXCEPT TO PERSONS AUTHORISED OR LICENSED UNDER THE RELEVANT STATE OR TERRITORY POISONS CONTROLS FOR SCHEDULE 7 POISONS.

Important: Read the attached Leaflet before use.



contents 1KG-500KG

> Batch No DOM:



17 Ocean St, Kwinana Beach WA 6167 08 9419 0333 | www.imtrade.com.au

# DANGEROUS POISON KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING



# IMTRADE DEADMOUSE ZINC PHOSPHIDE BAIT

# ACTIVE CONSTITUENT: 25 g/kg ZINC PHOSPHIDE

For the control of heavy infestations of mice in agricultural situations

THIS PRODUCT IS NOT TO BE AVAILABLE EXCEPT TO PERSONS AUTHORISED OR LICENSED UNDER THE RELEVANT STATE OR TERRITORY POISONS CONTROLS FOR SCHEDULE 7 POISONS

> IMPORTANT: READ THIS LEAFLET THOROUGHLY BEFORE OPENING OR USING THIS PRODUCT

# APVMA Approval No: 66642/115468

Imtrade Australia Pty Ltd ABN 13 090 151 134 17 Ocean Street, Kwinana, Western Australia 6167 Tel: (08) 9419 0333 Fax: (08) 9419 7516 Web: www.imtrade.com.au

#### DIRECTIONS FOR USE RESTRAINTS

**DO NOT** apply bait to bare ground (including fallow where there is no vegetative cover). **DO NOT** apply bait in a trail.

**DO NOT** apply bait if heavy rain is imminent.

**DO NOT** apply to the outer 50m of crop or within 50m of native vegetation. A 50m buffer zone in crop must be employed to reduce risk to birds and other non-target animals.

**DO NOT** apply bait unless monitoring of mouse numbers indicate the potential for crop damage of economic significance.

Situation	Pests	Rate	Critical Comments
Grain crops,	Mice	1 kg/ha to	Bait is only to be applied by aerial application or
Legume		achieve	accurately calibrated ground application equipment to
crops,		an even	achieve 2-3 grains/m <sup>2</sup> .
Canola,		coverage	It is imperative that all attempts are made to apply bait
Safflower,		of 2-3	as evenly as possible to maximise product efficacy and
Nut crops		grains/m <sup>2</sup>	minimise risks to non-target animals.
and Pasture. (Note: for all situations – only as a post emergent treatment, stubble of harvested crop prior to sowing seed, or when seed have been sown into crop stubble or other similar ground cover).			Imtrade DeadMouse Zinc Phosphide Bait will provide a high level of control in most situations. However, in areas of extremely high mice densities or areas with significant amounts of alternative feed, sufficient mice may remain to cause damage to crops after treatment. Re-treatment after 14 days may therefore be required in certain circumstances. It is recommended that pre-treatment estimations of the severity of the mouse problem are performed before applying bait and that post-baiting estimates are conducted to assess the effectiveness of the control operation. For information on the most effective methods for monitoring of mouse populations please contact the government department in your state responsible for vertebrate pest control. Bait may retain activity for several days after light rain or in damp conditions, and light showers can be tolerated. Maximum performance will however be expected under dry conditions.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

THIS PRODUCT IS TOO HAZARDOUS FOR USE IN THE HOME GARDEN. Do not use this product in the home garden.

#### WITHHOLDING PERIOD DO NOT HARVEST ANY CROPS OR ALLOW LIVESTOCK TO GRAZE BAITED AREAS FOR 14 DAYS AFTER APPLICATION.

# PROTECTION OF WILDLIFE, LIVESTOCK AND THE ENVIRONMENT

Bait should be distributed to minimise exposure to non-target wildlife, especially birds and livestock. It is preferable to place baits late in the day when birds have finished feeding. Particular care should be taken when baits are applied near native vegetation using aircraft as high bait concentrations may occur on the ground beneath aircraft that need to climb steeply. Spilt bait must be collected immediately and applied according to label directions or buried below one metre.

#### STORAGE AND DISPOSAL

The contents of each container should be used within 3 months of opening. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Store in a locked room away from children, animals, food, feedstuffs, seed and fertilisers. Store away from acids, water and any sources of heat or ignition.

Dispose of used containers by crushing and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging one meter below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, State or Territory government regulations. Excess or unused baits must be buried below one metre. Empty containers and product must not be burnt.

# SAFETY DIRECTIONS

**Poisonous if swallowed.** Releases dangerous phosphine gas slowly in moist air and immediately if wet. **DO NOT** inhale vapour. Avoid contact with eyes and skin. Keep away from water and liquids. Keep away from naked flames – forms toxic gas. When opening the container and using baits, wear elbow-length PVC gloves and a full face respirator with combined dust and gas cartridge or supplied air respirator. Wash hands after use. After each days use wash gloves and respirator and if rubber wash with detergent and warm water.

# FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (*Phone Australia* 13 11 26). **DO NOT** give direct mouth-to-mouth resuscitation if swallowed. To protect rescuer, use air-viva, oxy-viva or one-way mask. Resuscitate in a well-ventilated area.

# Additional GHS Hazard & Precautionary Statements

•Very toxic to aquatic life with long lasting effects; •Wash contacted areas thoroughly after handling; •D0 NOT eat, drink or smoke when using this product; •IF SWALLOWED: Rinse mouth. Do NOT induce vomiting; •If exposed or if you feel unwell: Call a POISON CENTER or doctor/physician; •If eye irritation persists: seek medical attention; •Rinse skin or shower with water; •Collect spillage; •Not combustible. Use extinguishing media suited to burning materials (NOT WATER).

#### SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which can be obtained from your supplier or Imtrade Australia Pty Ltd website www.imtrade.com.au

# CONDITIONS OF SALE

Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

