

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight.

For plastic containers above 1kg:

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Empty containers and product should not be burnt.

For plastic bags:

Single-rinse or shake remainder into spray tank/water/dip/drench, etc. **DO NOT** dispose of undiluted chemicals on-site. Puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. **DO NOT** burn empty containers or product.

SAFETY DIRECTIONS

May irritate the eyes. Avoid contact with eyes. **DO NOT** inhale vapours. When opening the container, mixing and loading and using the prepared spray, wear cotton overalls buttoned to the neck and wrist or equivalent clothing. Wash hands after use. After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 1126; New Zealand 0800 764 766).

Refer to attached Leaflet for additional GHS
Hazard & Precautionary Statements

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet which can be obtained from your supplier or Imtrade Australia Pty Ltd website at www.imtrade.com.au

CONDITIONS OF SALE

Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

IMTRADE


Octopus
800 WG FUNGICIDE

ACTIVE CONSTITUENT: 800 g/kg EPOXICONAZOLE

GROUP 3 FUNGICIDE

For the control of Leaf Rust, Stripe Rust and Septoria Nodorum Blotch of Wheat and Leaf Rust of Barley as specified in the DIRECTIONS FOR USE table.

Important: Read the attached Leaflet before use.

FORM
WG

CONTENTS
1KG-20KG



Batch No.
DOM:

 **IMTRADE**
CropScience

17 Ocean St, Kwinana Beach WA 6167
08 9419 0333 | www.imtrade.com.au

UN 3077	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S. (contains EPOXICONAZOLE)
	In a Transport Emergency Dial 000 Police or Fire Brigade
	PG III HAZCHEM 2Z

APVMA Approval No: 68938/62573



CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



IMTRADE OCTOPUS 800 WG FUNGICIDE

ACTIVE CONSTITUENT: 800 g/kg EPOXICONAZOLE



For the control of Leaf Rust, Stripe Rust and Septoria
Nodorum Blotch of Wheat and Leaf Rust of Barley
as specified in the Directions for Use table

**IMPORTANT: READ THIS LEAFLET THOROUGHLY
BEFORE OPENING OR USING THIS PRODUCT**

APVMA APPROVAL NO: 68938/62573

Imtrade Australia Pty Ltd
ABN 13 090 151 134
17 Ocean Street, Kwinana WA 6167
Tel: 1800 171 799 Fax: 1800 171 788
Web: www.imtrade.com.au

DIRECTIONS FOR USE

Crops	Disease	Rate/ha	Critical Comments
Wheat	Leaf Rust (<i>Puccinia recondite</i>), Stripe Rust (<i>Puccinia striiformis</i>)	78g plus 200 mL non-ionic surfactant (1000g/L) per 100L of spray mix	Apply when conditions favour disease development and preferably prior to development of high levels of disease in the crop. Aim to apply between stem elongation and ear emergence complete (ZGS 32-59). DO NOT apply later than ZGS 59.
	Stripe Rust (<i>Puccinia striiformis</i>), Septoria Nodorum Blotch (<i>Septoria nodorum</i>)	39 to 78g plus 200 mL non-ionic surfactant (1000g/L) per 100L of spray mix	Repeat spraying may be required for Stripe Rust. Regularly monitor crops from 3-4 weeks after spraying for signs of re-infection and treat accordingly.
Barley	Leaf Rust (<i>Puccinia hordei</i>)	39 to 78g plus 200 mL non-ionic surfactant (1000g/L) per 100L of spray mix	Apply when conditions favour disease development and preferably prior to development of high levels of disease in the crop. Aim to apply between stem elongation and ear emergence complete (ZGS 32-59). DO NOT apply later than ZGS 59. Apply the higher rate when disease is present on the top leaf or conditions are favourable for disease development at these stages of crop development. DO NOT exceed a total rate of 78g/ha of Imtrade Octopus 800 WG Fungicide in a growing season.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIODS

DO NOT HARVEST FOR 6 WEEKS AFTER APPLICATION.

DO NOT GRAZE OR CUT FOR STOCKFOOD FOR 6 WEEKS AFTER APPLICATION.

GENERAL INSTRUCTIONS

Imtrade Octopus 800 WG Fungicide is a broad spectrum contact and systemic fungicide. It is taken up via the stem and foliage and is translocated upwards and outwards to provide protection to new growth. Thorough coverage of the crop is necessary for best results.

Check the crop regularly for any symptoms of disease infection. Apply as soon as disease is present on the flag leaf or flag-2. Application beyond flag leaf emergence (ZGS 39) may not provide any yield benefit, particularly under dry seasonal conditions.

MIXING

Imtrade Octopus 800 WG Fungicide is a water dispersible granule formulation. Slowly add granules to the half-filled spray vat while agitating. Continue to agitate while topping up the tank and during spraying.

APPLICATION

Ground: Apply in a water volume of between 50 and 100L/ha, using flat fan nozzles operating at around 50cm above the top of the crop. Use the higher water volume in crops with heavier canopies.

Aerial: Apply with suitable aircraft, set up and operated to apply fungicides to cereal crops in a minimum water volume of 20L/ha.

COMPATIBILITY

For more information on compatibility, please contact your local reseller or Imtrade Australia Pty Ltd representative.

FUNGICIDE RESISTANT WARNING

GROUP	3	FUNGICIDE
--------------	----------	------------------

Imtrade Octopus 800 WG Fungicide is a member of the DMI group of fungicides. For fungicide resistance management, Imtrade Octopus 800 WG Fungicide is a Group 3 Fungicide. Some naturally occurring individual fungi resistant to Imtrade Octopus 800 WG Fungicide and other Group 3 Fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by Imtrade Octopus 800 WG Fungicide or other Group 3 Fungicides, thus resulting in a reduction in efficacy and possible yield loss.

Since the occurrence of resistant fungi is difficult to detect prior to use, Imtrade Australia Pty Ltd accepts no liability for any losses that may result from the failure of Imtrade Octopus 800 WG Fungicide to control resistant fungi.

RE-ENTRY PERIOD

DO NOT enter treated areas until the spray has dried, unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing). Clothing must be laundered after each day's use.

CAUTION

Export of Treated Cereals

Growers should note that Maximum Residue Limits (MRLs) or import tolerances **DO NOT** exist in all markets for cereals treated with Imtrade Octopus 800 WG Fungicide. Additionally, some export markets have established MRLs different to those in Australia. If you are growing cereals for export, please check with Imtrade Australia Pty Ltd or your grain exporter for the latest information on MRLs and import tolerances **BEFORE** using Imtrade Octopus 800 WG Fungicide.

LIVESTOCK DESTINED FOR EXPORT MARKETS

The grazing withholding period only applies to stock slaughtered for the domestic market. Some export markets apply different standards. To meet these standards, ensure that in addition to complying with the grazing withholding periods, the Export Slaughter Interval is observed before stock are sold or slaughtered.

EXPORT SLAUGHTER INTERVAL (ESI)

AFTER OBSERVING THE PERIOD FOR GRAZING OR CUTTING FOR STOCKFOOD, LIVESTOCK THAT HAVE BEEN GRAZED ON OR FED TREATED CROPS SHOULD BE PLACED ON CLEAN FEED FOR 3 DAYS PRIOR TO SLAUGHTER.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT HIGHLY TOXIC TO AQUATIC ORGANISMS.

DO NOT apply under weather conditions or from spraying equipment which could be expected to cause spray drift onto adjacent crops, crop lands, livestock, pastures, wetlands, waterbodies or watercourses.

DO NOT apply aerially if waterbodies, watercourses or wetlands are within 30 metres downwind of the application area.

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight.

1kg pack size only:

Rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemicals on-site. Break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Empty containers and product should not be burnt.

For plastic containers above 1kg:

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Empty containers and product should not be burnt.

For plastic bags:

Single-rinse or shake remainder into spray tank/water/dip/drench, etc. **DO NOT** dispose of undiluted chemicals on-site. Puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. **DO NOT** burn empty containers or product.

SAFETY DIRECTIONS

May irritate the eyes. Avoid contact with eyes. **DO NOT** inhale vapours. When opening the container, mixing and loading and using the prepared spray, wear cotton overalls buttoned to the neck and wrist or equivalent clothing. Wash hands after use. After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 1126; New Zealand 0800 764 766).

Additional GHS Hazard & Precautionary Statements

●Harmful if swallowed; ●Harmful if inhaled; ●Suspected of causing cancer; ●Suspected of damaging fertility or the unborn child; ●Avoid breathing dusts; ●**DO NOT** get on clothing; ●**DO NOT** eat, drink or smoke when using this product; ●Use only outdoors or in a well-ventilated area; ●If eye irritation persists: Seek medical attention; ●Rinse skin or shower with water; ●**IF SWALLOWED:** Rinse mouth. **DO NOT** induce vomiting; ●**IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing; ●If exposed or concerned: get medical advice; ●Not combustible. Use extinguishing media suited to burning materials.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet which can be obtained from your supplier or Imtrade Australia Pty Ltd website at www.imtrade.com.au

CONDITIONS OF SALE

Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

UN 3077	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains EPOXICONAZOLE)
IN A TRANSPORT EMERGENCY DIAL 000 POLICE OR FIRE BRIGADE	
PG III	HAZCHEM 2Z

APVMA Approval No: 68938/62573

