

# POISON

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

## STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well ventilated area. **DO NOT** store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to the spray tank. **DO NOT** dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling break, crush, or puncture and bury containers at a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burnt.

## SAFETY DIRECTIONS

Poisonous if swallowed. May irritate the eyes and skin. **DO NOT** inhale dust. When preparing product for use, wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow length PVC gloves and a disposable dust mask. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

## FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. *Phone Australia 13 11 26.*

Refer to attached Leaflet for additional  
GHS Hazard & Precautionary Statements

## SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which can be obtained from your supplier or Imtrade Australia Pty Ltd website at [www.imtrade.com.au](http://www.imtrade.com.au)

## CONDITIONS OF SALE

Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

# IMTRADE TRIADIMEFON 500 WG FUNGICIDE

ACTIVE CONSTITUENT: 500 g/kg TRIADIMEFON

**GROUP 3 FUNGICIDE**

For the control of fungal diseases of wheat and barley as per the Directions for Use Table.

**Important: Read the attached Leaflet before use**

FORM  
**WG**

CONTENTS  
**2.5kg-20kg**

|   |   |
|---|---|
| <b>UN<br/>3077</b>  | ENVIRONMENTALLY<br>HAZARDOUS<br>SUBSTANCE, SOLID,<br>N.O.S. (contains<br>TRIADIMEFON) |
| In a Transport Emergency<br>Dial 000 Police or Fire Brigade |   |
| PG III  | HAZCHEM 2Z  |

APVMA Approval No: 63396/102375



Batch No.  
DOM:

**IMTRADE**  
CropScience

17 Ocean St, Kwinana Beach WA 6167  
08 9419 0333 | [www.imtrade.com.au](http://www.imtrade.com.au)

**POISON**

**KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**



# **IMTRADE TRIADIMEFON 500 WG FUNGICIDE**

**ACTIVE CONSTITUENT: 500 g/kg TRIADIMEFON**

|              |          |                  |
|--------------|----------|------------------|
| <b>GROUP</b> | <b>3</b> | <b>FUNGICIDE</b> |
|--------------|----------|------------------|

For the control of fungal diseases of wheat and barley  
as per the Directions for Use table

**IMPORTANT: PLEASE READ THIS LEAFLET THOROUGHLY  
BEFORE OPENING OR USING THIS PRODUCT**

**APVMA Approval No: 63396/102375**

Imtrade Australia Pty Ltd  
ABN 13 090 151 134  
17 Ocean Street, Kwinana WA 6167  
Tel: 1800 171 799 Fax: 1800 171 788  
Web: [www.imtrade.com.au](http://www.imtrade.com.au)

## DIRECTIONS FOR USE

| Crop   | Disease                                 | State                          | Rate         | WHP     | Critical Comments  |
|--------|---|--------------------------------|--------------|---------|--|
| Barley | Powdery mildew                          | NSW, VIC, SA, WA only          | 250 g/ha     | 4 weeks | Apply at the first signs of stress.  |
| Wheat  | Leaf rust ( <i>Puccinia recondita</i> ) | NSW, VIC, SA, WA only          | 125-250 g/ha |         | For spray timings see General Instructions. Normally use 125 g/ha. Only use 250 g/ha where yield is expected to be greater than 4-5 tonnes per hectare or if a longer residual period is required.   |
|        | Speckled leaf blotch                    | Mid and North Western Victoria | 250 g/ha     |         | Where this disease commonly affects the Flag leaf, apply to susceptible varieties at the 5-6 tiller stage. Re-infestation can occur if moist conditions prevail.   |
|        | Septoria                                | Southern NSW, VIC only         | 125-250 g/ha |         | For control of light to moderate infections. Applications should be made with early head emergence.  |
|        | Leaf rust ( <i>Puccinia recondita</i> ) | NSW, VIC, SA, WA only          | 200 g/ha     |         | Use the higher rate where conditions are conducive to very high rates of disease pressure. Also in years when the incidence of disease is expected to be high as forecast by the Department of Agriculture or reputable disease forecasters.<br><br>Application: Slurry the product in a minimum amount of water and apply evenly onto the fertiliser. Ensure constant mixing of the fertiliser with "granny pot" or similar device. Calculation of the rate required/tonne fertiliser is below:<br>1000 ÷ (fert rate/ha) x rate of fungicide (kg)<br>eg using 100kg fert/ha and wanting 200 g/ha fungicide;<br>1000 ÷ 100 x 0.2 = 2kg/tonne |

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

## WITHHOLDING PERIODS

### DO NOT HARVEST FOR 4 WEEKS AFTER APPLICATION.

Feed treated with this product must not be sold for animal consumption, poultry feed or mixed with animal feed. DO NOT mix leaves treated with this product with feed intended for animal consumption.

## GENERAL INSTRUCTIONS

This product may be used by aircraft or ground spraying equipment.

**Spray timings for rust control:** Determine the susceptibility of the wheat or barley variety, e.g. Department of Agriculture data, to determine spray requirements.

**Seedling infections:** When approximately 20% of leaves show signs of infection during tillering or jointing, spray within a week.

### Adult infections:

Susceptible varieties: Spray within one week if approximately 10% of leaves show infection. **DO NOT** delay.

Moderately susceptible varieties: Spray within one week if approximately 15-20% of leaves show infection. **DO NOT** delay.

Moderately resistant and resistant varieties: Monitor vigilantly. Spray within one week if rust appears and spreads.

## MIXING

Half fill the spray tank with water. Add the required amount of product then add the remainder of the water to the tank and mix thoroughly. Agitate prior to and during spraying.

**DO NOT** mix more than can be used for the days spraying.

**DO NOT** tank mix with trace elements or other chemicals without first checking compatibility.

## SPRAYING

**Ground Rig** – Use a convenient amount of water eg 30 to 100L water per hectare.

**Aerial Application** – Apply in a minimum of 10 litres of water per hectare. Apply preferably in a cross wind of greater than 5 knots. If this is not possible, increase the volume to 30L/ha and increase the droplet size. Spray in the morning and reduce the swath width. Booms with fan nozzles set forward at 45° forward to the airstream and Micronairs with blade settings of 30 – 500 are equally satisfactory. Use proper measures (eg smoke generators) for gauging wind speed, direction and variability of the wind.

## **FUNGICIDE RESISTANCE WARNING**

### **GROUP 3 FUNGICIDE**

Imtrade Triadimefon 500 WG Fungicide is a member of the DMI group of fungicides. For fungicide resistance management the product is a Group 3 Fungicide. Some naturally occurring individual fungi resistant to Imtrade Triadimefon 500 WG Fungicide and other Group 3 Fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by Imtrade Triadimefon 500 WG Fungicide, or other Group 3 Fungicides, thus resulting in a reduction in efficacy and possible yield loss.

Since the occurrence of resistant fungi is difficult to detect prior to use, Imtrade Australia Pty Ltd accepts no liability for any losses that may result from the failure of Imtrade Triadimefon 500 WG Fungicide to control resistant fungi.

#### **RE-ENTRY PERIOD**

**DO NOT** allow entry to treated areas until the spray has dried unless wearing cotton overalls (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

#### **PRECAUTION**

**DO NOT** use human flaggers/markers unless they are protected by engineering controls such as enclosed cabs.

#### **PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT**

**DO NOT** feed treated leaf matter to wild or domestic birds or other animals.

#### **HARMFUL TO FISH.**

**DO NOT** contaminate streams, rivers or waterways with chemical or used containers.

## STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well ventilated area. **DO NOT** store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to the spray tank. **DO NOT** dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Empty containers and product should **NOT** be burnt.

## SAFETY DIRECTIONS

Poisonous if swallowed. May irritate the eyes and skin. **DO NOT** inhale dust. When preparing product for use, wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow length PVC gloves and a disposable dust mask. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

## FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

### **Additional GHS Hazard & Precautionary Statements**

•May cause an allergic skin reaction; •Toxic to aquatic life with long-lasting effects; •**DO NOT** breathe spray; •Wash contacted areas thoroughly after handling; •**DO NOT** eat, drink or smoke when using this product; •Rinse skin or shower with water; •**IF SWALLOWED**: Call a POISON CENTRE or doctor if you feel unwell; •**IF SWALLOWED**: Rinse mouth. Do **NOT** induce vomiting; •If skin irritation occurs: Get medical advice; •If eye irritation persists: Get medical advice; •Collect spillage; •Not combustible. Use extinguishing media suited to burning materials; •Store in a dry place.

## SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which can be obtained from your supplier or Imtrade Australia Pty Ltd website at [www.imtrade.com.au](http://www.imtrade.com.au)

## CONDITIONS OF SALE

Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale, supply, use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

|   |  |
|---|--|
| <b>UN 3077</b>  | <b>ENVIRONMENTALLY<br/>HAZARDOUS SUBSTANCES,<br/>SOLID, N.O.S.</b> |
| <b>IN A TRANSPORT EMERGENCY<br/>DIAL 000<br/>POLICE OR FIRE BRIGADE</b> |  |
| <b>PG III</b>   | <b>HAZCHEM 2Z</b>  |

APVMA Approval No: 63396/102375

