STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. **DO NOT** store for prolonged periods in direct sunlight.

All other non-refillable containers

Triple rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemical on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Empty containers and product should not be burnt. **DO NOT** re-use empty container for any other purpose.

Envirodrum - Micro Matic Valve (110L)

Store the original sealed Envirodrum in a cool, well ventilated area. **DO NOT** store for prolonged periods in direct sunlight. **DO NOT** tamper with the Micro Matic valve or the security seal. **DO NOT** contaminate the Envirodrum with water or any other foreign matter. After each use of the product please ensure that the Micro Matic coupler, delivery system and hoses are disconnected, triple rinsed with clean water and drained accordingly. When the contents of the Envirodrum have been used, please return the empty Envirodrum to the point of purchase.

Refillable Containers (1000L only)

Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS

Harmful if inhaled or swallowed. May irritate the nose and throat. Will irritate the eyes and skin. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin. **DO NOT** inhale vapour or spray mist. When opening the container, mixing, loading, preparing spray and using the prepared spray, wear cotton overalls over normal clothing, buttoned to the neck and wrist, elbow-length chemical resistant gloves, goggles and disposable face mask covering mouth and nose. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a Doctor or Poisons Information Centre (*Phone Australia 13 11 26*). If swallowed, **DO NOT** induce vomiting.

Refer to attached Leaflet for additional GHS Hazard & Precautionary Statements

SAFETY DATA SHEET

For further information refer to the Safety Data Sheet, which can be obtained from your supplier or Imtrade Australia Pty Ltd website at www.imtrade.com.au

CONDITIONS OF SALE

Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or after these conditions.

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

IMTRADE

TRIALLATE 625 EC

HERBICIDE

ACTIVE CONSTITUENT: 625g/L TRI-ALLATE

SOLVENT: 359g/L LIQUID HYDROCARBON

GROUP 15 HERBICIDE

For the control of Wild Oats in Wheat, Triticale, Chickpeas, Barley, Peas, Linseed, Lupins, Canola (Rapeseed), Faba beans and Safflower as per Directions for Use table.

Important: Read the attached Leaflet before use.



ENVIRONMENTALLY
HAZARDOUS
SUBSTANCE,
LIQUID, N.O.S.
(contains
TRIALLATE)

In a Transport Emergency
Dial 000 Police or Fire Brigade

PG III

HAZCHEM •3Z



APVMA Approval No. 87243/117860

group 15 FORM

10L-1000L



Batch No DOM:



17 Ocean St, Kwinana Beach WA 6167 08 9419 0333 | www.imtrade.com.au

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



IMTRADE TRIALLATE 625 EC HERBICIDE

ACTIVE CONSTITUENT: 625g/L TRI-ALLATE

SOLVENT: 359g/L LIQUID HYDROCARBON

GROUP 15 HERBICIDE

For the control of Wild Oats in Wheat, Triticale, Chickpeas, Barley, Peas, Linseed, Lupins, Canola (Rapeseed), Faba Beans and Safflower as per Directions for Use table

IMPORTANT: READ THIS LEAFLET THOROUGHLY BEFORE OPENING OR USING THIS PRODUCT

APVMA APPROVAL No: 87243/117860

Imtrade Australia Pty Ltd ABN 13 090 151 134 17 Ocean Street, Kwinana WA 6167 Tel: 1800 171 799 Fax: 1800 171 788 Web: www.imtrade.com.au

DIRECTIONS FOR USE IN ALL STATES RESTRAINTS:

DO NOT apply by aircraft.

Crop	Weed Controlled		Critical Comments
Barley, Triticale, Wheat	Wild Oats	1.28L	Apply immediately prior to or up to 3 weeks before sowing to a friable seedbed under conditions which will allow for the incorporation of the product to a depth of 2 to 4 cm with either a single or double pass of suitable incorporation equipment (see incorporation). A delay of 1 week
Chickpeas, Faba Beans, Lupins,			between application and planting is recommended for Linséed. COMPLETE AND UNIFORM INCORPORATION OF INTRADE TRIALLATE 625 EC HERBICIDE IS ESSENTIAL FOR WEED CONTROL
Peas			See GENERAL INSTRUCTION for details of incorporation. Intrade Triallate 625 EC Herbicide may be used in crops under sown
Linseed, Canola, Safflower			with legumes. For shallow-sown legumes and soil seed crops, complete incorporation by cultivation to a depth of 5cm must be undertaken before planting. Instrade Triallate 625 EC Herbicide may be tank mixed with ChemAg Chlorsuffuron 750 or Imtrade Mandate 750 WG Selective Herbicide for control of Annual Ryegrass, Paradoxa Grass and certain Broadleaf Weeds prior to planting of Wheat only. Instrade Triallate 625 EC Herbicide may be tank mixed with Imtrade Trifluralin 480 EC Herbicide for control of Annual Ryegrass, Annual Phalaris, Paradoxa Grass, enhanced control of Wild Oats (emerging from top 1cm of seedbed) and wireweed. Do NOT apply less than 1 week prior to planting of Wheat, Barley, Trificale and Linseed (DO NOT use the tank mix in Old). Incorporation of this tank mix should be within 4-5 hours of application. Refer to the Imtrade Triffuralin 480 EC Herbicide label incorporation details. Read and follow label instructions, restraints, plant-back periods and safety directions for tank mix products.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD – HARVEST NOT REQUIRED WHEN USED AS DIRECTED.

WITHHOLDING PERIOD - GRAZING

Cereal Forage: DO NOT GRAZE OR CUT FOR STOCKFOOD FOR 11 WEEKS AFTER APPLICATION.
Oliseed Forage: DO NOT GRAZE OR CUT FOR STOCKFOOD FOR 13 WEEKS AFTER APPLICATION.
Pulse Forage: DO NOT GRAZE OR CUT FOR STOCKFOOD FOR 13 WEEKS AFTER APPLICATION.

GENERAL INSTRUCTIONS

WEED CONTROL

Imtrade Triallate 625 EC Herbicide normally provides 6 to 8 weeks control of wild oats when the seedbed is moist during the emergence of Wild Oats. Under very dry soil surface (top 2cm) conditions, Wild Oats may not be controlled. Wild Oats may emerge between application and complete incorporation by sowing particularly if initial incorporation is provided by harrows. Imtrade Triallate 625 EC Herbicide may not control Wild Oats, which have geminated at the time of application and incorporation if the top 2cm of soil is dry. Imtrade Triallate 625 EC Herbicide will not control emerged Wild Oats.

CROP SAFETY

Reduced emergence of Cereals and Linseed may occur if seed is placed in treated soil layer. **DO NOT** plant cereal crops at greater than 5 to 7cm. Overspraying of headlands or corners may result in crop damage. On heavy clay soils, crop thinning may occur in wheel tracks. Environmental conditions which adversely affect emergence or early crop growth, may predispose crops to injury, particularly where tank mixes with other pre-emergence herbicides are used.

Read and follow label directions, restraints, plant-back periods and safety directions for tank mix products.

SOIL PERSISTENCE AND FOLLOWING CROPS

Under prolonged and extremely dry conditions Imtrade Triallate 625 EC Herbicide may persist for several months. Damage to field Oats and Sorghum may occur.

MIXING

Imtrade Triallate 625 EC Herbicide is an oily concentrate that mixes readily with water. Add the required amount of Imtrade Triallate 625 EC Herbicide to half the required amount of water in the spray tank. Mix thoroughly and add the remaining water.

APPLICATION

Apply to soil in friable condition so that uniform incorporation of the product can be achieved to a depth of 2 to 4 cm. The soil should be free of large clods (>75mm) and should not have crop or weed residue at a level which will interfere with the free flow of soil through planting equipment providing full soil disturbance. Emerged Wild Oats should be controlled either by prior cultivation/application of a knockdown herbicide or by the tank mixing of a knockdown herbicide with Imtrade Triallate 625 EC Herbicide.

Apply Intrade Triallate 625 EC Herbicide by ground sprayer in 30 to 100L of water per hectare using a boomspray fitted with flat fan nozzles. Use spraying pressure of approximately 200 - 240kPa. Avoid application under strong and/or gusty wind conditions. **DO NOT** apply by aircraft.

INCORPORATION

Two pass incorporation provides superior weed control to single pass incorporation on heavier textured soils.
i) Imtrade Triallate 625 EC Herbicide may be incorporated initially in a suitable cultivated seedbed with either heavy 5 row harrows e.g. Phoenix, harrow, or tyned cultivator. Final incorporation with a combine or airseed/cultivator is essential to provide for maximum weed control. Heavy tyned harrows or a rotary harrow should trail the planter or follow as a separate operation at an angle to the planter to complete incorporation. Ensure that the soil surface is left free of pronounced indiging.

ii) On soils in friable condition, Imtrade Triallate 625 EC Herbicide may be incorporated with the planting operation only up to 24 hours following application onto a dry soil surface or up to 6 hours on moist surface soil. If Imtrade Triallate 625 EC Herbicide has been sprayed on dry soil, and it rains before incorporation is planned, the product must be incorporated within 6 hours to retain its herbicide effectiveness. Planting should be carried out with a combine or airseeder/cultivator which provides full soil disturbance. Heavy tyned harrows or a rotary harrow should trail the planter or follow as a separate operation to complete incorporation. Ensure that the soil surface is free of pronounced ridding.

DO NOT operate incorporation equipment at greater than 5 to 7cm depth.

Where soil is wet at planting, poor incorporation may result. For shallow-sown legume and oil-seed crops complete incorporation by cultivation to a depth of 5cm must be undertaken before planting.

Note that point size should be matched to tyne spacing to avoid uneven incorporation. For example, a wideline seeder with 15cm tyne spacing should be fitted with unworn 15cm points. A combine with 9cm spacing should be fitted with an evenly worn set of 10cm points. Sweeps or other low profile points may not provide satisfactory incorporation.

COMPATIBILITY

Imtrade Triallate 625 EC Herbicide is compatible with ChemAg Chlorsulfuron 750, Imtrade Mandate 750 MG Selective Herbicide, Imtrade Trifluralin 480 EC Herbicide, Roundup CT*, Roundup Dry*, Yield*, MONZA*, Roundup Max*, Glyphosate CT, Credit* and Bonus*, Weedmaster Duo*.

RESISTANT WEEDS WARNING

GROUP 15 HERBICIDE

Imtrade Triallate 625 EC Herbicide is a member of the thiocarbamate group of herbicides. Imtrade Triallate 625 EC Herbicide has the inhibition of mitosis mode of action. For weed resistance management Imtrade Triallate 625 EC Herbicide is a Group 15 Herbicide. Some naturally occurring weed biotypes resistant to Imtrade Triallate 625 EC Herbicide and other Group 15 Herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These weeds will not be controlled by Imtrade Triallate 625 EC Herbicide or other Group 15 Herbicides. Since the occurrence of resistant weeds is difficult to detect prior to use, Imtrade Australia Pty Ltd accepts no liability for any losses that may result from the failure of Imtrade Triallate 625 EC Herbicide to control resistant weeds.

RF-FNTRY or RF-HANDI ING

DO NOT enter treated areas until the spray has dried, unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS

DO NOT apply under weather conditions, or from spraying equipment that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures.

PROTECTION OF LIFESTOCK, FISH, CRUSTACEANS AND ENVIRONMENT Dangerous to fish.

DO NOT contaminate dams, rivers or streams with Imtrade Triallate 625 EC Herbicide or used containers.

STORAGE AND DISPOSAL

The method of disposal of the container depends on the container type. Read the Storage and Disposal instructions on the label that is attached to the container.

Store in the closed, original container in a cool, well-ventilated area. **DO NOT** store for prolonged periods in direct sunlight.

All other non-refillable containers

Triple rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemical on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Empty containers and product should not be burnt. **DO NOT** re-use empty container for any other purpose.

Envirodrum - Micro Matic Valve (110L)

Store the original sealed Envirodrum in a cool, well ventilated area. **DO NOT** store for prolonged periods in direct sunlight. **DO NOT** tamper with the Micro Matic valve or the security seal. **DO NOT** contaminate the Envirodrum with water or any other foreign matter. After each use of the product please ensure that the Micro Matic coupler, delivery system and hoses are disconnected, triple rinsed with clean water and drained accordingly. When the contents of the Envirodrum have been used, please return the empty Envirodrum to the point of purchase.

Refillable Containers (1000L only)

Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFFTY DIRECTIONS

Harmful if inhaled or swallowed. May irritate the nose and throat. Will irritate the eyes and skin. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin. DO NOT inhale vapour or spray mist. When opening the container, mixing, loading, preparing spray and using the prepared spray, wear cotton overalls over normal clothing, buttoned to the neck and wrist, elbow-length chemical resistant gloves, goggles and disposable face mask covering mouth and nose. If product on skin, immediately wash area with soap and water. If product in eyes, wash if out immediately with water. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a Doctor or Poisons Information Centre (*Phone Australia 13 11 26*). If swallowed, **DO NOT** induce vomiting.

Additional GHS Hazard & Precautionary Statements

• Combustible liquid; • May be fatal if swallowed and enters airways; • May cause an allergic skin reaction; • May cause damage to organs through prolonged or repeated exposure; • Very toxic to aquatic life with long-lasting effects; • Keep away from heat, sparks, open flames and hot surfaces − No smoking; • Avoid breathing fumes, mists, vapours or spray; • DO NOT get on clothing; • DO NOT eat, drink or smoke when using this product; • Use only outdoors or in a well-ventilated area; • Contaminated work clothing should not be allowed out of the workplace; • Avoid release to the environment; • IF SWALLOWED: Immediately call a POISON CENTRE or doctor; • IF SWALLOWED: Rinse mouth. Do NOT induce vomiting; • IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water; • IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing; • If skin irritation or rash occurs: Get medical advice; • Collect spillage; • In case of fire, use carbon dioxide, dry chemical, foam, water fog. Alcohol resistant foam is the preferred freefighting medium but, if it is not available, normal foam can be used; • Store in a dry place.

SAFETY DATA SHEET

For further information refer to the Safety Data Sheet, which can be obtained from your supplier or Imtrade Australia Pty Ltd website at www.imtrade.com.au

CONDITIONS OF SALE

Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

*Other Registered Trademarks



DANGEROUS