

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, dry place out of direct sunlight and out of the reach of children, animals, poultry or ducks.

- Keep away from domestic pets.
- Keep away from dogs. Dogs find this bait attractive and it may kill them.
- If pets are poisoned, contact a Veterinary Surgeon.
- Shake container contents until the container is empty. **DO NOT** dispose of chemicals on site. Break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots in compliance with relevant local, state or territory government regulations. **DO NOT** burn empty containers or product.

SAFETY DIRECTIONS

Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26; New Zealand 0800 764 766).

Refer to attached Leaflet for additional GHS
Hazard & Precautionary Statements

IMTRADE

TRANSCEND®

MOLLUSCICIDE & INSECTICIDE

ACTIVE CONSTITUENTS: 50g/kg METALDEHYDE + 1.5g/kg FIPRONIL

GROUP 2B INSECTICIDE

For the control of Snails, Slugs, Earwigs, Millipedes and Slaters in Asparagus, Bananas, Brassicas, Ginger, Ornamentals, Potato, Sweet Potato, Rape Seeds (including Canola, Mustards, Linseed, Poppy, Sesame), Swedes, Turnips, Grapevines (Wine) and Agricultural non-crop areas as per the Directions for Use table.

Important: Read the attached Leaflet before use

CONTENTS

1KG-1000KG

Batch No.
DOM:

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which can be obtained from your supplier or Imtrade Australia Pty Ltd website at www.imtrade.com.au

CONDITIONS OF SALE

Imtrade Australia Pty Ltd warrants that this product conforms to the chemical description on the label. The use of Imtrade Transcend® Molluscicide & Insecticide being beyond the control of the manufacturer, Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

TRANSCEND® is a Registered Trademark of Imtrade Australia Pty Ltd

**In a Transport Emergency Dial 000
Police or Fire Brigade**

APVMA Approval No: 87832/125262

 **IMTRADE**
CropScience

17 Ocean St, Kwinana Beach WA 6167
08 9419 0333 | www.imtrade.com.au

POISON

**KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**



**IMTRADE TRANSCEND[®]
MOLLUSCICIDE &
INSECTICIDE**

**ACTIVE CONSTITUENTS: 50 g/kg METALDEHYDE
1.5 g/kg FIPRONIL**

GROUP 2B INSECTICIDE

For the control of Snails, Slugs, Earwigs, Millipedes and Slaters in Asparagus, Bananas, Brassicas, Ginger, Ornamentals, Potato, Sweet Potato, Rape Seeds (including Canola, Mustards, Linseed, Poppy, Sesame), Swedes, Turnips, Grapevines (Wine) and Agricultural non-crop areas as per the Directions for Use table

**IMPORTANT: READ THIS LEAFLET THOROUGHLY
BEFORE OPENING OR USING THIS PRODUCT**

APVMA Approval No: 87832/125262

Imtrade Australia Pty Ltd
ABN 13 090 151 134
17 Ocean Street, Kwinana, Western Australia 6167
Tel: (08) 9419 0333 Fax: (08) 9419 7516
Web: www.imtrade.com.au

DIRECTIONS FOR USE

RESTRAINTS:

DO NOT apply to edible plant parts or to crops where baits may be collected with harvested commodities.

DO NOT heap pellets. Clean up spilled pellets immediately.

DO NOT apply to Rape Seeds (including Canola) after growth stage BBCH 16.

DO NOT apply to windrowed crops.

CROPS/SITUATIONS	PEST	RATE	CRITICAL COMMENTS/TIMING
Asparagus, Bananas, Brassicas, Ginger, Grapevines (Wine), Ornamentals, Potato, Sweet Potato, Rape Seeds (including Canola, Mustards, Linseed, Poppy, Sesame), Swedes and Turnips	Low Rate European Earwigs, Portuguese Millipedes, Slaters High Rate Snails, Slugs	Low Rate 2-4kg/ha High Rate 4-8kg/ha	Broadcast evenly over the surface of the ground where invertebrate pests are active. 2-4kg/ha: Low density infestations of Earwigs, Millipedes & Slaters in the absence of Slugs and Snails. 4-8kg/ha: To be used when Snails and Slugs are present and in high density infestations of Earwigs, Millipedes and Slaters. Note: Product controls pests that feed on baits. Crop damage may still be seen until bait consumption has occurred. Bananas - Application should ideally be made at least 2 months prior to bunch emergence. Ginger – Apply prior to emergence. Grapevines (Wine) – Apply to dormant vines following pruning and pre-budburst. Potato, Sweet Potato – Apply prior to emergence. Rape Seeds (including Canola, Mustards, Linseed, Poppy, Sesame), Swedes and Turnips – Apply up to 6-leaves unfolded.

NON-CROP/SITUATIONS	PEST	RATE	CRITICAL COMMENTS/TIMING
Agricultural non-crop areas, Industrial & Commercial situations where invertebrate pests congregate.	<p>Low Rate European Earwigs, Portuguese Millipedes, Slaters</p> <p>High Rate Snails, Slugs</p>	<p>Low Rate 2-4kg/ha</p> <p>High Rate 4-8kg/ha</p>	<p>Broadcast evenly over the surface of the ground where invertebrate pests are active.</p> <p>2-4kg/ha: Low density infestations of Earwigs, Millipedes & Slaters in the absence of Slugs and Snails.</p> <p>4-8kg/ha: To be used when Snails and Slugs are present and in high density infestations of Earwigs, Millipedes and Slaters.</p>

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD:

Harvest:

Asparagus, Brassicas, Swede and Turnips: DO NOT harvest for 7 days after application.

Bananas, Ginger, Potatoes and Sweet Potatoes, Rape Seeds (including Canola) and Wine Grapevines: Not required when used as directed.

Grazing:

Rape Seeds (including Canola): DO NOT graze or cut for stock food for 8 weeks after application

Other Crops: DO NOT graze treated area or use treated produce for stock food

GENERAL INSTRUCTIONS

TRANSCEND® contains Metaldehyde which kills snails and slugs by irreversibly destroying the mucus producing cells that are essential for movement and contains Fipronil that kills Earwigs, Millipedes and Slaters by preventing the uptake of chloride ions in the nervous system that results in excessive, lethal stimulation of neurons. Where pest pressure is heavy, it may be necessary to repeat the application. Best results are achieved target pests are most active, but not when rain is imminent. Snails need to be actively feeding to come into contact with the bait and consume a lethal dose. Slaters, earwigs and millipedes are highly mobile and readily feed on baits, there is some evidence to suggest they will seek out baits when actively feeding. Activity can be established by spreading a small amount of bait in a known area of infestation and monitoring for dead individuals within 1-3 days. Dead individuals at the monitoring site indicate that the population is actively feeding and that the timing is appropriate for a baiting operation.

Note that pests can be visibly present, but not actively feeding. Targeting pest populations during these periods will not yield satisfactory results.

Scatter baits evenly using an appropriate applicator by ground or air, or direct drill with seed for slug control. **DO NOT** place in heaps. Clean up any spilled baits, including after filling applicator.

TIMING

Apply baits when crops are most vulnerable and when the pest is evident and active. For Rape Seed crops, start when environmental conditions trigger snail activity in autumn and before significant egg laying.

For other crops, time the application to protect the sensitive growth stage. For seedlings best results may be achieved by applying 5-10 days prior to emergence. See your distributor for further advice.

INSECTICIDE RESISTANCE WARNING

GROUP 2B INSECTICIDE

For insecticide resistance management TRANSCEND® is a Group **2B** Insecticide. Some naturally occurring insect biotypes resistant to TRANSCEND® and other Group **2B** Insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if TRANSCEND® or other Group **2B** Insecticides are used repeatedly. The effectiveness of TRANSCEND® on resistant individuals could be significantly reduced. Since the occurrence of resistant individuals is difficult to detect prior to use. Imtrade Australia Pty Ltd accepts no liability for any losses that may result from the failure of this product to control resistant insects.

TRANSCEND® may be subject to specific resistance management strategies. For further information contact your local supplier, Imtrade Australia Pty Ltd representative or local agricultural department agronomist.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Toxic to wild mammals and birds.

DO NOT feed granules or otherwise expose to wild or domestic birds and mammals. If disposal is required, ensure granules are thoroughly buried and not accessible to livestock, birds and other wildlife.

Highly toxic to aquatic life.

DO NOT contaminate wetlands or watercourses with this product or used containers.

PROTECTION OF HONEY BEES AND OTHER INSECT POLLINATORS

Highly toxic to bees.

The use pattern as per the Directions for Use is not expected to result in exposure to bees.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, dry place out of direct sunlight and out of the reach of children, animals, poultry or ducks.

- Keep away from domestic pets.
- Keep away from dogs. Dogs find this bait attractive and it may kill them.
- If pets are poisoned, contact a Veterinary Surgeon.

Shake container contents until the container is empty. **DO NOT** dispose of chemicals on site. Break, crush or Puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots in compliance with relevant local, state or territory government regulations. **DO NOT** burn empty containers or product.

SAFETY DIRECTIONS

Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (*Phone Australia 13 11 26; New Zealand 0800 764 766*).

Additional GHS Hazard & Precautionary Statements

- Harmful if swallowed; •Harmful if inhaled; •Avoid breathing dusts; •**DO NOT** get in eyes, on skin, or on clothing; •Wash contacted areas thoroughly after handling;
- DO NOT** eat, drink or smoke when using this product; •Use only outdoors or in a well-ventilated area; Use personal protective equipment as required; •**IF SWALLOWED:** Call a POISON CENTRE or doctor if you feel unwell; •**IF SWALLOWED:** Rinse mouth. Do **NOT** induce vomiting; •**IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing; •In case of fire, use carbon dioxide, dry chemical, foam, water fog.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which can be obtained from your supplier or Imtrade Australia Pty Ltd website at www.imtrade.com.au

CONDITIONS OF SALE

Imtrade Australia Pty Ltd warrants that this product conforms to the chemical description on the label. The use of Imtrade Transcend[®] Molluscicide & Insecticide being beyond the control of the manufacturer, Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

TRANSCEND[®] is a Registered Trademark of Imtrade Australia Pty Ltd

**IN A TRANSPORT EMERGENCY
DIAL 000
POLICE OR FIRE BRIGADE**

APVMA Approval No: 87832/125262