

STORAGE AND DISPOSAL

The method of disposal of the container depends on the container type. Read the Storage and Disposal instructions on the label that is attached to the container.

Store in the closed, original container in a cool, well-ventilated area. **DO NOT** store for prolonged periods in direct sunlight.

All other non-refillable containers

Triple-rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemical on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. **DO NOT** burn empty containers or product. **DO NOT** re-use empty container for any other purpose.

Bags

Store in the closed, original container in a dry, cool, well-ventilated area, out of direct sunlight. Single-rinse or shake remainder into spray tank/water/dip/drench, etc. **DO NOT** dispose of undiluted chemicals on-site. Puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. **DO NOT** burn empty containers or product.

SAFETY DIRECTIONS

Will irritate the eyes and skin. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin. If the product in eyes, wash it out immediately with water. If product on skin, immediately wash area with soap and water. When opening the container and preparing spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and a washable hat, elbow-length chemical resistant gloves, and face shield or goggles. Wash hands after use. After each day's use wash gloves, face shield or goggles and contaminated clothing.

ADDITIONAL USER SAFETY INFORMATION

WARNING: May cause birth defects.

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



ACTIVE CONSTITUENT: 800g/kg PROTHIOCONAZOLE

GROUP 3 FUNGICIDE

For the control of various diseases in Peanuts
as specified in the Directions for Use table

**IMPORTANT: READ THIS LABEL
AND THE ATTACHED LEAFLET
THOROUGHLY BEFORE OPENING
OR USING THIS PRODUCT**

NET CONTENTS: 1kg – 25kg



Imtrade Australia Pty Ltd
ABN 13 090 151 134
17 Ocean Street, Kwinana WA 6167
Tel: 1800 171 799 Fax: 1800 171 788
Web: www.imtrade.com.au

FIRST AID

First aid is not generally required. If in doubt, contact a Poisons Information Centre (Phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.

Additional GHS Hazard & Precautionary Statements

•Harmful if swallowed; •May cause damage to organs through prolonged or repeated exposure; •**DO NOT** breathe dusts; •**DO NOT** get on clothing; •Wash contacted areas thoroughly after handling; •**DO NOT** eat, drink or smoke when using this product; •Use personal protective equipment as required; •Get medical advice or attention if you feel unwell; Brush off loose particles from skin; •**IF SWALLOWED:** Call a POISON CENTRE or doctor if you feel unwell; •**IF SWALLOWED:** Rinse mouth. Do **NOT** induce vomiting;

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet which can be obtained from your supplier or Imtrade Australia Pty Ltd website at www.imtrade.com.au

CONDITIONS OF SALE

Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

DALBIE® is a Registered Trademark of Imtrade Australia Pty Ltd

In a Transport Emergency
Dial 000
Police or Fire Brigade

APVMA Approval No: 87492/118501

Batch Number:

Date of Manufacture:

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



IMTRADE DALBIE® 800 WG FUNGICIDE

ACTIVE CONSTITUENT: 800g/kg PROTHIOCONAZOLE

GROUP

3

FUNGICIDE

For the control of various diseases in Peanuts
as specified in the Directions for Use table

**IMPORTANT: READ THIS LEAFLET THOROUGHLY
BEFORE OPENING OR USING THIS PRODUCT**

APVMA APPROVAL No: 87492/118501

Imtrade Australia Pty Ltd
ABN 13 090 151 134
17 Ocean Street, Kwinana WA 6167
Tel: 1800 171 799 Fax: 1800 171 788
Web: www.imtrade.com.au

DIRECTIONS FOR USE

RESTRAINTS:

DO NOT apply by aircraft.

DO NOT apply where the slope exceeds 7%.

DO NOT apply if heavy rains or storms that are likely to cause runoff are forecast within 48 hours.

DO NOT apply to waterlogged soils

DO NOT irrigate to the point of runoff for at least 48 hours after application.

SPRAY DRIFT RESTRAINTS

DO NOT allow bystanders to come into contact with the spray cloud.

DO NOT apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. The buffer zones in the relevant buffer zone table/s below provide guidance but may not be sufficient in all situations. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas.

DO NOT apply unless the wind speed is between three and 20 kilometres per hour at the application site during the time of application.

DO NOT apply if there are hazardous surface temperature inversion conditions present at the application site during the time of application. Surface temperature inversion conditions exist most evenings one to two hours before sunset and persist until one to two hours after sunrise.

DO NOT apply by a boom sprayer unless the following requirements are met:

- spray droplets not smaller than a (ZAA) spray droplet size category
- minimum distances between the application site and downwind sensitive areas are observed (see Mandatory No-spray zone Table).

Users of this product **MUST make an accurate written record** of the details of each spray application within 24 hours following application, and must **KEEP** this record for at least 2 years. The spray application details that must be recorded are:

1. Date with start and finish times of application.
2. Location address and paddock(s) sprayed.
3. Full name of this product.
4. Amount of product used per hectare and number of hectares applied to.
5. Crop or situation and weed or pest.
6. Wind speed and direction during application.
7. Air temperature and relative humidity during application.
8. Nozzle brand, type, spray angle, nozzle capacity and spray system pressure measured during application.
9. Name and address of person applying this product.

(Additional record details may be required by the State or Territory where this product is used.

MANDATORY NO-SPRAY ZONES

DO NOT apply if there are aquatic and wetland areas including aquacultural ponds, surface streams and rivers downwind from the application area and within the mandatory no-spray zones shown in the table below:

No-spray zones for Protection of the Aquatic Environment	
Wind speed range at time of application	Downwind mandatory no-spray zone
FOR GROUND APPLICATION	
From 3 to 20 kilometres per hour	5 metres

DIRECTIONS FOR USE

CROP	DISEASE	RATE (g/ha)	CRITICAL COMMENTS
Peanuts (Qld, NSW, WA, NT only)	Early Leaf Spot, Late Leaf Spot, Rust	150 to 240	Begin spraying no later than 3-4 weeks after emergence. Repeat applications at 10-14 day intervals. Under conditions conducive to high disease pressure, prolonged wet weather or heavy rains, use the high rate and shortest spray interval. In localities with frequent and persistent rainfall, or in irrigated crops, it is recommended that Imtrade Dalbie® 800 WG Fungicide usage should be integrated with a base program of protectant fungicide applications for best control of leaf diseases. Apply no more than four applications of Imtrade Dalbie® 800 WG Fungicide per season.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIODS

***Peanuts:* DO NOT HARVEST FOR 4 WEEKS AFTER APPLICATION. DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 4 WEEKS AFTER APPLICATION.**

GENERAL INSTRUCTIONS

FOLIAR DISEASES ON PEANUTS

Monitor the crop regularly for symptoms of disease. Generally spray at the first sign of disease, although this will depend on factors such as expected weather conditions and the particular crop variety resistance. Refer to Directions for Use for particular disease recommendations. Up to four sprays of Imtrade Dalbie® 800 WG Fungicide per season may be applied to the crop. Ensure good coverage of all susceptible plant parts.

MIXING

Add the required quantity of Imtrade Dalbie® 800 WG Fungicide to water in the spray vat while under agitation.

APPLICATION

DO NOT apply by aircraft. For ground application only: Apply using a spray volume of 150 to 450L/ha and a nozzle that provides spray droplets not smaller than a (ZAA) spray droplet size category. Ensure thorough coverage of foliage.

COMPATABILITY

Imtrade Dalbie® 800 WG Fungicide is compatible with Imtrade Whack® 720 Fungicide. For the latest information on product compatibilities, contact your local Imtrade Australia Pty Ltd representative.

FUNGICIDE RESISTANCE WARNING

GROUP	3	FUNGICIDE
-------	----------	-----------

Imtrade Dalbie® 800 WG Fungicide is a member of the DMI group of fungicides. For fungicide resistance management, Imtrade Dalbie® 800 WG Fungicide is a Group **3** Fungicide. Some naturally occurring individual fungi resistant to Imtrade Dalbie® 800 WG Fungicide and other Group **3** Fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by Imtrade Dalbie® 800 WG Fungicide and other Group **3** Fungicides, thus resulting in a reduction in efficacy and possible yield loss.

Since the occurrence of resistant fungi is difficult to detect prior to use, Imtrade Australia Pty Ltd accepts no liability for any loss that may result from the failure of Imtrade Dalbie® 800 WG Fungicide to control resistant pathogens.

Advice as to strategies and alternative treatments that can be used should be obtained from your local supplier, consultant, local Department of Agriculture, Primary Industries Department or an Imtrade Australia Pty Ltd representative.

PRECAUTIONS

Re-entry Period

DO NOT allow entry into treated areas until spray has dried. If prior entry is necessary wear cotton overalls buttoned to the neck and wrists (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT

Very toxic to aquatic life.

DO NOT contaminate wetlands or watercourses with this product or used containers.

STORAGE AND DISPOSAL

The method of disposal of the container depends on the container type. Read the Storage and Disposal instructions on the label that is attached to the container.

Store in the closed, original container in a cool, well-ventilated area. **DO NOT** store for prolonged periods in direct sunlight.

All other non-refillable containers

Triple-rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemical on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. **DO NOT** burn empty containers or product. **DO NOT** re-use empty container for any other purpose.

Bags

Store in the closed, original container in a dry, cool, well-ventilated area, out of direct sunlight. Single-rinse or shake remainder into spray tank/water/dip/drench, etc. **DO NOT** dispose of undiluted chemicals on-site. Puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. **DO NOT** burn empty containers or product.

SAFETY DIRECTIONS

Will irritate the eyes and skin. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin. If the product in eyes, wash it out immediately with water. If product on skin, immediately wash area with soap and water. When opening the container and preparing spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and a washable hat, elbow-length chemical resistant gloves, and face shield or goggles. Wash hands after use. After each day's use wash gloves, face shield or goggles and contaminated clothing.

ADDITIONAL USER SAFETY INFORMATION

WARNING: May cause birth defects.

FIRST AID

First aid is not generally required. If in doubt, contact a Poisons Information Centre (*Phone Australia 13 11 26; New Zealand 0800 764 766*) or a doctor.

Additional GHS Hazard & Precautionary Statements

•Harmful if swallowed; •May cause damage to organs through prolonged or repeated exposure; •**DO NOT** breathe dusts; •**DO NOT** get on clothing; •Wash contacted areas thoroughly after handling; •**DO NOT** eat, drink or smoke when using this product; •Use personal protective equipment as required; •Get medical advice or attention if you feel unwell; Brush off loose particles from skin; •**IF SWALLOWED:** Call a POISON CENTRE or doctor if you feel unwell; •**IF SWALLOWED:** Rinse mouth. Do **NOT** induce vomiting;

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet which can be obtained from your supplier or Imtrade Australia Pty Ltd website at www.imtrade.com.au

CONDITIONS OF SALE

Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

DALBIE® is a Registered Trademark of Imtrade Australia Pty Ltd

In a Transport Emergency
Dial 000
Police or Fire Brigade

APVMA Approval No: 87492/118501