STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area, out of direct sunlight. Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilisers.

All other non-refillable containers

Triple-rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemical on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product. **DO NOT** re-use empty container for any other purpose.

Plastic and foil baas

Single-rinse or shake remainder into spray tank/water/dip/drench, etc. **DO NOT** dispose of undiluted chemicals on site. Puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. **DO NOT** burn empty containers or product.

SAFETY DIRECTIONS


Very dangerous, particularly the concentrate. Poisonous if absorbed by skin contact, inhaled or swallowed. May irritate the eyes, nose, throat and skin. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin. Avoid inhaling dust or spray mist. When opening the container and preparing the spray, wear cotton overalls buttoned to neck and wrist (or equivalent clothing) and elbow-length chemical resistant gloves. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26; New Zealand 0800 764 766).

WARNING: Contains Carbendazim which causes birth defects and irreversible male infertility in laboratory animals. Avoid contact with Carbendazim.

> Refer to attached Leaflet for additional **GHS Hazard & Precautionary Statements**



Contents: 1kg - 15kg

stralia Pty Ltd - ABN 13 090 151 134 | 17 Ocean St, Kwinana WA 6167

APVMA APPROVAL NO: 87698/119001

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which can be obtained from your supplier or Imtrade Australia Pty Ltd website at www.imtrade.com.au

CONDITIONS OF SALE

Imtrade Australia Pty Ltd warrants that this product conforms to the chemical description on the label. The use of Imtrade GALLARDO® 900 WG Fungicide being beyond the control of the manufacturer, Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

GALLARDO® is a Registered Trademark of Imtrade Australia Pty Ltd

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains CARBENDAZIM)

IN A TRANSPORT EMERGENCY **DIAL 000**

POLICE OR FIRE BRIGADE

HAZCHEM 2Z PG III

APVMA Approval No: 87698/119001 MISCELLANEOUS DANGEROUS GOODS

Batch No: Date of Manufacture:

DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



IMTRADE GALLARDO® 900 WG FUNGICIDE

ACTIVE CONSTITUENT: 900g/kg CARBENDAZIM



A broad spectrum, systemic fungicide for the control of Macadamia Husk Spot in Macadamia Nuts and certain fungal diseases of Pulse crops as specified in the Directions for Use table

IMPORTANT: READ THIS LEAFLET THOROUGHLY BEFORE OPENING OR USING THIS PRODUCT

APVMA Approval No. 87698/119001

Imtrade Australia Pty Ltd ABN 13 090 151 134 17 Ocean Street, Kwinana WA 6167 Tel: 1800 171 799 Fax: 1800 171 788 Web: www.imtrade.com.au

1

DIRECTIONS FOR USE:

RESTRAINTS:

For PROFESSIONAL use only.

DO NOT apply by aircraft or hand-held spraying equipment.

DO NOT allow bystanders to come into contact with the spray cloud.

DO NOT apply to turf, grapes, cucurbits (including melons), citrus fruit, custard apple, mango, pome fruit (apples or pears) or stone fruit (including cherries).

1. TREE CROPS									
	RATE	CRITCIAL COMMENTS							
	s shows rates fo e spraying, refe sectio	For all uses in this table. Apply by dilute or concentrate spraying application equipment. Apply the same total amount of product to the target crop whether applying this product by dilute or concentrate spraying methods.							
CROP	PEST/DISEASE	STATE	RATE	WHP	CRITCIAL COMMENTS				
Macadamia Nuts	Macadamia Husk Spot (Pseudocerco- spora macadamiae)	All States	28g plus a wetting agent (at 100 mL/ 100L)	14 days (H) 4 weeks (G)	Apply at 5 and 8 weeks after main flowering – Stage 2 anthesis (white flowering stage). Remove any fallen nuts from under trees prior to spraying. DO NOT apply more than 2 applications of Imtrade GALLARDO® 900 WG Fungicide per season.				

O OTHER CRORE

2. OTHER GROPS									
CROP	PEST/DISEASE	STATE	RATE	WHP	CRITCIAL COMMENTS				
Faba Beans, Lentils and	Chocolate Spot (Botrytis fabae), Grey Mould (Botrytis cinerea)		280g/ ha	weeks (H,G)	Apply a maximum of two consecutive applications at 14 day intervals. Apply in a minimum of 100L water per hectare.				

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD: MACADAMIA NUTS:

DO NOT HARVEST FOR 14 DAYS AFTER APPLICATION.
DO NOT ALLOW LIVESTOCK TO GRAZE VEGETATION IN
TREATED PLANTATIONS FOR 4 WEEKS AFTER
APPLICATION.

DO NOT CUT TREATED VEGETATION IN TREATED PLANTATIONS FOR STOCK FEED FOR 4 WEEKS AFTER APPLICATION.

CHICKPEAS, FABA BEANS, LENTILS AND VETCH:

DO NOT HARVEST FOR 4 WEEKS AFTER APPLICATION.
DO NOT GRAZE OR CUT FOR STOCKFEED FOR 4 WEEKS
AFTER APPLICATION.

EXPORT OF TREATED PRODUCE

Growers should note that suitable MRLs or import tolerances may not be established in all markets for produce treated with Imtrade GALLARDO® 900 WG Fungicide. If you are growing produce for export, please check with Imtrade Australia Pty Ltd for the latest information on MRLs and import tolerances BEFORE using Imtrade GALLARDO® 900 WG Fungicide.

GENERAL INSTRUCTIONS

MIXING/APPLICATION

SHAKE WELL BEFORE USE. Imtrade GALLARDO® 900 WG Fungicide is to be mixed with water for application as a spray. Add the required quantity of Imtrade GALLARDO® 900 WG Fungicide to a partly filled spray tank and agitate. Complete filling while agitating. In the event of a stoppage during spraying, ensure the spray mixture is properly agitated before spraying recommences.

ADDITION OF WETTING AGENT

The addition of a wetting agent e.g. Imtrade Wetter 1000 to spray mixture improves the distribution of the spray on hard to wet plants.

FUNGICIDE RESISTANCE WARNING

GROUP 1 FUNGICIDE

Imtrade GALLARDO® 900 WG Fungicide is a Group 1 Fungicide and a member of the bezimidazole group of fungicides For fungicide resistance management, Imtrade GALLARDO® 900 WG Fungicide is a Group 1 Fungicide. Some naturally occurring individual fungi, resistant to Imtrade GALLARDO® 900 WG Fungicide and other Group 1 Fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungi population if these fungicides are used repeatedly. These resistant fungi will not be controlled by Imtrade GALLARDO® 900 WG Fungicide and other Group 1 Fungicides, thus resulting in efficacy and possible vield loss.

Since the occurrence of resistant fungi is difficult to detect prior to use, Imtrade Australia Pty Ltd accepts no liability for any losses that may result from the failure of Imtrade GALLARDO® 900 WG Fungicide to control resistant fungi.

PRECAUTION

Keep away from foodstuffs.

RE-ENTRY PERIOD

DO NOT enter treated areas until the spray has dried unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

DO NOT undertake hand-set irrigation for 4 days post-treatment unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves.

PROTECTION OF LIVESTOCK

Imtrade GALLARDO® 900 WG Fungicide is of low toxicity to bees.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Very toxic to aquatic life with long lasting effects.

DO NOT contaminate streams, rivers or watercourses with the chemical or used containers.

PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS

DO NOT apply under weather conditions, or from spraying equipment, that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures.

STORAGE AND DISPOSAL

The method of disposal of the container depends on the container type. Read the Storage and Disposal instructions on the label that is attached to the container.

Store in the closed, original container in a dry, cool, well-ventilated area, out of direct sunlight. Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilisers.

All other non-refillable containers

Triple-rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemical on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. **DO NOT** burn empty containers or product. **DO NOT** re-use empty container for any other purpose.

Plastic and foil bags

Single-rinse or shake remainder into spray tank/water/dip/drench, etc. **DO NOT** dispose of undiluted chemicals on site. Puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. **DO NOT** burn empty containers or product.

SAFETY DIRECTIONS

Very dangerous, particularly the concentrate. Poisonous if absorbed by skin contact, inhaled or swallowed. May irritate the eyes, nose, throat and skin. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin. Avoid inhaling dust or spray mist. When opening the container and preparing the spray, wear cotton overalls buttoned to neck and wrist (or equivalent clothing) and elbow-length chemical resistant gloves. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (*Phone Australia 13 11 26: New Zealand 0800 764 766*).

WARNING: Contains Carbendazim which causes birth defects and irreversible male infertility in laboratory animals. Avoid contact with Carbendazim.

Additional GHS Hazard & Precautionary Statements

Causes skin irritation;
 May damage fertility or the unborn child;
 Do NOT get on clothing;
 Forush off loose particles from skin;
 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting;
 If exposed or concerned: Get medical advice;
 In case of fire: Use carbon dioxide, dry chemical, foam, to extinguish;
 Store locked up.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which can be obtained from your supplier or Imtrade Australia Pty Ltd website at www.imtrade.com.au

CONDITIONS OF SALE

Imtrade Australia Pty Ltd warrants that this product conforms to the chemical description on the label. The use of Imtrade GALLARDO® 900 WG Fungicide being beyond the control of the manufacturer, Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

GALLARDO® is a Registered Trademark of Imtrade Australia Pty Ltd

UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS CARBENDAZIM) IN A TRANSPORT EMERGENCY, DIAL 000 POLICE OR FIRE BRIGADE PG III HAZCHEM 2Z

APVMA Approval No: 87698/119001

MISCELLANEOUS DANGEROUS GOODS 9