

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. **DO NOT** store for prolonged periods in direct sunlight.

All other non-refillable containers

Triple rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemical on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. **DO NOT** burn empty containers and product. **DO NOT** re-use empty container for any other purpose.

Envirodrum - Micro Matic Valve (110L)

Store the original sealed Envirodrum in a cool, well ventilated area. **DO NOT** store for prolonged periods in direct sunlight. **DO NOT** tamper with the Micro Matic valve or the security seal. **DO NOT** contaminate the Envirodrum with water or any other foreign matter. After each use of the product please ensure that the Micro Matic coupler, delivery system and hoses are disconnected, triple rinsed with clean water and drained accordingly. When the contents of the Envirodrum have been used, please return the empty Envirodrum to the point of purchase.

Refillable Containers (1000L only)

Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS

Will irritate eyes. May irritate the skin. Avoid contact with eyes and skin. Avoid inhaling vapour. When opening the container and preparing spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow length chemical resistant gloves, face shield or goggles and disposable fume mask, covering mouth and nose. If applying by boomspray equipment and airblast equipment, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing). Wash hands after use. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (*Phone Australia 13 11 26; New Zealand 0800 764 766*).

Refer to attached Leaflet for additional GHS Hazard & Precautionary Statements.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which can be obtained from your supplier or Imtrade Australia Pty Ltd website at www.imtrade.com.au

CONDITIONS OF SALE

Imtrade Australia Pty Ltd warrants that this product conforms to the chemical description on the label. The use of Imtrade Roadster 500 EC Fungicide being beyond the control of the manufacturer, Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

FORM
EC

CONTENTS
1L-1000L

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

IMTRADE
R
OADSTER

500 EC FUNGICIDE

ACTIVE CONSTITUENT: 500 g/L PYRACLOSTROBIN
SOLVENT: 275 g/L N-METHYL-2-PYRROLIDONE

GROUP 11 FUNGICIDE

For the control of Downy and Powdery Mildew in Grapevines, Husk Spot in Macadamia and Rust in Almond as specified in the Directions for Use table.

Important: Read the attached Leaflet before use.

UN
2992

CARBAMATE
PESTICIDE,
LIQUID, N.O.S.
(contains
PYRACLOSTROBIN)

In a Transport Emergency
Dial 000 Police or Fire Brigade

PG III

HAZCHEM 2X

APVMA Approval No: 89688/125804



TOXIC

6



Batch No.
DOM:

IMTRADE
CropScience

17 Ocean St, Kwinana Beach WA 6167
08 9419 0333 | www.imtrade.com.au

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



IMTRADE
ROADSTER
500 EC FUNGICIDE

ACTIVE CONSTITUENT: 500 g/L PYRACLOSTROBIN
SOLVENT: 275 g/L N-METHYL-2-PYRROLIDONE

GROUP 11 FUNGICIDE

For the control of Downy and Powdery Mildew in Grapevines,
Husk Spot in Macadamia and Rust in Almond
as specified in the Directions for Use table.

**IMPORTANT: READ THIS LEAFLET THOROUGHLY
BEFORE OPENING OR USING THIS PRODUCT**

APVMA Approval No: 89688/125804

Imtrade Australia Pty Ltd
ABN 13 090 151 134
17 Ocean Street, Kwinana, Western Australia 6167
Tel: (08) 9419 0333 Fax: (08) 9419 7516
Web: www.imtrade.com.au

DIRECTIONS FOR USE

RESTRAINTS:

For PROFESSIONAL use only.

DO NOT apply by aerial spraying in grapevines, macadamias or almonds.

DO NOT apply within 48 hours of heavy rainfall.

DO NOT irrigate to the point of run-off

DO NOT apply to water logged soil

SPRAY DRIFT RESTRAINTS

Specific definitions for terms used in this section of the label can be found at apvma.gov.au/spraydrift

DO NOT allow bystanders to come into contact with the spray cloud (see Table 1 below)

DO NOT apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. The buffer zones in the relevant buffer zone table/s below provide guidance but may not be sufficient in all situations. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas.

DO NOT apply unless the wind speed is between 3 and 20 kilometres per hour at the application site during the time of application.

DO NOT apply if there are hazardous surface temperature inversion conditions present at the application site during the time of application.

Surface temperature inversion conditions exist most evenings one to two hours before sunset and persist until one to two hours after sunrise.

Mandatory Buffer Zones

DO NOT apply by airblast or mist sprayer unless the following requirements are met:

- Spray droplets are a **COARSE** spray droplet size category
- Minimum distances between the application site and bystanders (see **Mandatory Bystander buffer zones** section of the following table titled '**Bystander Buffer Zone for Airblast and Mist Spray**') are observed.

Table 1: Bystander Buffer Zone for Airblast and Mist Spray

| Type of Canopy | Mandatory Bystander buffer zone (meters) |
|---|--|
| Canopies taller than 2 meters (not fully foliated) maximum dilution rate of 400 L/ha | 5 |

DO NOT apply if there are aquatic and wetland areas including aquacultural ponds, surface streams and rivers downwind from the application area and within the mandatory buffer zones shown in Table 2 below.

Table 2: Buffer Zones for Protection of the Aquatic Environment

| For Ground Application | |
|------------------------|---------------------------------|
| Crop | Mandatory Downwind Buffer Zones |
| Grapes | 10 meters |
| Macadamias | 120 meters |
| Almonds | 160 meters |

| CROP | DISEASE | RATE | WHP | CRITICAL COMMENTS |
|------------|---|---|---------|---|
| Grapevines | Downy Mildew (<i>Plasmopara viticola</i>), Powdery Mildew (<i>Uncinula necator</i>) | Dilute Spray 20 mL/ 100L water Concentrate Spray Refer to the 'Application' section | 21 days | Also see 'CAUTION' section re export commodities. Apply up to three sprays per season as part of a complete disease control programme. Ideally, apply in a block of three sprays at 10 to 14 day intervals, commencing at flowering. Use the shorter intervals under conditions favouring disease infection. Apply by dilute or concentrate spraying equipment. Apply the same total amount of Imtrade Roadster 500 EC Fungicide to the target crop whether applying by dilute or concentrate spraying methods. This use is subject to a CropLife Australia resistance management strategy. |

| CROP | DISEASE | RATE | WHP | CRITICAL COMMENTS |
|-----------|---|---|-----|---|
| Macadamia | Husk Spot (<i>Pseudocercospora macadamiae</i>) | 20 mL/100L in maximum spray volume of 2000L/ha | – | Apply up to two sprays per season as part of a complete disease control program. Commence application of Imtrade Roadster 500 EC Fungicide at match head timing stage and repeat application at 14 to 28 days later. Ensure that fungicides from an alternative chemical group are included in the spray program each season. |
| Almond | Rust (<i>Trenschelia discolor</i>) | 20 mL/100L | – | Apply up to two sprays per season as part of a complete disease control program. Commence application of Imtrade Roadster 500 EC Fungicide at flowering and repeat application at 10 to 14 days later. Ensure that fungicides from an alternative chemical group are included in the spray program each season. |

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD - HARVEST

ALMOND, MACADAMIA: NOT REQUIRED WHEN USED AS DIRECTED

GRAPES: DO NOT HARVEST FOR 21 DAYS AFTER APPLICATION

CAUTION

EXPORT OF TREATED FRUIT OR WINE

Growers should note that Maximum Residue Limits (MRLs) or import tolerances may not exist in all markets for crops treated with Imtrade Roadster 500 EC Fungicide. Additionally, some export markets have established MRLs different to those in Australia. If you are growing fruit for exporting (including fresh, dried or for wine production), please check with Imtrade Australia Pty Ltd for the latest information on MRLs and import tolerances BEFORE using Imtrade Roadster 500 EC Fungicide.

GENERAL INSTRUCTIONS

MIXING

To ensure even mixing, half-fill the spray tank with clean water and add the required amount of Imtrade Roadster 500 EC Fungicide. If required, add compatible products and agitate thoroughly, then add the remainder of the water. Agitate again before spraying commences.

APPLICATION

Grapevines/Macadamia/Almond

Dilute Spraying:

- Use a sprayer designed to apply high volumes of water up to the point of run-off and matched to the crop being sprayed.
- Set up and operate the sprayer to achieve even coverage throughout the crop canopy. Apply sufficient water to cover the crop to the point of run-off. Avoid excessive run-off.
- The required water volume may be determined by applying different test volumes, using different settings on the sprayer, from industry guidelines or expert advice.
- Add the amount of Imtrade Roadster 500 EC Fungicide specified in the Directions for Use table for each 100L of water. Spray to the point of run-off.
- The required dilute spray volume will change and the sprayer set up and operation may also need to be changed, as the crop grows.

Concentrate Spraying:

- Use a sprayer designed and set up for concentrate spraying (that is a sprayer which applies water volumes less than those required to reach the point of run-off) and matched to the crop being sprayed.
- Set up and operate the sprayer to achieve even coverage throughout the crop canopy using your chosen water volume.
- Determine an appropriate dilute spray volume (see **Dilute Spraying** above) for the crop canopy. This is needed to calculate the concentrate mixing rate.
- The mixing rate for concentrate spraying can then be calculated in the following way:

EXAMPLE ONLY

1. Dilute spray volume as determined above: For example 1500L/ha
 2. Your chosen concentrate spray volume: For example 500L/ha
 3. The concentration factor in this example is: 3X (i.e. $1500\text{L} \div 500\text{L} = 3$)
 4. If the dilute label rate is 20 mL/100L, then the concentrate rate becomes 3×20 (that is 60 mL of product per 100L water of concentrate spray).
- The chosen spray volume, amount of product per 100L of water, and the sprayer set up and operation may need to be changed as the crop grows.
 - For further information on concentrate spraying, users are advised to consult relevant industry guidelines, undertake appropriate competency training and follow industry Best Practices.

Spray Volumes

For concentrate application, use a spray volume of at least 200 litres per hectare.

COMPATIBILITY

For information on compatibility, please contact your local Imtrade Australia Pty Ltd representative.

FUNGICIDE RESISTANCE WARNING

GROUP **11** FUNGICIDE

Imtrade Roadster 500 SC Fungicide is a member of the strobilurin group of fungicides. For fungicide resistance management Imtrade Roadster 500 EC Fungicide is a Group **11** Fungicide. Some naturally-occurring individual fungi resistant to Imtrade Roadster 500 EC Fungicide and other Group **11** Fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if Imtrade Roadster 500 EC Fungicide or other Group **11** Fungicides are used repeatedly. These resistant fungi will not be controlled by Imtrade Roadster 500 EC Fungicide or other Group **11** Fungicides, thus resulting in a reduction in efficacy and possible yield loss.

Since occurrence of resistant individuals is difficult to detect prior to use, Imtrade Australia Pty Ltd accepts no liability for any losses that may result from the failure of Imtrade Roadster 500 EC Fungicide to control resistant fungi.

PRECAUTIONS

DO NOT use human flaggers/markers unless they are protected by engineering controls such as enclosed cabs.

RE-ENTRY PERIOD

DO NOT enter treated areas until spray has dried. If prior entry is necessary wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET CROPS

DO NOT apply under weather conditions, or from spraying equipment that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

HIGHLY TOXIC TO AQUATIC ORGANISMS.

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

The method of disposal of the container depends on the container type. Read the Storage and Disposal instructions on the label that is attached to the container.

Store in the closed, original container in a cool, well-ventilated area. **DO NOT** store for prolonged periods in direct sunlight.

All other non-refillable containers

Triple rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemical on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. **DO NOT** burn empty containers and product. **DO NOT** re-use empty container for any other purpose.

Envirodrum - Micro Matic Valve (110L)

Store the original sealed Envirodrum in a cool, well ventilated area. **DO NOT** store for prolonged periods in direct sunlight. **DO NOT** tamper with the Micro Matic valve or the security seal. **DO NOT** contaminate the Envirodrum with water or any other foreign matter. After each use of the product please ensure that the Micro Matic coupler, delivery system and hoses are disconnected, triple rinsed with clean water and drained accordingly. When the contents of the Envirodrum have been used, please return the empty Envirodrum to the point of purchase.

Refillable Containers (1000L only)

Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS

Will irritate eyes. May irritate the skin. Avoid contact with eyes and skin. Avoid inhaling vapour. When opening the container and preparing spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow length chemical resistant gloves, face shield or goggles and disposable fume mask, covering mouth and nose. If applying by boomspray equipment and airblast equipment, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing). Wash hands after use. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (*Phone Australia 13 11 26; New Zealand 0800 764 766*).

Additional GHS Hazard & Precautionary Statements

•Combustible liquid; •Harmful if swallowed; •Toxic if inhaled; •May cause respiratory irritation; •May damage the unborn child; •Very toxic to aquatic life with long-lasting effects; •Keep away from heat, sparks, open flames and hot surfaces – No smoking; •Avoid breathing fumes, mists, vapours or spray; •**DO NOT** get on clothing; •**DO NOT** eat, drink or smoke when using this product; •Use only outdoors or in a well-ventilated area; •Call a POISON CENTRE or doctor if you feel unwell; •**IF SWALLOWED:** Rinse mouth. Do NOT induce vomiting; •**IF ON SKIN:** Wash with plenty of soap and water; •**IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing; •**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing; •If exposed or concerned: Get medical advice; •If skin irritation occurs: Get medical advice; •If eye irritation persists: Get medical advice; •In case of fire, use carbon dioxide, dry chemical, foam; •Store in a dry place.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which can be obtained from your supplier or Imtrade Australia Pty Ltd website at www.imtrade.com.au

CONDITIONS OF SALE

Imtrade Australia Pty Ltd warrants that this product conforms to the chemical description on the label. The use of Imtrade Roadster 500 EC Fungicide being beyond the control of the manufacturer, Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

| | |
|--|--|
| UN 2992 | CARBAMATE PESTICIDE, LIQUID, N.O.S. (contains PYRACLOSTROBIN) |
| IN A TRANSPORT EMERGENCY, DIAL 000 POLICE OR FIRE BRIGADE | |
| PG III | HAZCHEM 2X |



APVMA Approval No: 89688/125804