

STORAGE AND DISPOSAL

Keep out of reach of children. Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight.

For plastic containers:

Triple-rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. **DO NOT** burn empty containers or product. **DO NOT** re-use empty container for any other purpose.

For plastic bags:

Shake bag contents into spray tank until the bag is empty. **DO NOT** dispose of undiluted chemicals on-site. Break, crush, puncture or shred and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. **DO NOT** burn empty containers or product.

SAFETY DIRECTIONS

May irritate the skin. Will irritate the eyes. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin. **DO NOT** inhale dust. If product in eyes, wash it out immediately with water. When opening the container and preparing spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow-length chemical resistant gloves and face shield or goggles. When using the prepared spray wear cotton overalls buttoned to the neck and wrist (or equivalent clothing). In addition, if applying by low pressure hand wand wear cotton overalls, over normal clothing, buttoned to the neck and wrist elbow-length chemical resistant gloves and disposable (mist) face mask covering mouth and nose. Wash hands after use. After each day's use, wash gloves and face shield or goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26; New Zealand 0800 764 766).

Refer to attached Leaflet for additional GHS Hazard & Precautionary Statements

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which can be obtained from your supplier or from Imtrade CropScience website at www.imtrade.com.au

CONDITIONS OF SALE

Imtrade CropScience shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade CropScience has any authority to add to or alter these conditions.

MACHINE® is a Registered Trademark of Imtrade Australia Pty Ltd

READ SAFETY DIRECTIONS BEFORE OPENING OR USING



ACTIVE CONSTITUENT: 900g/kg BIFENAZATE

GROUP 20D INSECTICIDE

For the control of Two-spotted Mite, European Red Mite and Byrobia Mite in Pome Fruit, Stone Fruit, Almonds, Fruiting Vegetables, Cucurbits, Papaya and Strawberries as specified in the Directions for Use Table.

IMPORTANT: Read the attached Leaflet before use.

FORM
WG

CONTENTS
1kg - 15kg

UN 3077	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S. (contains BIFENAZATE)
In a Transport Emergency Dial 000 Police or Fire Brigade	
PG III	HAZCHEM 2X

APVMA APPROVAL NO: 92305/135131



Batch No.
DOM:

IMTRADE
CropScience

17 Ocean St, Kwinana Beach WA 6167
08 9419 0333 | www.imtrade.com.au

READ SAFETY DIRECTIONS BEFORE OPENING OR USING



ACTIVE CONSTITUENT: 900g/kg BIFENAZATE

GROUP 20D INSECTICIDE

For the control of Two-spotted Mite, European Red Mite and Byrobia Mite in Pome Fruit, Stone Fruit, Almonds, Fruiting Vegetables, Cucurbits, Papaya and Strawberries as specified in the Directions for Use Table

**IMPORTANT: READ THIS LEAFLET THOROUGHLY
BEFORE OPENING OR USING THIS PRODUCT**

APVMA APPROVAL No: 92305/135131

Imtrade Australia Pty Ltd
ABN 13 090 151 134
17 Ocean Street, Kwinana, Western Australia 6167
Tel: (08) 9419 0333 Fax: (08) 9419 7516
Web: www.imtrade.com.au

DIRECTIONS FOR USE**RESTRAINTS:**

DO NOT apply using spraying equipment carried on the back of the user.

DO NOT use if rainfall is expected before spray has dried as reduced efficacy may result.

Crop	Pest	Rate	WHP	Critical Comments
Apples & Pears	Two-spotted Mite (<i>Tetranychus urticae</i>)	Dilute Spraying 35g/100L (31.2g ai/100L)	Harvest 7 days	MACHINE® 900 WG should be applied to the point of run-off as soon as mites appear.
	European Red Mite (<i>Panonychus ulmi</i>)		Grazing 28 days	
Apricots, Nectarines, Peaches & Plums	Bryobia Mite (<i>Bryobia rubrioculus</i>)		Harvest 3 days	Equipment should be calibrated so that no less than 1000L of water is applied per hectare.
			Grazing 28 days	
Almonds	Two-spotted Mite (<i>Tetranychus urticae</i>)		Harvest 14 days	Complete coverage of all foliage is essential. Only one application should be made per season.
	Bryobia Mite (<i>Bryobia rubrioculus</i>)	Grazing 28 days		
Fruiting Vegetables including: Tomatoes, Capsicum, peppers and Eggplant (excluding Sweetcorn and Mushrooms)			1 day	
			3 days	
			1 day	
Cucurbits (excluding Cucumber)				
Cucumber				
Papaya	Two-spotted Mite (<i>Tetranychus urticae</i>)		7 days	

Crop	Pest	Rate	WHP	Critical Comments
Strawberries	Two-spotted Mite (<i>Tetranychus urticae</i>) Bryobia Mite (<i>Bryobia rubrioculus</i>)	Dilute Spraying 35g/100L (31.2g ai/100L)	1 day	DO NOT apply more than 2 applications per growing season. DO NOT re-apply within 21 days of the previous application. A different acaricide should be used between MACHINE® 900 WG applications.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIODS

CUCUMBER, FRUITING VEGETABLES (except Sweetcorn, Mushroom) and STRAWBERRIES: DO NOT HARVEST FOR 1 DAY AFTER APPLICATION.

APRICOTS, NECTARINES, PEACHES AND PLUMS, CUCURBITS (except Cucumber): DO NOT HARVEST FOR 3 DAYS AFTER APPLICATION.

PAPAYA, POME FRUIT: DO NOT HARVEST FOR 7 DAYS AFTER APPLICATION.

ALMONDS: DO NOT HARVEST FOR 14 DAYS AFTER APPLICATION.

FRUIT: DO NOT FEED TREATED PRODUCE TO LIVESTOCK FOR 7 DAYS AFTER APPLICATION.

ALMONDS: DO NOT FEED TREATED PRODUCE TO LIVESTOCK FOR 14 DAYS AFTER APPLICATION.

ALL ORCHARD CROPS: DO NOT ALLOW LIVESTOCK TO GRAZE IN TREATED AREA FOR 28 DAYS AFTER APPLICATION.

EXPORT OF TREATED PRODUCT

MRLs or import tolerances for Bifenazate may not be established in all markets. If you are using this product on Apples, Pears, Apricots, Nectarines, Peaches, Plums, Almonds, Fruiting Vegetables, Cucurbits, Papaya and Strawberries for export, please check with Intrade CropScience for the latest information.

GENERAL INSTRUCTIONS

MACHINE® 900 WG is a selective miticide for the control of plant-eating mite pests on Apples, Pears, Apricots, Nectarines, Peaches, Plums, Almonds, Fruiting Vegetables including Tomatoes, Capsicum, Peppers and Eggplant, Cucurbits, Papaya and Strawberries. When used as directed and applied to the foliage, it provides quick knockdown through contact activity, and good residual control.

Due to its unique chemistry, mode of action and selective nature, MACHINE® 900 WG is relatively inactive against beneficial/predaceous mites and insects and therefore is compatible with IPM and resistance management programs.

Crop Monitoring:

Effective control depends on regular crop monitoring. Check trees regularly (every 3-5 days) during the season.

Mixing Instructions:

Measure the required amount of MACHINE® 900 WG, add to partly filled spray tank under agitation, and then add the remainder of the water.

Use a sprayer designed to apply high volumes of spray solution up to the point of run-off and matched to the crop being sprayed. Set up and operate the sprayer to achieve even coverage throughout the crop canopy. Apply sufficient spray solution (MACHINE® 900 WG + water) to cover the crop to the point of run-off. Avoid excessive run-off. The required amount of spray solution (MACHINE® 900 WG + water) will change as the crop grows. The required water volume may be determined by applying different test volumes, using different settings on the sprayer, from industry guidelines or expert advice.

MACHINE® 900 WG has been shown to degrade rapidly when mixed and stored with alkaline water. To prevent degradation under alkaline conditions, solutions of MACHINE® 900 WG must be used promptly (within 24 hours).

Alternatively, a commercially available buffering agent can be added to the solution to reduce the pH to a neutral/acidic range.

Application:

MACHINE® 900 WG is non-systemic in action and therefore complete coverage is required for mite control.

COMPATIBILITY

A number of insecticides and fungicides are compatible with MACHINE® 900 WG if mixed in the spray tank and used promptly. As it is impossible to know all the commercial products on sale, Imtrade CropScience cannot assume any responsibility for tank mix compatibility. Imtrade CropScience can only recommend to the user that a preliminary compatibility test be carried out with the planned mixture to observe the physical aspect of the spray and the reaction it may produce on the plants to be treated during the days following the test.

INSECTICIDE RESISTANCE WARNING

GROUP 20D INSECTICIDE

For insecticide resistance management, MACHINE® 900 WG is a Group **20D** Insecticide. Some naturally occurring insect biotypes resistant to MACHINE® 900 WG and other Group **20D** Insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if MACHINE® 900 WG or other Group **20D** Insecticides are used repeatedly. The effectiveness of MACHINE® 900 WG on resistant individuals could be significantly reduced. Since the occurrence of resistant individuals is difficult to detect prior to use, Imtrade CropScience accepts no liability for any losses that may result from the failure of MACHINE® 900 WG to control resistant insects.

RESISTANCE MANAGEMENT

Pome & Stone Fruit, Almonds, Fruiting Vegetables including Tomatoes, Capsicum, Peppers and Eggplant, Cucurbits and Papaya: Only one application should be applied per season.

Strawberries: **DO NOT** apply more than 2 applications per growing season. **DO NOT** re-apply within 21 days of the previous application. A different acaricide should be used between MACHINE® 900 WG applications.

PRECAUTION

DO NOT apply using spraying equipment carried on the back of the user.

Re-entry Period

DO NOT allow entry into treated areas until the spray has dried. If prior entry is necessary, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Highly toxic to fish and aquatic organisms.

DO NOT contaminate streams, rivers or waterways with the chemical or used container.

DO NOT allow spraydrift to contaminate streams, rivers or waterways.

Dangerous to bees.

DO NOT spray plants in flower while bees are foraging.

STORAGE AND DISPOSAL

Keep out of reach of children. Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight.

For plastic containers:

Triple-rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. **DO NOT** burn empty containers or product. **DO NOT** re-use empty container for any other purpose.

For plastic bags:

Shake bag contents into spray tank until the bag is empty. **DO NOT** dispose of undiluted chemicals on-site. Break, crush, puncture or shred and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. **DO NOT** burn empty containers or product.

SAFETY DIRECTIONS

May irritate the skin. Will irritate the eyes. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin. **DO NOT** inhale dust. If product in eyes, wash it out immediately with water. When opening the container and preparing spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow-length chemical resistant gloves and face shield or goggles. When using the prepared spray wear cotton overalls buttoned to the neck and wrist (or equivalent clothing). In addition, if applying by low pressure hand wand wear cotton overalls, over normal clothing, buttoned to the neck and wrist elbow-length chemical resistant gloves and disposable (mist) face mask covering mouth and nose. Wash hands after use. After each day's use, wash gloves and face shield or goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (*Phone Australia 13 11 26; New Zealand 0800 764 766*).

Additional GHS Hazard & Precautionary Statements

•May cause an allergic skin reaction; •May cause damage to organs through prolonged or repeated exposure; •Very toxic to aquatic life with long lasting effects; •**DO NOT** get on clothing; •Wash contacted areas thoroughly after handling; •Contaminated work clothing should not be allowed out of the workplace; •Avoid release to the environment; •Get medical advice or attention if you feel unwell; •Brush off loose particles from skin; •**IF SWALLOWED:** Rinse mouth. Do **NOT** induce vomiting; •**IF ON SKIN:** Wash with plenty of soap and water; •If skin irritation or rash occurs: Get medical advice; •Collect spillage; •In case of fire, use carbon dioxide, dry chemical, foam. Water fog or fine spray is the preferred medium for large fires.

SAFETY DATA SHEET


Additional information is listed in the Safety Data Sheet, which can be obtained from your supplier or from our website at www.imtrade.com.au

CONDITIONS OF SALE

Imtrade CropScience shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade CropScience has any authority to add to or alter these conditions.

MACHINE® is a Registered Trademark of Imtrade Australia Pty Ltd

UN 3077	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S. (contains BIFENAZATE)
IN A TRANSPORT EMERGENCY, DIAL 000 POLICE OR FIRE BRIGADE	
PG III	HAZCHEM 2X



APVMA Approval No: 92305/135131